

SG_Distortion_Lite

Description

Distortion Lite is a simple animated material designed to create soft UV distortion across a texture.

It uses a distortion texture to gently warp the base texture, creating a more organic and dynamic VFX surface.

This Lite version is intentionally simple and provides only basic distortion controls. It is designed as a lightweight introduction to animated shader materials.

For base texture, tint, emission, and tiling settings, see the **SG_BaseColor_Lite** documentation.

Use Cases

Recommended for:

- Magic energy surfaces
 - Soft animated VFX planes
 - Portal surface distortion
 - Heat-like stylized warping
 - Organic energy movement
 - Fantasy glow materials
 - Decorative VFX surfaces
 - Preview materials for the full shader packs
-

Distortion Parameters

Distortion Texture

Primary texture used to create the distortion pattern.

Recommended texture type:

Seamless grayscale noise

Soft fluid noise

Organic distortion map

Medium contrast utility texture

The included recommended texture:

T_Noise_Distortion_Soft_01

This texture is designed for subtle organic distortion, soft energy movement, heat-style warping, and magic VFX surfaces.

Distortion Speed

Default: 0.15

Controls how fast the distortion pattern moves.

Recommended values:

- 0 — static distortion
- 0.05 — very slow movement
- 0.15 — default soft motion
- 0.3 — more visible movement
- 0.5+ — fast stylized distortion

Use lower values for calm magical surfaces or background effects.

Use higher values for active energy, portals, or stronger animated VFX.

Distortion Strength

Default: 0.02

Controls how strongly the distortion texture warps the base texture.

Recommended values:

- 0 — no distortion
- 0.01 — very subtle distortion
- 0.02 — default soft distortion
- 0.03 — clearly visible distortion
- 0.05+ — strong stylized distortion

For most materials, keep this value subtle.

High values can make the texture harder to read.

Recommended Settings

Soft Magic Distortion

Distortion Speed: 0.05–0.15

Distortion Strength: 0.01–0.02

Best for calm energy surfaces, subtle movement, and decorative VFX.

Portal Surface Distortion

Distortion Speed: 0.15–0.3

Distortion Strength: 0.02–0.04

Best for portal planes, magical gates, energy walls, and animated surface effects.

Strong Stylized Distortion

Distortion Speed: 0.3–0.6

Distortion Strength: 0.04–0.08

Best for more active VFX surfaces or exaggerated stylized motion.

Use stronger settings carefully, especially on detailed or high-contrast textures.

Best Practices

- Use seamless distortion textures for best results.
 - Keep Distortion Strength low for clean and readable motion.
 - Use soft noise textures for smooth organic distortion.
 - Use stronger distortion only for stylized showcase effects.
 - Combine Distortion Speed with texture tiling to control the perceived motion density.
 - Use Bloom in the scene for stronger glowing results.
 - For gameplay surfaces, avoid very high Distortion Strength values.
 - For advanced distortion, multiple noise layers, direction controls, masks, pulse, wave blending, or stronger animation options, use the full shader packs.
-

Limitations

This Lite material is intentionally simplified.

It does not include:

- Advanced distortion controls
- Multiple distortion layers
- Public distortion direction control
- Distortion mask controls
- Noise contrast controls
- Dual texture blending
- Pulse controls
- Radial or vortex motion
- Opacity / alpha controls
- Custom gradient color mode
- Advanced masking

This material is designed as a lightweight free version for simple animated distortion-style VFX.

Summary

Distortion Lite provides:

- Simple animated UV distortion
- Distortion texture input
- Adjustable distortion speed
- Adjustable distortion strength
- Lightweight stylized VFX behavior
- A beginner-friendly preview of the G-Spot Lab shader workflow

For base texture, tint, emission, and tiling controls, see the **SG_BaseColor_Lite** documentation.