

ZURI

Design System

Version 2.0 — June 2026

Supersedes v1.0 · Changes marked ■

Typography · Colour · Icons · Components · Row Specs · Flutter Tokens

Flutter · iOS & Android · Confidential

00 What Changed from v1.0

■ Rows in amber are corrections from v1.0

Token / Component	v1.0 Wrong	v2.0 Correct	Reason
contactName typeface	DM Serif Display	DM Sans	Too light at list density
contactName weight	w400	w500	Matches native iOS Phone app
contactName size	14sp	15sp	Better hierarchy at list scale
Icon button background	CSS rgba()	ZuriColors.iconButton Bg	Pre-converted Flutter hex
Search bar radius	"12-14px" range	14.0 exact	Ranges cause developer drift
Search bar height	"42dp"	44.0 exact	44dp min touch target standard
Avatar colour map	Table only	forInitial() Dart fn	Table is not runnable code
All rgba values	CSS rgba format	Flutter Color(0xXX) hex	CSS rgba fails in Flutter
MissedCallBanner	Not in spec	Full spec added	Required by UX Principle 02
Pill name truncation	Not specified	firstName, max 10 chars	Fixes "Seme (." breakage

01 Colour System

Rule: every colour in Flutter MUST use a named ZuriColors constant. No inline Color() in widget files.

Brand palette

Token	Hex	Flutter constant	Usage
Cream	#F2EAE3	ZuriColors.cream	Page background, screen surface, nav bar
Sand	#D8CFC8	ZuriColors.sand	Row dividers, borders, input borders
Stone	#B5A99E	ZuriColors.stone	Disabled text, placeholder, icons
Forest-50	#E8F4E9	ZuriColors.forest50	Tinted backgrounds, Zuri pill bg
Forest-400	#4A8C50	ZuriColors.forest400	Hover state
Forest-600	#2D5E30	ZuriColors.forest600	Pressed / active state
Forest-800	#1C3820	ZuriColors.forest800	PRIMARY — CTAs, nav active, call bg
Forest-900	#0E1E10	ZuriColors.forest900	Active call background overlay

Semantic colours

Role	Hex	Constant	Bg constant	Used for
Success	#1C7A3E	ZuriColors.succes s	ZuriColors.successB g	Online, active call, credit
Warning	#B7651D	ZuriColors.warnin g	ZuriColors.warningB g	Low balance, on hold
Danger	#C0392B	ZuriColors.danger	ZuriColors.dangerBg	End call, missed, debit, error

■ All opacity values pre-converted to Flutter hex. CSS rgba() DOES NOT WORK in Flutter.

Constant name	Flutter hex	CSS equivalent	Usage
ZuriColors.iconButtonBg	Color(0x121C3820)	rgba(28,56,32,0.07)	Row call-back btn bg, header icon bg
ZuriColors.rowDivider	Color(0x0F1C3820)	rgba(28,56,32,0.06)	Divider between rows
ZuriColors.navIconInactive	Color(0x472C4A2E)	rgba(44,74,46,0.28)	Bottom nav inactive icons
ZuriColors.searchBorder	Color(0x1E1C3820)	rgba(28,56,32,0.12)	Search bar default border
ZuriColors.searchPlaceholder	Color(0x471C3820)	rgba(28,56,32,0.28)	Search bar placeholder text

ZuriColors.subtitleText	Color(0x731C3820)	rgba(28, 56, 32, 0.45)	Row subtitle, metadata text
ZuriColors.navBorderTop	Color(0x141C3820)	rgba(28, 56, 32, 0.08)	Bottom nav top border
ZuriColors.neutralBg	Color(0x0F1C3820)	rgba(28, 56, 32, 0.06)	Neutral / disabled backgrounds

Avatar colour — forInitial() function required

Constant	Hex	Letters
ZuriAvatarColors.indigo	#7B68D9	A, H, O, V
ZuriAvatarColors.coral	#E74C3C	B, I, P, W
ZuriAvatarColors.teal	#2E86AB	C, J, Q, X
ZuriAvatarColors.amber	#D4845A	D, K, R, Y
ZuriAvatarColors.purple	#8E44AD	E, L, S, Z ← S maps here
ZuriAvatarColors.forestGreen	#1C7A3E	F, M, T
ZuriAvatarColors.red	#C0392B	G, N, U
ZuriAvatarColors.slate	#546E7A	Numbers / symbols

02 Typography

■ `contactName` is now DM Sans 15sp w500. DM Serif Display removed from list row context.

Token	Typeface	Size	Wt	Used for
<code>screenTitle</code>	DM Serif Display	28sp	w400	Screen headings: Wallet, Contacts, Dial
<code>greetingName</code>	DM Serif Display	28sp	w400	"Yonas" — personalised display moment
<code>balanceLarge</code>	DM Serif Display	32sp	w400	"\$4.88", "04:23" — prominent figures
<code>contactName</code> ■	DM Sans	15sp	w500	ALL list row primary labels — names, numbers
<code>btnPrimary</code>	DM Sans	14sp	w500	"Call now", "Top up", "Pay"
<code>bodyRegular</code>	DM Sans	12sp	w400	Subtitles, phone numbers, descriptions
<code>caption</code>	DM Sans	11sp	w300	Timestamps, durations, rates
<code>sectionLabel</code>	DM Sans	10sp	w500	"TODAY", "FAVOURITES" — all caps, 1.0 tracking
<code>callTimer</code>	DM Sans	20sp	w300	"04:23" — tabular figures, active call screen

04 UI Components — Exact Values. No Ranges.

Buttons

Variant	Height	Radius	Background	Text style
Primary	50.0	25.0	ZuriColors.forest800	ZuriTypography.btnPrimary
Secondary	44.0	22.0	transparent	ZuriTypography.btnPrimary
End call	58.0 circle	29.0	ZuriColors.danger	N/A
FAB	48.0 circle	24.0	ZuriColors.forest800	N/A
Icon button ■	36.0 circle	18.0	ZuriColors.iconButtonBg	icon: ZuriColors.forest800

Search bar ■ — exact values

Property	Value	Token
Height ■	44.0	ZuriDimensions.searchBarHeight
Border radius ■	14.0	ZuriRadius.input
Background	white	—
Border (default)	1.0 width	ZuriColors.searchBorder
Border (focused)	1.5 width	ZuriColors.forest800
Leading icon	TablerIcons.search, 15.0	ZuriColors.searchPlaceholder
Placeholder style	ZuriTypography.bodyRegular	ZuriColors.searchPlaceholder

MissedCallBanner — new component ■

Property	Value
Trigger	missedCalls.isNotEmpty — render above section header, below search bar
Background	ZuriColors.dangerBg
Border	1.0px, ZuriColors.danger with 0.15 opacity
Border radius	ZuriRadius.card (12.0)
Padding	12.0 h / 10.0 v
Icon	TablerIcons.phone_missed, 16.0, ZuriColors.danger
Title	"X missed call(s)" — contactName 13sp, ZuriColors.danger
Subtitle	Contact name + timeAgo — caption, danger 0.6 opacity
CTA	"Call back" — caption w600, ZuriColors.danger, bg danger 0.10

06 CallHistoryRow — Exact Internal Layout

Element	Property	Value — use token
Container	Height	64.0
Container	H-padding	ZuriSpacing.s5 (20.0)
Avatar	Size	44.0 × 44.0, circle
Avatar	Colour ■	ZuriAvatarColors.forInitial(displayName)
Avatar	Right margin	12.0
Name text	Style ■	ZuriTypography.contactName
Name text	Overflow	TextOverflow.ellipsis, maxLines: 1
Subtitle	Icon size	14.0
Subtitle outgoing	Icon colour	ZuriColors.subtitleText
Subtitle incoming	Icon colour	ZuriColors.success
Subtitle missed	All colours	ZuriColors.danger – entire row tinted
Call-back btn	Size	32.0 × 32.0, circle
Call-back btn ■	Background	ZuriColors.iconButtonBg – NOT teal
Call-back btn ■	Icon colour	ZuriColors.forest800 – NOT teal
Divider	Colour	ZuriColors.rowDivider
Divider	Left indent	76.0 (avatar 44 + left padding 20 + gap 12)

08 Flutter Token Reference — zuri_tokens.dart v2.0

■ Replace your existing tokens file entirely with this. Do not merge with v1.

```
// zuri_tokens.dart – Zuri Design System v2.0
// Replace v1 entirely. Every colour/type/spacing used in widget
// code MUST come from these constants. No exceptions.

import 'package:flutter/material.dart';

class ZuriColors {
  ZuriColors._();
  static const cream = Color(0xFFFF2EAE3);
  static const sand = Color(0xFFD8CFC8);
  static const stone = Color(0xFFB5A99E);
  static const bark = Color(0xFF3A2E28);
  static const forest50 = Color(0xFFE8F4E9);
  static const forest200 = Color(0xFFA8CFA9);
  static const forest400 = Color(0xFF4A8C50);
  static const forest600 = Color(0xFF2D5E30);
  static const forest800 = Color(0xFF1C3820); // PRIMARY
  static const forest900 = Color(0xFF0E1E10);
  // Semantic
  static const success = Color(0xFF1C7A3E);
  static const successBg = Color(0x1A1C7A3E);
  static const warning = Color(0xFFB7651D);
  static const warningBg = Color(0x1AB7651D);
  static const danger = Color(0xFFC0392B);
  static const dangerBg = Color(0x1AC0392B);
  // Opacity-derived (pre-converted – NEVER use CSS rgba in Flutter)
  static const iconButtonBg = Color(0x121C3820); // 7%
  static const rowDivider = Color(0x0F1C3820); // 6%
  static const navIconInactive = Color(0x472C4A2E); // 28%
  static const searchBorder = Color(0x1E1C3820); // 12%
  static const searchPlaceholder = Color(0x471C3820); // 28%
  static const subtitleText = Color(0x731C3820); // 45%
  static const navBorderTop = Color(0x141C3820); // 8%
  static const neutralBg = Color(0x0F1C3820); // 6%
}

class ZuriAvatarColors {
  ZuriAvatarColors._();
  static const indigo = Color(0xFF7B68D9); // A H O V
  static const coral = Color(0xFFE74C3C); // B I P W
  static const teal = Color(0xFF2E86AB); // C J Q X
  static const amber = Color(0xFFD4845A); // D K R Y
  static const purple = Color(0xFF8E44AD); // E L S Z
  static const forestGreen = Color(0xFF1C7A3E); // F M T
  static const red = Color(0xFFC0392B); // G N U
  static const slate = Color(0xFF546E7A); // numbers

  static Color forInitial(String displayName) {
    if (displayName.isEmpty) return slate;
    final ch = displayName.trim().toUpperCase()[0];
    switch (ch) {
      case 'A': case 'H': case 'O': case 'V': return indigo;
      case 'B': case 'I': case 'P': case 'W': return coral;
      case 'C': case 'J': case 'Q': case 'X': return teal;
      case 'D': case 'K': case 'R': case 'Y': return amber;
      case 'E': case 'L': case 'S': case 'Z': return purple;
      case 'F': case 'M': case 'T': return forestGreen;
      case 'G': case 'N': case 'U': return red;
      default: return slate;
    }
  }
}

class ZuriTypography {
  ZuriTypography._();
```

```

static const _serif = 'DM Serif Display';
static const _sans = 'DM Sans';

static const screenTitle = TextStyle(fontFamily: _serif, fontSize: 28,
  fontWeight: FontWeight.w400, color: ZuriColors.forest800, letterSpacing: -0.3);
static const greetingName = TextStyle(fontFamily: _serif, fontSize: 28,
  fontWeight: FontWeight.w400, color: ZuriColors.forest800, letterSpacing: -0.3);
static const balanceLarge = TextStyle(fontFamily: _serif, fontSize: 32,
  fontWeight: FontWeight.w400, color: ZuriColors.forest800, letterSpacing: -0.5);
static const callTimer = TextStyle(fontFamily: _sans, fontSize: 20,
  fontWeight: FontWeight.w300, color: ZuriColors.cream,
  fontFeatures: [FontFeature.tabularFigures()]);

// ■ REVISED v2 – was DM Serif Display w400 14sp in v1
static const contactName = TextStyle(fontFamily: _sans, fontSize: 15,
  fontWeight: FontWeight.w500, color: ZuriColors.forest800);

static const btnPrimary = TextStyle(fontFamily: _sans, fontSize: 14,
  fontWeight: FontWeight.w500, color: ZuriColors.cream, letterSpacing: 0.1);
static const bodyRegular = TextStyle(fontFamily: _sans, fontSize: 12,
  fontWeight: FontWeight.w400, color: ZuriColors.forest800);
static const caption = TextStyle(fontFamily: _sans, fontSize: 11,
  fontWeight: FontWeight.w300, color: ZuriColors.subtitleText);
static const sectionLabel = TextStyle(fontFamily: _sans, fontSize: 10,
  fontWeight: FontWeight.w500, color: ZuriColors.subtitleText, letterSpacing: 1.0);
}

class ZuriSpacing {
  ZuriSpacing._();
  static const s1 = 4.0; static const s2 = 8.0;
  static const s3 = 12.0; static const s4 = 16.0;
  static const s5 = 20.0; static const s6 = 24.0;
  static const s8 = 32.0;
}

class ZuriDimensions {
  ZuriDimensions._();
  static const rowHeight = 64.0;
  static const searchBarHeight = 44.0; // ■ was 42 in v1
  static const navHeight = 56.0;
  static const minTapTarget = 44.0;
  static const fabSize = 48.0;
  static const fabOffset = -18.0;
  static const iconButtonSize = 36.0;
  static const callBackBtnSize = 32.0;
  static const avatarRowSize = 44.0;
  static const avatarHeaderSize = 36.0;
}

class ZuriRadius {
  ZuriRadius._();
  static const pill = 25.0;
  static const card = 12.0;
  static const input = 14.0; // ■ was "12-14 range" in v1
  static const key = 18.0;
  static const badge = 20.0;
  static const callAvatar = 28.0;
  static const iconButton = 8.0;
}

```

09 Implementation Checklist — Sign off before PR

1. All colours use `ZuriColors.*` — zero inline `Color(0xFF...)` in widget files
2. All text uses `ZuriTypography.*` — zero inline `TextStyle()` in widget files
3. Avatar colour: `ZuriAvatarColors.forInitial(contact.displayName)` — never hardcoded
4. Icon button bg: `ZuriColors.iconButtonBg` — NOT teal, NOT `Colors.green`, NOT `Colors.teal`
5. Icon button icon: `ZuriColors.forest800` — NOT teal
6. Search bar: height `ZuriDimensions.searchBarHeight` (44.0), radius `ZuriRadius.input` (14.0)
7. `MissedCallBanner` renders above list when `missedCalls.isNotEmpty`
8. Quick-dial pills: `firstName` only, max 10 chars, `TextOverflow.ellipsis`
9. `pubspec.yaml` declares DM Serif Display and DM Sans with all weights
10. flutter clean && flutter pub get run after any token or font change
11. Tested on physical device — not just simulator