Digirati Code Test Flow Diagram

```
                              ┌──────────┐
                              │  Start   │
                              └────┬─────┘
                                   │
                                   ▼
                         ┌──────────────────┐
                         │  Enter a phone   │
                         │     number       │
                         └────────┬─────────┘
                                  │
                                  ▼
        ┌──────────┐    ┌──────────────────┐    ┌──────────┐
        │ If valid │◀───│  Validate the    │───▶│If invalid│
        └────┬─────┘    │  phone number    │    └────┬─────┘
             │          │    entered       │         │
             │          └──────────────────┘         ▼
             │                              ┌──────────────────┐
             ▼                              │ Output notice to │
   ┌──────────────────┐                     │    the user      │
   │ Call restcountries│                    └──────────────────┘
   │       API        │
   └────────┬─────────┘
            ▼
   ┌──────────────────┐
   │ Get json respon  │
   └────────┬─────────┘
            ▼
   ┌──────────────────┐
   │ Get values from  │
   │  the json return │
   └────────┬─────────┘
            ▼
```

- Start
- Enter a phone number
- Validate the phone number entered
  - If valid → Call restcountries API
  - If invalid → Output notice to the user
- Call restcountries API
- Get json respon
- Get values from the json return
- get the user by the language use in the country international phone code entered
  - If laguage is the list of users → Outputs the values
  - If laguage is not in the list of users → Defaults to the user with the most languages → Outputs the values
- Outputs the values → Ends