

Locations	
<b>A</b>	<b>LocationID</b>
<b>B</b>	<b>Address</b>
<b>C</b>	<b>City</b>
<b>D</b>	<b>State</b>
<b>E</b>	<b>Postal Code</b>
<b>F</b>	<b>Country</b>
<b>G</b>	<b>Phone Number</b>

Functional Dependencies:

A -> BCDEFG

Employees	
<b>A</b>	<b>EmployeeID</b>
<b>B</b>	<b>First Name</b>
<b>C</b>	<b>Last Name</b>
<b>D</b>	<b>Address</b>
<b>E</b>	<b>City</b>
<b>F</b>	<b>State</b>
<b>G</b>	<b>Country</b>
<b>H</b>	<b>Postal Code</b>
<b>I</b>	<b>Phone Number</b>
<b>J</b>	<b>Email</b>
<b>K</b>	<b>LocationID</b>

Functional Dependencies:

A -> BCDEFGHIJK

Donuts	
<b>A</b>	<b>DonutID</b>
<b>B</b>	<b>Name</b>
<b>C</b>	<b>Price</b>

Functional Dependencies:

A B-> C

Delivery Service	
<b>A</b>	<b>DeliveryID</b>
<b>B</b>	<b>Company Name</b>

Functional Dependencies:

A -> B

Sales	
<b>A</b>	<b>SaleID</b>
<b>B</b>	<b>SaleDate</b>
<b>C</b>	<b>Quantity</b>
<b>D</b>	<b>EmployeeID</b>
<b>E</b>	<b>DeliveryID</b>
<b>F</b>	<b>DonutID</b>

Functional Dependencies:

A -> BCDEFG

Schema is in 1NF, 2NF, 3NF, and finally BCNF.

All functional dependencies depend on SuperKey.