

## 2.1 Prediction 1D regression\_v3

March 23, 2022

Linear Regression 1D: Prediction

Objective

How to make the prediction for multiple inputs.

How to use linear class to build more complex models.

How to build a custom module.

Table of Contents

In this lab, we will review how to make a prediction in several different ways by using PyTorch.

Prediction

Class Linear

Build Custom Modules

Estimated Time Needed: 15 min

Preparation

The following are the libraries we are going to use for this lab.

```
[ ]: # These are the libraries will be used for this lab.  
  
import torch
```

Prediction

Let us create the following expressions:

$$b = -1, w = 2$$

$$\hat{y} = -1 + 2x$$

First, define the parameters:

```
[ ]: # Define w = 2 and b = -1 for y = wx + b  
  
w = torch.tensor(2.0, requires_grad = True)  
b = torch.tensor(-1.0, requires_grad = True)
```

Then, define the function forward(x, w, b) makes the prediction:

```
[ ]: # Function forward(x) for prediction
```

```
def forward(x):  
    yhat = w * x + b  
    return yhat
```

Let's make the following prediction at  $x = 1$

$$\hat{y} = -1 + 2x$$

$$\hat{y} = -1 + 2(1)$$

```
[ ]: # Predict y = 2x - 1 at x = 1
```

```
x = torch.tensor([[1.0]])  
yhat = forward(x)  
print("The prediction: ", yhat)
```

Now, let us try to make the prediction for multiple inputs:

Let us construct the x tensor first. Check the shape of x.

```
[ ]: # Create x Tensor and check the shape of x tensor
```

```
x = torch.tensor([[1.0], [2.0]])  
print("The shape of x: ", x.shape)
```

Now make the prediction:

```
[ ]: # Make the prediction of y = 2x - 1 at x = [1, 2]
```

```
yhat = forward(x)  
print("The prediction: ", yhat)
```

The result is the same as what it is in the image above.

Practice

Make a prediction of the following x tensor using the w and b from above.

```
[ ]: # Practice: Make a prediction of y = 2x - 1 at x = [[1.0], [2.0], [3.0]]
```

```
x = torch.tensor([[1.0], [2.0], [3.0]])
```

Double-click here for the solution.

Class Linear

The linear class can be used to make a prediction. We can also use the linear class to build more complex models. Let's import the module:

```
[ ]: # Import Class Linear

from torch.nn import Linear
```

Set the random seed because the parameters are randomly initialized:

```
[ ]: # Set random seed

torch.manual_seed(1)
```

Let us create the linear object by using the constructor. The parameters are randomly created. Let us print out to see what  $w$  and  $b$ . The parameters of an `torch.nn.Module` model are contained in the model's parameters accessed with `lr.parameters()`:

```
[ ]: # Create Linear Regression Model, and print out the parameters

lr = Linear(in_features=1, out_features=1, bias=True)
print("Parameters w and b: ", list(lr.parameters()))
```

This is equivalent to the following expression:

$$b = -0.44, w = 0.5153$$

$$\hat{y} = -0.44 + 0.5153x$$

A method `state_dict()` Returns a Python dictionary object corresponding to the layers of each parameter tensor.

```
[ ]: print("Python dictionary: ", lr.state_dict())
print("keys: ", lr.state_dict().keys())
print("values: ", lr.state_dict().values())
```

The keys correspond to the name of the attributes and the values correspond to the parameter value.

```
[ ]: print("weight:", lr.weight)
print("bias:", lr.bias)
```

Now let us make a single prediction at  $x = [[1.0]]$ .

```
[ ]: # Make the prediction at x = [[1.0]]

x = torch.tensor([[1.0]])
yhat = lr(x)
print("The prediction: ", yhat)
```

Similarly, you can make multiple predictions:

Use model `lr(x)` to predict the result.

```
[ ]: # Create the prediction using linear model
```

```
x = torch.tensor([[1.0], [2.0]])
yhat = lr(x)
print("The prediction: ", yhat)
```

Practice

Make a prediction of the following x tensor using the linear regression model lr.

```
[ ]: # Practice: Use the linear regression model object lr to make the prediction.
```

```
x = torch.tensor([[1.0], [2.0], [3.0]])
```

Double-click here for the solution.

Build Custom Modules

Now, let's build a custom module. We can make more complex models by using this method later on.

First, import the following library.

```
[ ]: # Library for this section
```

```
from torch import nn
```

Now, let us define the class:

```
[ ]: # Customize Linear Regression Class
```

```
class LR(nn.Module):

    # Constructor
    def __init__(self, input_size, output_size):

        # Inherit from parent
        super(LR, self).__init__()
        self.linear = nn.Linear(input_size, output_size)

    # Prediction function
    def forward(self, x):
        out = self.linear(x)
        return out
```

Create an object by using the constructor. Print out the parameters we get and the model.

```
[ ]: # Create the linear regression model. Print out the parameters.
```

```
lr = LR(1, 1)
```

```
print("The parameters: ", list(lr.parameters()))
print("Linear model: ", lr.linear)
```

Let us try to make a prediction of a single input sample.

```
[ ]: # Try our customize linear regression model with single input

x = torch.tensor([[1.0]])
yhat = lr(x)
print("The prediction: ", yhat)
```

Now, let us try another example with multiple samples.

```
[ ]: # Try our customize linear regression model with multiple input

x = torch.tensor([[1.0], [2.0]])
yhat = lr(x)
print("The prediction: ", yhat)
```

the parameters are also stored in an ordered dictionary :

```
[ ]: print("Python dictionary: ", lr.state_dict())
print("keys: ",lr.state_dict().keys())
print("values: ",lr.state_dict().values())
```

Practice

Create an object `lr1` from the class we created before and make a prediction by using the following tensor:

```
[ ]: # Practice: Use the LR class to create a model and make a prediction of the
    ↪ following tensor.

x = torch.tensor([[1.0], [2.0], [3.0]])
```

Double-click here for the solution.

About the Authors:

Joseph Santarcangelo has a PhD in Electrical Engineering, his research focused on using machine learning, signal processing, and computer vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

Other contributors: Michelle Carey, Mavis Zhou

## 0.1 Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2020-09-21	2.0	Shubham	Migrated Lab to Markdown and added to course repo in GitLab

##

© IBM Corporation 2020. All rights reserved.