

Your grade: 100%

Your latest: 100% • Your highest: 100% • To pass you need at least 80%. We keep your highest score.

[Next item →](#)

1. A _____ occurs when the null hypothesis is rejected when it is, in fact, true

1 / 1 point

- ☒ Type I error
- ☐ Type II error

 **Correct**

A type I error occurs when the null hypothesis is rejected when it is, in fact, true

2. Type I errors are known as _____ whereas, type II errors are known as _____

1 / 1 point

- ☐ 1-beta, alpha
- ☐ Consumer risk, producer risk
- ☐ Beta, alpha
- ☒ Producer risk, consumer risk

 **Correct**

Type I errors are known as producer risk whereas, type II errors are known as consumer risk

3. When faced with a two-tail scenario, alpha must be _____ for each tail

1 / 1 point

- ☐ Doubled
- ☐ The same
- ☒ Halved
- ☐ None of the above

 **Correct**

When faced with a two-tail scenario, alpha must be halved for each tail

4. The sample size can then be determined from the _____, which is the peak to peak distance between the original distribution and a non-central distribution

1 / 1 point

- ☐ Effect size
- ☐ Beta
- ☒ non-centrality parameter
- ☐ Alpha

 **Correct**

The sample size can then be determined from the non-centrality parameter, which is the peak to peak distance between the original distribution and a non-central distribution

5. We cannot find inferences about a standard deviation

1 / 1 point

- ☐ True
- ☒ False

 **Correct**

We can find inferences about a standard deviation, but we must conduct our tests with the variance