

4 More General Annuities 2

4.1 Annuities with “Off Payments” . . . 2

4.1.1 Payments Less Frequent Than the Interest Period . . . . . 2

4.1.2 Payments More Frequent Than the Interest Period . . . . . 9

4.1.3 Continuous Annuities . . . . 19

4.1.4 Double -dots and Upper  $m$ ’s Cancel . . . . . 23

4.1.5 The  $s_{\overline{n}|}$  Trap When Interest Rate Varies . . . . . 25

4.2 Increasing and Decreasing Annuities 27

4.2.1 The Increasing Annuity . . . 34

4.2.2 The Decreasing Annuity . . . 38

4.2.3 Increasing Perpetuity . . . . 41

4.2.4 Increasing and Then Level Perpetuities . . . . . 46

4.3 Payments in Geometric Progression 49

4.4 Continuous Varying Annuities . . . 58

4.1 Annuities with “Off Payments”

4.1.1 Payments Less Frequent Than the Interest Period

Suppose the effective rate of interest is given as 5% per annum, an annuity with payments of 1 at the end of each 5-year period over 40 years. In this case, payments are less frequent than the interest period of one year. There are two general approaches for handling these types of annuities:

- 1. Use interest functions at the equivalent effective rate of interest for the **payment period**. In this case, we will use the equivalent effective rate for 5-year period.
- 2. Use interest function at the effective rate of interest **given in the problem**.

Topic 4 More General Annuities 3

**Example 1.**  
Suppose the effective rate of interest is given as 5% per annum. An annuity with payments of 1 at the end of each 5-year period over 40 years (Payments are less frequent than the interest period of one year). Determine the PV of this annuity in terms of interest functions at the effective rate for a 5-year period. [3.1054](#)

Topic 4 More General Annuities 4

**Example 2.**  
Determine the PV of the annuity with payments of 1 at the end of each 5-year period over 40 years at an annual effective rate of 5%, in terms of interest functions at 5%. [3.1054](#)

**Example 3.**

Find the PV of an annuity-immediate of 1,500 a year for 12 year at a nominal rate of interest of 8% compounded quarterly, in terms of interest functions at 2%.

**Example 4 (T04Q01).**

Find the PV of an annuity with payments of 1000 at the beginning of every 3 years for 33 years at 3% effective per annum, in terms of interest functions at 3%.

### Topic 4 More General Annuities 7

**Example 5.**

The present value of 1 payable at the end of years 7, 11, 15, 19, 23, 27 is

$$(A) \frac{a_{\overline{25}|} - a_{\overline{4}|}}{a_{\overline{4}|}} \quad (B) \frac{a_{\overline{28}|} - a_{\overline{4}|}}{s_{\overline{4}|}} \quad (C) \frac{a_{\overline{28}|} - a_{\overline{4}|}}{s_{\overline{3}|} + d}$$

$$(D) \frac{a_{\overline{28}|} - a_{\overline{4}|}}{s_{\overline{3}|} - a_{\overline{1}|}} \quad (E) \frac{a_{\overline{28}|} - a_{\overline{4}|}}{s_{\overline{3}|} + a_{\overline{1}|}}$$

### Topic 4 More General Annuities 8

**Example 6.**

You are given:

- the present value of a  $6n$ –year annuity-immediate of 1 at the end of every year is 9.996.
- the present value of a  $6n$ –year annuity-immediate of 1 at the end of every second year is 4.760.
- the present value of a  $6n$ –year annuity-immediate of 1 at the end of every third year is  $X$ .

Calculate  $X$ . 3.02



Similarly, the AV is:

$$s_{\overline{n}|}^{(m)} = \frac{(1+i)^n - 1}{i^{(m)}} = \frac{i}{i^{(m)}} s_{\overline{n}|} = s_{\overline{1}|}^{(m)} s_{\overline{n}|}$$

For annuity-due,

$$\ddot{a}_{\overline{n}|}^{(m)} = (1+i)^{1/m} a_{\overline{n}|}^{(m)} = \frac{1-v^n}{d^{(m)}} = \frac{i}{d^{(m)}} a_{\overline{n}|} = \ddot{s}_{\overline{1}|}^{(m)} a_{\overline{n}|}$$

and

$$\ddot{s}_{\overline{n}|}^{(m)} = (1+i)^{1/m} s_{\overline{n}|}^{(m)} = \frac{(1+i)^n - 1}{d^{(m)}} = \frac{i}{d^{(m)}} s_{\overline{n}|} = \ddot{s}_{\overline{1}|}^{(m)} s_{\overline{n}|}$$

If the  $m$ -thly payments continue forever, we have a **perpetuity**:

- $\lim_{n \rightarrow \infty} a_{\overline{n}|}^{(m)} = a_{\infty|}^{(m)} = \lim_{n \rightarrow \infty} \left( \frac{1-v^n}{i^{(m)}} \right) = \frac{1}{i^{(m)}}$
- $\ddot{a}_{\infty|}^{(m)} = \frac{1}{d^{(m)}}$
- $\ddot{a}_{\infty|}^{(m)} - a_{\infty|}^{(m)} = \frac{1}{d^{(m)}} - \frac{1}{i^{(m)}} = \frac{1}{m}$

Note: The coefficient of the  $a_{\overline{n}|}^{(m)}$ ,  $\ddot{a}_{\overline{n}|}^{(m)}$ ,  $s_{\overline{n}|}^{(m)}$ , and  $\ddot{s}_{\overline{n}|}^{(m)}$  are the sum of payments in each interest payment.

### Example 7.

An annuity will pay 400 at the end of every month for 16 years at an effective rate of interest of 9%. Express the present value of the payments in terms of an annuity symbol at 9%.

## Topic 4 More General Annuities 15

### Example 8 (T04Q02).

The proceeds of a 18,000 death benefit are left on deposit with an insurance company for seven years at an annual effective interest rate of 5%. The balance at the end of seven years is paid to the beneficiary in 144 equal monthly payments of  $X$ , with the first payment made immediately. During the payout period, interest is credited at an annual effective interest rate of 3%. Calculate  $X$ .

## Topic 4 More General Annuities 16

### Example 9 (T04Q03).

Calculate  $\ddot{s}_{\overline{15.0}|}^{(12)}$  at an annual effective rate of interest of 11%. Explain what it represents.

### Example 10.

You are given a perpetuity, with annual payments as follows:

- Payments of 1 at the end of first year and every three years thereafter.
- Payments of 2 at the end of second year and every three years thereafter.
- Payments of 3 at the end of third year and every three years thereafter.

The interest rate is 12% convertible semiannually. Calculate the present value of this perpetuity.

### Example 11.

Which of the following statements are true?

- (i)  $s_{\overline{n}|} - a_{\overline{n}|} = ia_{\overline{n}|}s_{\overline{n}|}$
- (ii)  $\ddot{s}_{\overline{n}|}^{(m)} - s_{\overline{n}|}^{(m)} = \frac{i^{(m)}}{m} s_{\overline{n}|}^{(m)}$
- (iii)  ${}_{1/4}\ddot{a}_{\overline{n}|}^{(2)} + a_{\overline{n}|}^{(2)} = a_{\overline{n}|}^{(4)}$

## Topic 4 More General Annuities 19

### 4.1.3 Continuous Annuities

We can evaluate a continuous annuity by taking the limit of  $a_{\overline{n}|}^{(m)}$  or  $\ddot{a}_{\overline{n}|}^{(m)}$  as  $m \rightarrow \infty$ .

$$\lim_{m \rightarrow \infty} a_{\overline{n}|}^{(m)} = \lim_{m \rightarrow \infty} \left( \frac{1 - v^n}{i^{(m)}} \right)$$

$$\text{As } i^{(m)} = \frac{(1+i)^{\frac{1}{m}} - 1}{1/m}$$

Using l'Hospital's rule,

$$\begin{aligned} \lim_{m \rightarrow \infty} i^{(m)} &= \lim_{m \rightarrow \infty} (1+i)^{\frac{1}{m}} \frac{\frac{1}{m^2} \ln(1+i)}{-\frac{1}{m^2}} \\ &= \ln(1+i) \\ &= \delta \end{aligned}$$

Similarly,

$$\lim_{m \rightarrow \infty} d^{(m)} = -\ln(1-d) = \ln(1+i) = \delta$$

Thus,

$$\lim_{m \rightarrow \infty} a_{\overline{n}|}^{(m)} = \frac{1 - v^n}{\delta}$$

and

## Topic 4 More General Annuities 20

$$\lim_{m \rightarrow \infty} \ddot{a}_{\overline{n}|}^{(m)} = \lim_{m \rightarrow \infty} \left( \frac{1 - v^n}{d^{(m)}} \right) = \frac{1 - v^n}{\delta}$$

The limit could be written for short as  $a_{\overline{n}|}^{(\infty)}$  but the standard symbol for it is  $\bar{a}_{\overline{n}|}$  read as “a bar angle  $n$ .”

$\bar{a}_{\overline{n}|}$  can also be expressed in terms of  $a_{\overline{n}|}$ .

$$\bar{a}_{\overline{n}|} = \frac{i}{\delta} a_{\overline{n}|}$$

Another way to evaluate  $\bar{a}_{\overline{n}|}$  is to use integral:

$$\bar{a}_{\overline{n}|} = \int_0^n v^t dt$$

Because

$$\begin{aligned} \int_0^n v^t dt &= \int_0^n e^{t \ln(v)} dt \\ &= \int_0^n e^{-\delta t} dt \\ &= \left[ \frac{-e^{-\delta t}}{\delta} \right]_0^n \\ &= \frac{1 - v^n}{\delta} \\ &= \bar{a}_{\overline{n}|} \end{aligned}$$

<p><b>Example 12.</b></p> <p>Find the PV of a 13-year annuity with continuous payments at the rate of 680 a year at an effective interest rate of 5.17%.</p>	<p><b>Example 13.</b></p> <p>You are given <math>\int_0^n \bar{a}_{\overline{t} } dt = 100</math>. Calculate <math>\bar{a}_{\overline{n} }</math>.</p> <div style="border: 1px solid pink; padding: 2px; display: inline-block;"><math>n = 100\delta</math></div>
--	---

<div> <div>Topic 4 More General Annuities 23</div> <div> <div>4.1.4 Double -dots and Upper <math>m</math>'s Cancel</div> <div> <div>1. Double -dots cancel</div> <div> <math display="block">\frac{\ddot{a}_{\overline{n} }}{\ddot{a}_{\overline{p} }} = \frac{\frac{1-v^n}{d}}{\frac{1-v^p}{d}} = \frac{1-v^n}{1-v^p} = \frac{a_{\overline{n} }}{a_{\overline{p} }}</math> </div> <div>2. Not only double-dots cancel, so do upper <math>m</math>'s</div> <div> <math display="block">\frac{\ddot{a}_{\overline{n} }^{(m)}}{\ddot{a}_{\overline{p} }^{(m)}} = \frac{\frac{1-v^n}{d^{(m)}}}{\frac{1-v^p}{d^{(m)}}} = \frac{1-v^n}{1-v^p} = \frac{a_{\overline{n} }}{a_{\overline{p} }} = \frac{\frac{1-v^n}{i^{(m)}}}{\frac{1-v^p}{i^{(m)}}} = \frac{a_{\overline{n} }^{(m)}}{a_{\overline{p} }^{(m)}}</math> </div> <div><b>Note:</b> These relationships assume that all functions are at the <b>same interest rate</b>.</div> </div> </div> </div>	<div> <div>Topic 4 More General Annuities 24</div> <div> <div>Example 14.</div> <div>Given <math>a_{\overline{n} }^{(12)} = 10</math>, <math>a_{\overline{2n} }^{(12)} = 15</math>. Determine <math>i</math>.</div> </div> </div>
---	---

#### 4.1.5 The $s_{\overline{n}|}$ Trap When Interest Rate Varies

When the accumulation function is  $a(t)$ ,  $a(t)$  is the AV of a deposit made at time 0 and not at any other time. If we would like to find  $s_{\overline{n}|}$ , the AV's at various point are not accumulating from time 0. For example if we would like to find  $s_{\overline{4}|}$ , the AV at time 4 of 1 deposited at time 3 is  $\frac{a(4)}{a(3)}$ , not  $a(1)$ , the AV at time 4 of 1 deposited at time 2 is  $\frac{a(4)}{a(2)}$ , not  $a(2)$ , and the AV at time 4 of 1 deposited at time 1 is  $\frac{a(4)}{a(1)}$ , not  $a(1)$ . Therefore, the correct expression for  $s_{\overline{4}|}$  is:

$$s_{\overline{4}|} = 1 + \frac{a(4)}{a(3)} + \frac{a(4)}{a(2)} + \frac{a(4)}{a(1)}$$

#### Example 15 (T04Q04).

You are given  $\delta_t = 3/(64 + t)$  for  $0 \leq t \leq 5$ . Calculate  $s_{\overline{5}|}$ .

### Topic 4 More General Annuities 27

#### 4.2 Increasing and Decreasing Annuities

Consider a general annuity-immediate with a term of  $n$  periods in which payments begin at  $P$  and increase by  $Q$  per period thereafter. The interest rate is  $i$  per period.

	P	P+Q	P+2Q	P+(n-1)Q
----- ----- ----- -----				
0	1	2	3	n

The present value of the annuity,  $PVI$ , is

$$PVI = Pv + (P+Q)v^2 + \dots + [P + (n-1)Q]v^n \dots (1)$$

$$(1+i)PVI = P + (P+Q)v + (P+2Q)v^2 + \dots + [P + (n-1)Q]v^{n-1} \dots (2)$$

Subtracting the first equation from the second equation

$$iPVI = P + Q[v + v^2 + \dots + v^{n-1}] - [P + (n-1)Q]v^n$$

### Topic 4 More General Annuities 28

$$\begin{aligned} PVI &= \frac{P+Q[v+v^2+\dots+v^{n-1}]-[P+(n-1)Q]v^n}{i} \\ &= \frac{P+Q\frac{a_{\overline{n-1}|}-1}{i}-[P+(n-1)Q]v^n}{i} \\ &= P\frac{1-v^n}{i} + Q\frac{\frac{a_{\overline{n-1}|}-1}{i}-nv^{n-1}+v^n}{i} \\ &= Pa_{\overline{n}|} + Q\frac{a_{\overline{n}|}-nv^n}{i} \end{aligned}$$

$$PVI = Pa_{\overline{n}|} + Q\frac{a_{\overline{n}|}-nv^n}{i}$$

$PVI$  of the same payments on the date of the first payment (annuity due)(call it  $P\ddot{V}I$ ) is

$$P\ddot{V}I = (1+i)PVI = P\ddot{a}_{\overline{n}|} + Q\frac{a_{\overline{n}|}-nv^n}{d}$$

To obtain the corresponding accumulated value, multiple  $PV$  by  $(1+i)^n$ :

$$AVI = (1+i)^n PVI = Ps_{\overline{n}|} + Q\frac{s_{\overline{n}|}-n}{i}$$

$$A\ddot{V}I = (1+i)^n P\ddot{V}I = P\ddot{s}_{\overline{n}|} + Q\frac{s_{\overline{n}|}-n}{d}$$

If  $Q$  is negative, we have decreasing payments, thus:

- $PVD = Pa_{\overline{n}|} - Q \frac{a_{\overline{n}|} - nv^n}{i}$
- $P\ddot{V}D = (1 + i)PVD = P\ddot{a}_{\overline{n}|} - Q \frac{a_{\overline{n}|} - nv^n}{d}$
- $AVD = (1 + i)^n PVD = Ps_{\overline{n}|} - Q \frac{s_{\overline{n}|} - n}{i}$
- $A\ddot{V}D = (1 + i)^n P\ddot{V}D = P\ddot{s}_{\overline{n}|} - Q \frac{s_{\overline{n}|} - n}{d}$

**Example 16.**  
 Consider an annuity-immediate with the following payments: 5, 8, 11, . . . , 32 in years 1, 2, 3, . . . , 10 at an annual effective rate of 5% per annum. Determine the present value and accumulated value of this annuity.

Topic 4 More General Annuities

31

**Example 17.**  
 Consider an annuity-immediate with the following payments: 900, 800, 700, 600, 500 in years 1, 2, 3, 4, 5 at an annual effective rate of 7% per annum. Determine the accumulated value at year 5 of this annuity.

Topic 4 More General Annuities

32

**Example 18 (T04Q05).**  
 John receives 20-year increasing annuity-immediate paying 1000 the first year and increasing by 1000 each year thereafter. Mavis receives a 20-year decreasing annuity-immediate paying  $Y$  the first year and decreasing by  $\frac{Y}{20}$  each year thereafter. At an effective annual interest rate of 6%, both annuities have the same present value. Calculate  $Y$ .



**Example 19** (T04Q06).

Two annuities have equal present values. The first is an annuity-immediate with quarterly payments of  $X$  for 13 years. The second is an increasing annuity with 13 annual payments. The first payment is 800 and subsequent payments increase by 80.0 per year. You may assume an annual effective interest rate of 5%. Determine  $X$ .

**4.2.1 The Increasing Annuity**

When  $P = Q = 1$ , we have **Increasing Annuity**. The  $PV$  and  $AV$  are denoted  $(Ia)_{\overline{n}|}$  and  $(Is)_{\overline{n}|}$ .

$$\begin{aligned}(Ia)_{\overline{n}|} &= a_{\overline{n}|} + \frac{a_{\overline{n}|} - nv^n}{i} \\ &= \frac{ia_{\overline{n}|} + a_{\overline{n}|} - nv^n}{i} \\ &= \frac{(1+i)a_{\overline{n}|} - nv^n}{i} \\ &= \frac{\ddot{a}_{\overline{n}|} - nv^n}{i}\end{aligned}$$

$$(Ia)_{\overline{n}|} = \frac{\ddot{a}_{\overline{n}|} - nv^n}{i}$$

The “due” form can be obtained by multiplying the “immediate” form by  $(1+i)$ :

$$(I\ddot{a})_{\overline{n}|} = \frac{\ddot{a}_{\overline{n}|} - nv^n}{d}$$

**Topic 4 More General Annuities 35**

$(Is)_{\overline{n}|}$  can be obtained by multiplying  $(Ia)_{\overline{n}|}$  by  $(1+i)^n$ :

$$(Is)_{\overline{n}|} = (1+i)^n (Ia)_{\overline{n}|} = \frac{\ddot{s}_{\overline{n}|} - n}{i} = \frac{s_{\overline{n+1}|} - (n+1)}{i}$$

and the “due” form is:

$$(I\ddot{s})_{\overline{n}|} = (1+i)^n (I\ddot{a})_{\overline{n}|} = \frac{\ddot{s}_{\overline{n}|} - n}{d} = \frac{s_{\overline{n+1}|} - (n+1)}{d}$$

**Topic 4 More General Annuities 36****Example 20.**

Find the  $PV$  and  $AV$  of a 15-year increasing annuity immediate with payments of  $1, 2, 3, \dots, 15$  at 7.5% effective. 58.94, 174.4

<p><b>Example 21.</b></p> <p>A perpetuity costs 124.9 and makes annual payments at the end of the year. The perpetuity pays 1 at the end of year 2, 2 at the end of year 3, ..., <math>n</math> at the end of year <math>(n + 1)</math>. After year <math>(n + 1)</math>, the payments remain constant at <math>n</math>. The annual effective interest rate is 7.8%. Calculate <math>n</math>.</p>	<p><b>4.2.2 The Decreasing Annuity</b></p> <p>When <math>P = n</math> and <math>Q = -1</math>, i.e., payments of <math>n, (n - 1), \dots, 1</math> in year 1 to <math>n</math>, then we have <b>decreasing annuity</b> and its <math>PV</math> has symbol <math>(Da)_{\overline{n} }</math>.</p> $  \begin{aligned}  (Da)_{\overline{n} } &= na_{\overline{n} } - \frac{a_{\overline{n} } - nv^n}{i} \\  &= \frac{ina_{\overline{n} } - a_{\overline{n} } + nv^n}{i} \\  &= \frac{n(1-v^n) - a_{\overline{n} } + nv^n}{i} \\  &= \frac{n - a_{\overline{n} }}{i}  \end{aligned}  $
<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>	<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>

<p><b>Topic 4 More General Annuities 39</b></p> <p><b>Example 22.</b></p> <p>Find the PV and AV of a 12-year decreasing annuity-immediate with payments of 12, 11, ..., 1 at 4.25% effective.</p>	<p><b>Topic 4 More General Annuities 40</b></p> <p><b>Example 23 (T04Q07).</b></p> <p>An-annuity-immediate pays 19 at the end of years 1 and 2, 18 at the ends of years 3 and 4, etc., with payments decreasing by 1 every second year, until nothing is paid. The effective annual rate of interest is 9%. Calculate the present value of this annuity-immediate.</p>
<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>	<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>

4.2.3 Increasing Perpetuity

To calculate varying perpetuities, we take the limit of the perpetuity-immediate:

$$\lim_{n \rightarrow \infty} PV = P \lim_{n \rightarrow \infty} a_{\overline{n}|} + Q \lim_{n \rightarrow \infty} \frac{a_{\overline{n}|} - nv^n}{i} = \frac{P}{i} + \frac{Q}{i^2}$$

since  $\lim_{n \rightarrow \infty} a_{\overline{n}|} = \frac{1}{i}$  and  $\lim_{n \rightarrow \infty} nv^n = 0$ .  
For Increasing perpetuity-immediate,  $P = Q = 1$ , we have

$$(Ia)_{\infty|} = \frac{1}{i} + \frac{1}{i^2}$$

The  $PV$  of an increasing perpetuity-due is

$$(I\ddot{a})_{\infty|} = \lim_{n \rightarrow \infty} (I\ddot{a})_{\overline{n}|} = \lim_{n \rightarrow \infty} \frac{\ddot{a}_{\overline{n}|} - nv^n}{d} = \frac{1}{d^2}$$

Example 24.

Find the present value of a perpetuity-immediate whose successive payments are  $1, 2, 3, 4, \dots$ , at an effective rate of interest of 5%. 420

Topic 4 More General Annuities 43

Example 25.

The  $PV$  at effective rate  $i$  of a perpetuity-immediate with a first payment of 3 and with subsequent payments increase by 2 each year is 406.81. Determine  $i$ . .0739

Topic 4 More General Annuities 44

Example 26.

Sandy purchases a perpetuity-immediate that makes annual payments. The first payment is 100, and each payment thereafter increases by 10. Danny purchases a perpetuity-due which makes annual payments of 180. Using the same effective interest rate,  $i > 0$ , the present value of both perpetuity are equal. calculate  $i$ . 0.1017195

**Example 27** (T04Q08).

Bob purchases an increasing perpetuity with payments occurring at the end of every 4 years. The first payment is 1, the second one is 2, the third one is 3, etc. The price of the perpetuity is 160. Calculate the annual effective interest rate.

**4.2.4 Increasing and Then Level Perpetuities**

Consider a perpetuity-immediate with payments of  $1, 2, 3, \dots, n$  at the end of years 1 to  $n$ , and then with payments of  $n$  at the end of each year. One way to determine the  $PV$  of this perpetuity is as combination of an  $n$ -year increasing annuity followed by an  $n$ -year deferred perpetuity-immediate with level payments of  $n$ :

$$PV = (Ia)_{\overline{n}|i} + v^n \left( \frac{n}{i} \right) = \frac{\ddot{a}_{\overline{n}|i} - nv^n + nv^n}{i} = \frac{\ddot{a}_{\overline{n}|i}}{i}$$

The  $PV$  can be expressed as an  $n$ -year level payment annuity-due with payments of  $\frac{1}{i}$ .

**Topic 4 More General Annuities 47**

**Example 28.**

Determine the PV of a perpetuity-immediate with payments  $1, 2, 3, \dots, n$  for the first  $n$  years and then level payments of  $(n + 1)$  in years  $(n + 1)$  and subsequent.

**Topic 4 More General Annuities 48**

**Example 29.**

You are given:

- Annuity 1: A 11-year decreasing annuity immediate, with annual payments of 11, 10, 9, ..., 1.
- Annual 2: A perpetuity immediate with annual payments. The perpetuity pays 1 in year 1, 2 in year 2, 3 in year 3, ..., and 12 in year 12. After 12, the payments remains constant at 12.

At an annual effective interest rate of  $i$ , the present value of Annuity 2 is twice the present value of Annuity 1. Calculate the value of Annuity 1.

4.3 Payments in Geometric Progression

Consider an annuity-immediate with a term of  $n$  periods in which the first payments is 1 and successive payments increase in geometric progression with common ratio  $1 + k$ .

1	1+k	(1+k) <sup>2</sup>	(1+k) <sup>(n-1)</sup>
-----	-----	-----	-----
0	1	2	3 . . . n

The present value is

$$PV = v + v^2(1 + k) + \cdots + v^n(1 + k)^{n-1}$$
$$= v \frac{1 - (\frac{1+k}{1+i})^n}{1 - (\frac{1+k}{1+i})}$$
$$= \frac{1 - (\frac{1+k}{1+i})^n}{i - k}$$

and the accumulated value is

$$AV = (1 + i)^n PV = (1 + i)^n \left[ \frac{1 - (\frac{1+k}{1+i})^n}{i - k} \right] = \frac{(1+i)^n - (1+k)^n}{i - k}$$

In the case of annuity-due, the present value is

$$\ddot{P}V = (1 + i)PV = (1 + i) \left[ \frac{1 - (\frac{1+k}{1+i})^n}{i - k} \right]$$

the accumulated value is

$$\ddot{A}V = \ddot{P}V(1 + i)^n = (1 + i)^{n+1} \left[ \frac{1 - (\frac{1+k}{1+i})^n}{i - k} \right]$$

When  $k < i$ , the present value of perpetuity-immediate is

$$PV = \frac{1}{i - k},$$

the present value of perpetuity-due is

$$PV = \frac{1 + i}{i - k}.$$

When  $k > i$ , the infinite geometric progression diverges and the present value of the perpetuity does not exist.

Topic 4 More General Annuities 51

Example 30.

An annuity provides for 16 annual payments. The first payment is 150, paid at the end of first year, and each subsequent payment is 8% more than the one preceding it. Calculate the present value of this annuity if  $i = 10\%$ .

Topic 4 More General Annuities 52

Example 31.

Chris makes annual deposits into a bank account at the beginning of each year for 20 years. Chris's initial deposit is equal to 100, with each subsequent deposit  $k\%$  greater than the previous year's deposit. The bank credits interest at an annual effective rate of 5%. At the end of 20 years, the accumulated amount in Chris's account is equal to 7276.35. Given  $k > 5$ , calculate  $k$ .

<p><b>Example 32.</b></p> <p>You are given a perpetual annuity-immediate with annual payments increasing in geometric progression, with common ratio of 1.07. The annual effective interest rate is 12%. The first payment is 1. Calculate the present value of this annuity. <span style="border: 1px solid black; padding: 0 2px;">20</span></p>	<p><b>Example 33 (T04Q09).</b></p> <p>An investor is considering the purchase of 100 ordinary shares in a company. Dividends from the share will be paid annually. The next dividend is due in one year and is expected to be RM0.05 per share. The second dividend is expected to be 8% greater than the first dividend and the third dividend is expected to be 7% greater than the second dividend. Thereafter, dividends are expected to grow at 3% per annum compound in perpetuity. Calculate the present value of this dividend stream at an annual effective rate of interest of 6%.</p>
<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>	<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>

<p style="text-align: center;"><b>Topic 4 More General Annuities    55</b></p> <hr/> <p><b>Example 34.</b></p> <p>Chass deposits 290 per month beginning one month from now. The monthly deposits increases by 2% every two years. At a nominal interest rate of 6% convertible monthly, calculate the accumulated value of the deposits at the end of 32 years.</p>	<p style="text-align: center;"><b>Topic 4 More General Annuities    56</b></p> <hr/> <p><b>Example 35.</b></p> <p>A perpetuity pays <math>2X</math> one year from today. The annual payments increase by 5% per year thereafter. The effective annual interest rate on this perpetuity is 6%. The present value is 32,400. A second perpetuity pays <math>Y</math> one year from now, and the annual payments increase by <math>X</math> per year thereafter. The effective annual interest rate on this perpetuity is <math>i</math> and the present value is 24,000. A third perpetuity pays <math>Y</math> per year, with the first payment one year from now. The effective annual interest rate on this perpetuity is <math>i</math> and the present value is 4,000. What is <math>Y</math>. <span style="border: 1px solid black; padding: 0 2px;">360</span></p>
<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>	<p>UECM1403 THEORY OF INTEREST</p> <p>202306</p>

**Example 36.**

Justin buys a perpetuity-immediate with varying annual payments. During the first 5 years, the payment is constant and equal 19. Beginning in year 6, then payment start to increase. For year 6 and all future years, the current years's payment is  $k\%$  larger than the previous year's payment. At annual effective interest rate of 8.5%, the perpetuity has a present value of 453.95. Calculate  $k$ .

**4.4 Continuous Varying Annuities**

The last type of varying annuity is one in which payments are being made continuous at a varying rate. Such annuities are primarily of theoretical interest.

Consider an increasing annuity for  $n$  interest conversion periods in which payments are being made continuously at the rate of  $t$  per period at exact moment  $t$ . The present value of this annuity,  $(\bar{I}\bar{a})_{\overline{n}|}$ , is

$$(\bar{I}\bar{a})_{\overline{n}|} = \int_0^n tv^t dt$$

It can be simplified to by using integration by part

$$(\bar{I}\bar{a})_{\overline{n}|} = \left[ \frac{tv^t}{\ln v} \right]_0^n - \left[ \frac{v^t}{(\ln v)^2} \right]_0^n = \frac{\bar{a}_{\overline{n}|} - nv^n}{\delta}$$

**Topic 4 More General Annuities 59**

$$\begin{aligned} (\bar{I}\bar{a})_{\overline{n}|} &= \lim_{m \rightarrow \infty} (I^{(m)}a)_{\overline{n}|}^{(m)} \\ &= \frac{\lim_{m \rightarrow \infty} \ddot{a}_{\overline{n}|}^{(m)} - \lim_{m \rightarrow \infty} nv^n}{\lim_{m \rightarrow \infty} i^{(m)}} \\ &= \frac{\bar{a}_{\overline{n}|} - nv^n}{\delta} \end{aligned}$$

In general, if the amount of payment being made at exact moment  $t$  is  $f(t)dt$  and the interest varies continuously by a force of interest  $\delta_r$ , then an expression for the present value of an  $n$ -period continuous varying annuity would be

$$\int_0^n f(t)e^{-\int_0^t \delta_r dr} dt = \int_0^n f(t)a(t)dt.$$

**Topic 4 More General Annuities 60****Example 37 (T04Q10).**

You are given:

- The force of interest at time  $t$  is  $0.8t^3$ .
- $R$  is the present value of of a 3 year continuously increasing annuity which has a rate of payment of  $0.4t^3$  at time  $t$ .

Calculate  $R$ .

**Example 38.**

Payments are made to an account at a continuous rate of  $(12k + tk)$ , where  $0 \leq t \leq 10$ . Interest is credited at a force of interest  $\delta_t = \frac{1}{12+t}$ . After 10 years, the account is worth 30,362. Calculate  $k$ .