Xiamen Ming Feng Machinery Co.,ltd

Add.: No.1212,Longchi District,Longhai city,Zhangzhou,Fujian,China.

Email:romandong99@163.com; T: 86-18750929608 http://www.mingfengmachinery.com

QUOTATION

TO: Mr.James

317111011

Date: 8th, Dec., 2015

rice Term: FOB Xiamen chi	na in USD						1		Quota			: 11th,De	ec.,2015	
Picture	Item name		Specifications otor power, output, dimensions, etc)	Applications & Features Ui Q		Unit Price USD	Q'ty/ Ctn	Measu	uremer W	Packag it (cm) H	СВМ	N.W kgs	G.W kgs	Unit PriceUS
产品图片	产品名称	技术参数(电压	压,动力,产量,尺寸等)	应用和特点	单位销售 数量	单价	产品数量/外箱	外箱长			外箱体 积	净重	毛重	总价
utting and stitchi	ng equipn	nents												
	Used Swing arm cutting machine	Condition Brand Working valotage Max. Cutting Force Cutting Area	80% new Italy Atom 380V/60HZ 22Tons 900*430mm	1.This machine is Italy Atom model VS922 swing arm cutting machine,with cutting force 22ton. 2.High quality hydraulic syetem,long time service life.Greatly improve output.	3	\$2,880.00	3	95	105	150	1.18	1150	1200	\$8,640.00
	Seven Pincers Automatic Oil Pressure Toe Lasting Machine	Dimensions Motor Power Working Voltage Knife Speed Knife Axal Displacement Knife Size Skiving Width Feeding Wheel Speed	1100*540*1150mm 1/3HP 230V/60HZ 1270(RPM) 30mm D118*D114*54mm 10-50mm 62,99,132(RPM)	1.This machine is equipped with an automatic crumb-eliminating device and a stoning clutch which is provided with different specifications of presser foot according to your needs. 2.Application: Suitable for skiving leather edges or surfaces.	2	\$635.00	2	120	60	140	1.00	40	45	\$1,270.00

Leather Splitting Machine	Condition Brand Working Voltage Model no	80% new Italy Camoga 38V/60HZ C420R	1.This machine is Italy Camoga Leather splitting machine. 2.It is equiped with high precison knife splitting material like leather, cloth, ect. 3.With splitting piece can make high rank leather shoes.	1	\$8,100.00	1	120	110	190	2.51	635	720	\$8,100.00
Single Needle Industrial Roller Feed Post Bed Sewing Machine	Dimensions Motor Power Working Voltage Max. Sewing Speed Max. Stitch Length Needle Bar stroke Presser foot lift	1100*540*1500mm 1/3HP 230V/60HZ 2600(SPM) 7mm DP*5 By knee:13mm By hand:7mm	1. The bearing of this machine is spherical or aciculiform, which only has a little friction so that the bearing can keep the lubricating property of the engine for a long time. 2. With the prime mover, tooth gear, and the needle working together, it can stitch all kinds of the different materials. 3. It's suitable for high-quality stitching products, such as shoes, leather shoes, bags,canvas etc. Especially for thick materials.	20	\$750.00	20	120	60	140	1.03	55	75	\$15,000.00
	Dimensions Motor Power Working Voltage Max. Sewing Speed Max. Stitch Length Needle Bar stroke Presser foot lift	1100*540*1500mm 1/3HP 230V/60HZ 2600(SPM) 7mm DP*5 By knee:13mm By hand:7mm	 The bearing of this machine is spherical or aciculiform, which only has a little friction so that the bearing can keep the lubricating property of the engine oil for a long time. With the prime mover, tooth gear, and the needle working together, it can stitch all kinds of the different materials. It's suitable for high-quality stitching products, such as shoes, leathers shoes, canvas etc. 	4	\$800.00	4	120	60	140	1.03	55	75	\$3,200.00
Industrial Zig Zag Sewing Machine	Dimensions Packing size N.W. G.W. Motor Max. sewing speed Max. sewing thickness Presser foot lift Needle size Max. stitch length	1100*540*1300mm 1200*640*1500mm 48kg 88kg 1/3HP 1800rmp 5mm 6mm DP*1 12mm	1. This machine has structure which can prevent stitch-slipping and jumper. It can be used in various dogtooth stitching and beeline machine stitching as well. 2. The width of the dogtooth is 12mm and the width of the herringbone can be controlled with keen or hand. 3. This machine also has automatic winder, which is easy to handle and is often used in herringbone stitch in the leathers and material embroider.	1	\$720.00	1	120	64	170	1.05	55	75	\$720.00

Automatic Eyeleting Machine	Working valotage Motor Dimensions	230V/60HZ 0.42HP 900*530*1550	1. This machine is automatic transportation, it can do job between upper and lower at one time. 2. This machine is used for reveting of eleets of vamp, and for automatic feeding of upper and lower eleets.	1	\$1,520.00	1	98	61	170	1.02	112	140	\$1,520.00
Pneumatic Stamping Machine	Working valotage Motor Dimensions	230V/60HZ 0.42HP 750*700*160	This machine is used to gold embossing and stamping the outsole, leather, rubber and the plastics, which makes the products looked beautiful.	1	\$760.00	1	75	70	16	0.84	45	57	\$760.00
Hot-melt Glue Spraying Machine	Working valotage G.W. N.W. Speed of fusing glue Operating Temperature Volume of the glue	230V/60HZ 40kg 50kg 8KG/hour Max. 220°C 3kg	1. It can be used in many industries: shoes, packing, wooden, spinning, toy, leather, sanitation accessory, electronics etc,. 2. It applies to: 1. spraying glue 2. dit gluing 3.wiping glue 4.filling glue and other gun spraying gule head with many usages and many specifications, it is selectable and changeable. 3. Hot melt is 100% solid hot plastic materials without any solvent. Reach the meet of the strictest air pollution prevention. There is no danger of fire and explosion.	2	\$660.00	2	75	43	145	0.47	40	50	\$1,320.00

Assembing line and conveyor Equipments

		Condition Brand Working valotage	80% new Italy Cerim 380V/60HZ	1.The pulling over and lasting machine model K73 is suitable for any kind of work from the smallest children sizes to the largest mens, and also for all types of ladies shoes regardless the height of heel. 2.A special kit grants a perfect lasting of safety shoes with iron or plastic toe cap.	1	\$11,500.00									
		Dimensions	1600*1000*1960mm				1	115	190	210	4.59	1250	1470	\$11,500.00	
		Output	3000pairs/oriours							i					
				3										<u> </u>	

Automatic Shoe Toe Cap Steaming and Forming Machine	Motor Power N.W. Output Working valotage	2HP 463kgs 800pairs/8hours 230V/60HZ	1. Toe cap moulding before lasting. 2. This machine employs the positioning system fixed with oil air pressure, which can adjust the pulling down speed, calculate the pulling down schedule, make the heights on the two sides of the shoe head equivalent, simplify the shaping technology, identify the shape of shoe head. 3. machine with hot steam and freezing system.	1	\$6,080.00	1	160	100	160	4.54	463	593	\$6,080.00
Two cold & two-heat backpart moulding machine	Condition Brand Working voltage Output	80% new Italy ALFA 380V/60HZ 2000-3000pairs/8hours	1.This machine is Italy famous brand ALFA,Tow cold and tow heat backpart moulding machine. 2.With perfect air compressor system to generate cold temperature,also equiped with perfect heat release system.It saves power greatly.	1	\$4,880.00	1	140	125	220	3.36	550	650	\$4,880.00
Shoe Vamp Softening and Wrinkle Smooth Machine	Dimensions Packing Size Power Working valotage Output	1140*720*1120mm 1240*820*1400mm 16HP 230V/60HZ 2500pairs/ 8hours	1. The machine employs automatically water supplying system controlled the water lever through two procdures, and is fixed with multiple layers safety system for arming the shortage of the water. The safety is very high. 2. The volume of the steam, the content of the water, and the proposing time can be adfusted, whic applies to all knids of leather.	1	\$1,450.00	1	120	80	140	1.34	174	224	\$1,450.00
Automatic Oil Pressure Heel Seat Lasting Machine	Output	230V/60HZ 0.8KW 2000pairs/8hours 35-45KG/CM ² 1030*700*1420	1. This machine is suitable for lasting the shoes with general and insoles and with the heels height less than 18cm. 2. We have full sizes of wipers and forming bands. Which fit and sharp of shoes. The fotming bands are wrapped by chain and can accord gly produce a good forming effect. 3. The second time and pressing of the last supporter works with wiper-heating device to increase the lasting effect. It smooths thing areas and upgrade the quality if the shoes.	1	\$3,880.00	1	113	80	152	1.37	1150	1350	\$3,880.00

	Automatic Universal Walled Sole Attaching Machine	Dimensions Working valotage Pressure H.P. N.W. G.W. Output	1180*1120*1900mm 230V/60HZ 35-45kg/cm² 3HP 1300KGS 1380KGS 2000pairs/8hours	1. This machine uses all oil pressure design. It employs the special design of the oil-pressing jar with multiple branches nad intensive setting, which can avoid the irregular outline, even the pressure of the shoe dege, and achieve the good effects of no blind angles. 2. This machine applies to taking shape and processing the base. One machine can have two functions and do not need to purchase other equipments, which reduces the investment cost.	1	\$7,280.00	1	130	120	220	3.35	1300	1380	\$7,280.00
a de la constantina della cons	Lining Machine (Bottom Adjustable)	Working valotage Output Dimensions	230V/60HZ 1500pairs/8hours 640*450*1570	1.Use the manual adjustment to the inclining degree, more convenient and practical. 2.Mark more correctly, being good for the flow of thickening, gluing and attaching and the like.	2	\$470.00	2	84	65	177	0.97	60	75	\$940.00
	Oil-Pressure Last Releasing Machine	Working valotage H.P. Output Dimensions	230V/60HZ 2HP 2800pairs/8hours 610*520*1100mm	1. Claw-type structure, after releasing, the finished products are beautified and invulnerable to impairment. 2. It can be used for boot trees of different sizes of shoes.	1	\$880.00	1	81	72	130	0.76	120	130	\$880.00
	Double Working Stations Grinding Machine	Working valotage Dimensions Packing size Spindle Speed	230V/60HZ 900*750*700mm 980*830*800mm 3000/min	1. This machine is used for polishing, cream, coloring, dust elimination etc. of all kinds of outsoles. 2. Low noise and durable. 3. Speed adjustable.	1	\$780.00	1	98	83	80	0.65	80	100	\$780.00
											Tota	l Price	(USD)	\$78,200.00

1.Package: in seaworthy or airworthy wooden case package.

^{2.}Payment: 30% deposit and 70% balance before shipping

^{4.} The quotaiton valid time is 21days.

^{5.} The delivery date: Delivery 40 days after receiving the deposit.