YONGE
JEWELRY

WEBSITE SETUP PICTURE GUIDE

Putting the Yonge Jewelry website online

Written for someone who does not use computers much. No coding. Every click has a picture.

Part	What it does	Time	Done
1	Put the website online (GitHub)	20 min	☐
2	Get the codes from Square	10 min	☐
3	Turn on the payment helper (Cloudflare)	30 min	☐
4	Connect the website to Square	10 min	☐
5	Test a payment (no real money)	10 min	☐
6	Email receipts (Resend), optional	30 min, then a wait	☐
7	Text receipts (Twilio), optional	30 min, then a few days	☐
8	Go live: take real payments	15 min	☐

Tip. You do not have to do it all at once. Stop after any part and carry on another day. Tick the Done box as you finish each part. At the back: **everyday tasks** (changing stock and prices), **what to do if something goes wrong**, and a **worksheet** for writing down codes.

BEFORE YOU START

What you need

☐ A computer (Mac or Windows) with internet. A phone is not enough for the setup.

☐ This guide printed, or open on a phone or tablet beside you, so you can read while you click.

☐ The file **yonge-jewelry-site.zip**. It is in the email or message from Neill. Save it to your Downloads folder.

☐ The username and password of the **GitHub account that runs the shop's website**. Not a personal GitHub account.

☐ The email and password for the shop's **Square** account.

☐ The shop's **email inbox**, to click the confirmation emails that new accounts send.

☐ For email receipts (Part 6): the login for the company you pay for **yongejewelry.com** (for example GoDaddy, Namecheap or Squarespace).

☐ For text receipts (Part 7): a credit card. Twilio charges about US$2.15 a month plus about 2 cents per text.


How to read the pictures

The pictures are **simplified**. Your screen will look a little different: colours, sizes and positions change from time to time. Look for the same **words** on your screen as in the picture. A **red box with a number** means "click here". Follow the numbers in order: 1, then 2, then 3.

Copy and paste with the keyboard

You will copy codes from one website and paste them into another. These three key presses do it. Hold down the first key, tap the second key, then let go of both.

Copying looks like nothing happened. That is normal. The text waits invisibly until you paste it.



Hold down the first key, tap the second key, then let go of both.

BEFORE YOU START

Words you will see

Browser	The program you use for websites: Chrome, Safari, Edge or Firefox.
Address bar	The long box at the very top of the browser. Click it, type a web address like github.com, then press Enter (on a Mac the key may say return).
Tab	Each website open in the browser has a tab along the top. Open a new tab with ⌘ **command** + **T** on a Mac or **Ctrl** + **T** on Windows.
Click, double-click, right-click	Click: press the left mouse button once. Double-click: press it twice quickly. Right-click: press the right button (on a Mac trackpad, click with two fingers).
Refresh	Reload the page to see the newest version. Hold **Shift** and click the round arrow next to the address bar.
Repository	GitHub's word for the folder that holds the website files.
Commit	GitHub's word for **Save**.
Deploy	Cloudflare's word for **Save and switch on**.
Sandbox	Square's practice mode. Nothing is charged. You set everything up in Sandbox first.
Production	Square's real mode. Real cards are charged. You switch to it in Part 8.
Worker	A small program that runs on Cloudflare. Ours is the payment helper.

Three safety rules

Important. **1.** Three codes work like passwords: the **Square access token**, the **Resend API key** and the **Twilio auth token**. Paste them **only into Cloudflare**, in a box set to **Secret**. Never put them in GitHub, an email, a text message, a note on the computer, or on paper.


2. All the other codes in this guide (Application ID, Location ID, the worker address, Account SID) are safe to be seen. Write them on the worksheet at the back.

3. If a password-like code ends up somewhere it should not, make a new one on that company's website (see "If something goes wrong") and paste the new one into Cloudflare.

BEFORE YOU START

How the pieces fit together

You do not need to understand this to follow the guide, but it helps to know why there are several websites to visit.



Company	What it does for the shop	Cost
GitHub	Shows the website to the world (its free GitHub Pages service).	Free
Square	Takes the card payment and puts the order in the Square Dashboard, like a sale in the shop.	Square's usual card fees
Cloudflare	Runs the payment helper that keeps the secret Square code safe.	Free
Resend	Sends the email receipt (optional).	Free up to 100 emails a day
Twilio	Sends the text receipt (optional).	About US$2.15 a month plus about 2 cents per text

PART 1 OF 8 · ABOUT 20 MINUTES

Put the website online

The website is four files. You will upload them to the shop's GitHub account, and GitHub shows them to the world.


1 Open your Downloads folder

Mac: click the Finder (the blue and white smiling face at the bottom of the screen), then click **Downloads** on the left.


Windows: click the yellow folder at the bottom of the screen (File Explorer), then click **Downloads** on the left.

2 Unzip the file

Mac: double-click **yonge-jewelry-site.zip**. A folder called **yonge-jewelry-site** appears next to it.




Windows: right-click **yonge-jewelry-site.zip**, click **Extract All...**, then click **Extract**.



3 Open the "website" folder


Double-click the **yonge-jewelry-site** folder, then double-click the **website** folder inside it. You should see exactly four files. Leave this window open.



> **Tip.** On a Mac the endings like .html and .json may be hidden, so you may see just index, photos, products and settings. That is fine.

4 Sign in to GitHub

Open your browser. Click the address bar, type **`github.com/login`** and press Enter. Type the shop's GitHub username and password, then click **Sign in**.




> **Important.** Use the GitHub account that runs the shop's website, not a personal one. If GitHub asks for a code, it has sent one to the shop's email or phone.

5 Open the website's repository


After signing in, click the name of the repository that holds the website. It is in the list on the left of the GitHub home page. Its name often ends in **.github.io**. If you are not sure, it is the one that has a file called **index.html** in it.

6 Click "Add file", then "Upload files"



7 Drag the four files into the box

Go to the **website** folder window. Click any file, then press `⌘ command` + `A` on a Mac or `Ctrl` + `A` on Windows to select all four. Press and hold the mouse button on one of the selected files, move the mouse onto the box in the browser, and let go.




Wait until all four names are listed below the box. **photos.json** is large and can take a minute or two.

> **Tip.** If dragging is hard, click **choose your files** instead. Open the website folder in the window that appears, select all four files, and click **Open**.

8 Click "Commit changes"


Scroll down the page. Leave the boxes as they are and click the green **Commit changes** button. GitHub replaces the old website files with the new ones.



You should see. the list of files again, with index.html, photos.json, products.json and settings.js in it. Older files that were already there can stay. **Never delete a file called CNAME.** It holds the shop's web address.


9 Check the GitHub Pages setting

Click **Settings** at the top, then **Pages** on the left. Under **Source** it should say **Deploy from a branch**. Under **Branch** it should say **main** and **/ (root)**. If it already says this, do not change anything. If not, choose these and click **Save**.




10 Open the new website

Wait 2 minutes. Refresh the page. At the top it says **Your site is live at** followed by the address. Click **Visit site**.




11 Look at the website



> **Waiting is normal.** If the old website still shows, wait a few minutes and refresh while holding **Shift** . It can take up to 10 minutes the first time.

12 Try the checkout once

Click **Add to cart** on any piece, then **Checkout**. Fill in the form with your own details and click **Continue to payment**. You will see the message below. This is correct for now. Parts 2, 3 and 4 switch payments on.



PART 2 OF 8 · ABOUT 10 MINUTES

Get the codes from Square


Square gives you two codes for the website and one secret code for the payment helper. You start in **Sandbox**, Square's practice mode, so no real money moves while you test.

1 Sign in to Square's developer website

Open a new tab. Type `developer.squareup.com` in the address bar and press Enter. Click **Sign in** (top right) and use the shop's Square email and password, the same ones as the Square app.


2 Create an application

Click **Create application** (it may be a **+** button, or say **Create your first application**). Type `Yonge website` as the name and click **Save**. If Square asks what you are building, any answer is fine.



3 Open Credentials and choose Sandbox

Click your new application. Click **Credentials** on the left. At the top of the page, choose **Sandbox**.



4 Write down the Sandbox Application ID

Next to **Sandbox Application ID**, click **Copy**. Write it on the worksheet at the back of this guide. It starts with **sandbox-sq0idb-**.


> **Tip.** Long codes are easy to get wrong when written by hand. You can paste the **public** codes (never the secret ones) into an email to yourself instead.

5 Leave this page open

You will need the **Sandbox Access token** from this page in Part 3. Do not copy it anywhere else.

6 Write down the Location ID

Click **Locations** on the left. Next to **Default Test Account**, copy the **Location ID** and write it on the worksheet.




PART 3 OF 8 · ABOUT 30 MINUTES

Turn on the payment helper

A website cannot keep a secret, so a tiny program called a **Worker** runs on Cloudflare. It keeps the secret Square code and asks Square to charge the card. Cloudflare's free plan is all you need.

1 Create a free Cloudflare account


Open a new tab and go to `dash.cloudflare.com/sign-up` . Use the shop's email and a new password, then click **Sign up**. Open the shop's email and click the link Cloudflare sends.



> **Tip.** Cloudflare may suggest adding a website or domain. Skip that. You never need to move the shop's domain to Cloudflare.


2 Create the Worker

Click **Workers & Pages** on the left (it may be inside a menu called **Compute**). Click **Create application**, then **Start with Hello World!**




3 Name it and click Deploy

In the name box type exactly `yonge-payments` , then click **Deploy**.




4 Click "Edit code"




5 Open the payment helper file

Go back to the **yonge-jewelry-site** folder on your computer (not the website folder inside it). Right-click **payments-worker.js**. On a Mac choose **Open With**, then **TextEdit**. On Windows choose **Open with**, then **Notepad**.

Mac: right-click the file



Windows: right-click the file




6 Copy all of it

Click anywhere in the text. Press **⌘ command** + **A** then **⌘ command** + **C** on a Mac, or **Ctrl** + **A** then **Ctrl** + **C** on Windows.


7 Paste it into Cloudflare and click Deploy

Go back to the Cloudflare tab. Click inside the code. Press **⌘ command** + **A** (**Ctrl** + **A**) to select the Hello World code, then **⌘ command** + **V** (**Ctrl** + **V**) to paste over it. The first line should now say **// Yonge Jewelry payments**. Click **Deploy** at the top right. If it asks again, click **Deploy** or **Save and deploy**.



8 Open Settings, then "Variables and Secrets"


Leave the editor by clicking **yonge-payments** or the back arrow at the top left. Click **Settings**. Find **Variables and Secrets** and click **+ Add**.



9 Add the four settings

Fill in one row for each setting. Click **+ Add variable** to get another row. Choose the **Type** first, then type the name exactly as shown: capital letters and underscores (_).

Type	Variable name (type exactly)	Value
Secret	`SQUARE_ACCESS_TOKEN`	Go to the Square tab (Credentials, Sandbox). Next to **Sandbox Access token** click **Show**, then **Copy**. Paste here.
Text	`SQUARE_LOCATION_ID`	The Location ID from your worksheet.
Text	`SQUARE_ENVIRONMENT`	`sandbox`
Text	`SITE_URL`	Your website address, for example **https://www.yongejewelry.com**. Copy it from the address bar when the shop is open. No / at the end.




Then click **Deploy**.

> **Important.** SQUARE_ACCESS_TOKEN must be set to **Secret**. Once saved, nobody can read it again, not even you. That is what keeps it safe.


10 Write down the worker address

Click **Overview** (or the name yonge-payments). Find the address that ends in **workers.dev**. Write the whole address on the worksheet with **https://** in front, for example https://yonge-payments.yourname.workers.dev



11 Check that the helper works

Open a new tab. Type the worker address, then **/stock** at the end, and press Enter.



You should see. {"sold":{}} on the page. If you see an error instead, check SITE_URL and the access token (see "If something goes wrong").


PART 4 OF 8 · ABOUT 10 MINUTES

Connect the website to Square

Now the website needs to know your Square codes and where the payment helper is. You type them into one small file called settings.js, right on the GitHub website.


1 Open settings.js and click the pencil

Go to the GitHub tab and open the repository (as in Part 1, step 5). Click **settings.js**, then the pencil (**Edit this file**) at the top right of the file.



2 Type the four values between the ' marks


Click between the two ' marks on each line and paste or type the value. Keep the ' marks and the commas exactly where they are.



Line	What goes between the ' marks
`squareApplicationId`	Sandbox Application ID (worksheet)
`squareLocationId`	Location ID (worksheet)
`squareEnvironment`	`sandbox` (already there)
`paymentsAddress`	The worker address (worksheet), starting with https://

Important. Never put the access token in this file. Anyone can see settings.js.

3 Click "Commit changes...", then "Commit changes"



4 Wait 2 minutes, then refresh the website

Go to the website tab and refresh while holding **Shift** .


PART 5 OF 8 · ABOUT 10 MINUTES

Test a payment


You are still in Sandbox, so you can "buy" with a practice card. No money moves. This proves everything is connected.

1 Add a piece and go to the checkout

Click **Add to cart** on any piece, then **Checkout**. Choose **Buy online**. Fill in the form with your own name, email and mobile number, then click **Continue to payment**.




2 The card box appears




> **Tip.** If the card box does not appear, wait 2 more minutes and refresh. Still nothing? See "If something goes wrong".

3 Type Square's practice card and click Pay

Box	Type
Card number	`4111 1111 1111 1111`
MM/YY	`12/30` (any date in the future)
CVV	`111`
Postal code	The same postal code you typed in the form




4 You see the confirmation



5 Find the order in Square's practice dashboard

Go back to developer.squareup.com. Find **Sandbox test accounts** (on the main page or on the left) and click **Open in Square Dashboard** next to **Default Test Account**. Click **Transactions**.



> **Tip.** The piece you "bought" now counts as sold in practice mode, so it may show Sold. When you go live in Part 8, practice sales are forgotten and it shows as available again.

PART 6 OF 8 · ABOUT 30 MINUTES, THEN A WAIT · OPTIONAL

Email receipts

Square does not send receipts for website payments, so the payment helper sends one through a service called **Resend**. It is free for up to 100 emails a day. Resend needs proof that the shop owns yongejewelry.com: you copy three short lines into the domain's settings. Receipts then come from **receipts@yongejewelry.com**.


> **Tip.** Find out first where yongejewelry.com is managed. It is the company that bills the shop for the domain each year (for example GoDaddy, Namecheap, Squarespace or Wix). If you are not sure, ask whoever set up the shop's website or email.

1 Create a Resend account

Go to `resend.com` and click **Sign up**. Use the shop's email. Open the email Resend sends and click the link.


2 Add the shop's domain

Click **Domains** on the left, then **+ Add domain**. Type `yongejewelry.com` . For Region choose **North Virginia (us-east-1)**. Click **Add**.



3 Resend shows a short list of records


Usually three rows: one **MX** and two **TXT**. Keep this tab open.



4 Copy each record into your domain company's DNS page

In a new tab, sign in to the company that manages yongejewelry.com. Find its **DNS** page (it may be called DNS, Manage DNS, DNS records or Advanced DNS). For each row in Resend:


a	Click **Add record** (or Add, or +).
b	Choose the same **Type** as in Resend (MX or TXT).
c	Click **Copy** next to the Name in Resend and paste it into **Name** or **Host**.
d	Click **Copy** next to the Content in Resend and paste it into **Value** (or Content, or Points to).
e	For the MX row, also put `10` in **Priority**.
f	Click **Save**. Then do the next row.



Important. Do not change or delete the records that are already there. They keep the shop's email and website working. If the page adds ".yongejewelry.com" to the Name by itself, paste only the first part, for example **send** or **resend._domainkey**.

5 Click "Verify DNS records" and wait


Back in Resend, click **Verify DNS records**. When the domain says **Verified**, carry on.



> **Waiting is normal.** This often takes 15 minutes but can take up to a day. You can close everything and come back later.

6 Make an API key

Click **API Keys** on the left, then **+ Create API key**. Name: `Website receipts` . Permission: **Sending access**. Click **Add**, then click **Copy**.




> **Important.** Resend shows this key only once, and it works like a password. Go straight to the next step and paste it into Cloudflare.

7 Add three settings in Cloudflare

In Cloudflare open **Workers & Pages**, **yonge-payments**, **Settings**, **Variables and Secrets**, **+ Add** (as in Part 3, step 8).


Type	Variable name (type exactly)	Value
Secret	`RESEND_API_KEY`	Paste the key from Resend (starts with re_).
Text	`RECEIPT_FROM`	`Yonge Jewelry <receipts@yongejewelry.com>`
Text	`SHOP_EMAIL`	The shop's inbox, for example **info@yongejewelry.com**. Customers' replies go here, and it gets a copy of every receipt.




Then click **Deploy**.

8 Check it

Open a new tab and go to your worker address (without /stock). It should say **"emailReceipts":"on"**.



Then make another practice purchase (Part 5) using your own email. The receipt arrives within a minute or two. The first time, check the spam folder too.



YONGE
JEWELRY

RECEIPT

Thank you, Alex.

Your order is confirmed and your payment has been received.

Order YJ-20261013-XGN5
October 13, 2026 at 11:49 a.m.

VVS Clarity Lab-Grown Emerald Cut Diamond Necklace #12 · 925 silver, 18k gold vermeil · Qty 1	$2,850.00
Subtotal	$2,850.00
Shipping	Free
Tax (Ontario, 13%)	$370.50
Total paid Paid with Visa ending in 1111	**$3,220.50**

SHIPPING TO

Alex Example
100 Sample St
Toronto, ON M5V 0A1
Canada

VIEW YOUR SQUARE RECEIPT

Questions? Reply to this email, or text or call us at 437-212-6273.

Yonge Jewelry
29 St Andrew St, Unit B
Kensington Market, Toronto, ON

PART 7 OF 8 · ABOUT 30 MINUTES, THEN A FEW DAYS · OPTIONAL

Text receipts


The payment helper can also text a receipt to customers who type a mobile number at checkout. The texts are sent by **Twilio**. It costs about US$2.15 a month for the phone number plus about 2 cents per text. Canadian and US rules say Twilio must check the business before the number can send texts. That check takes a few business days.

1 Create a Twilio account

Go to `twilio.com` and click **Start for free** or **Sign up**. Use the shop's email and confirm it, then confirm your phone number. If Twilio asks what you want to build, choose **SMS** and **notifications**. Other questions can have any answer.


2 Upgrade the account

Click **Upgrade account** and add the credit card. Add US$20 of credit, which lasts a long time. A free trial account cannot text customers.



3 Buy a toll-free number

Click **Phone Numbers** on the left (it may be called **Numbers & senders**), then **Buy a number**. Choose Number type **Toll-free**, tick **SMS**, click **Search**, then **Buy** next to any number.




> **Tip.** If Twilio first asks you to create a business profile, follow its steps with the shop's name, address and contact details.

4 Ask Twilio to verify the number

Click the new number, then **Regulatory Information**, then **Verify this toll-free number**. Fill in the shop's details. When asked about how the texts are used, copy these answers:


Question	Answer
Use case	Account notifications, order receipts
Use case description	Yonge Jewelry sends one text receipt to customers who buy on our website and choose to give a mobile number at checkout.
How people opt in	At checkout on our website, customers can type their mobile number in a box labelled "Mobile, for a text receipt (optional)". Only customers who enter a number get the receipt. We send no marketing texts.
Opt-in link	Your website address, for example https://www.yongejewelry.com
Sample message	Yonge Jewelry: Thank you, Alex! We received your payment of $209.05 for order YJ-20261013-ABCD. Receipt: https://squareup.com/receipt/preview/… Questions? Text or call 437-212-6273.
Message volume	The smallest choice



Waiting is normal. Twilio emails the shop when the number is approved, usually within a few business days. You can do steps 5 and 6 now.


5 Copy the Account SID and Auth Token

Click **Account Dashboard**. Under **Account Info** you see the Account SID, the Auth Token and your Twilio phone number.



6 Add three settings in Cloudflare


Type	Variable name (type exactly)	Value
Text	`TWILIO_ACCOUNT_SID`	The Account SID (starts with AC).
Secret	`TWILIO_AUTH_TOKEN`	Click **Show** next to Auth Token, then **Copy**. Paste here.
Text	`TWILIO_FROM`	Your Twilio toll-free number, for example **+18445550123**.



Then click **Deploy**.

7 Check it

Your worker address now says **"textReceipts":"on"**. After Twilio approves the number, make a practice purchase with your own mobile number. The text arrives within a minute.




PART 8 OF 8 · ABOUT 15 MINUTES

Go live: take real payments

You repeat Parts 2, 3 and 4 with Square's real (**Production**) codes. After this, real cards are charged.

1 Get the Production codes from Square


On developer.squareup.com open your application and click **Credentials**. At the top choose **Production**. Copy the **Production Application ID** onto the worksheet. Leave the page open for the Production Access token. Then click **Locations** and copy the Location ID of the shop at 29 St Andrew St onto the worksheet.



2 Change three settings in Cloudflare

In Cloudflare open **yonge-payments**, **Settings**, **Variables and Secrets**. Click **Edit** next to each of these, change the value, then click **Deploy**.

Variable	New value
`SQUARE_ACCESS_TOKEN`	Paste the **Production** Access token (Show, then Copy). Keep the type Secret.
`SQUARE_LOCATION_ID`	The **Production** Location ID
`SQUARE_ENVIRONMENT`	`production`



3 Change settings.js on GitHub

Edit settings.js as in Part 4: put the **Production** Application ID and the **Production** Location ID between the ' marks, and change sandbox to `production` . Click **Commit changes** twice.

> **Important.** All three places must match: Square codes from Production, SQUARE_ENVIRONMENT = production in Cloudflare, and squareEnvironment = 'production' in settings.js.

4 Make one real purchase, then refund it

Wait 2 minutes. Buy a low-priced piece on the website with your own card. Check that it appears in the real Square Dashboard (squareup.com/dashboard, then Transactions). Then open that payment in Square and click **Issue refund**.

5 Put the piece back on sale

The website counts the refunded piece as sold. Open products.json and raise that piece's qty by 1 (see Everyday tasks, A).

> **You should see.** every online order in the Square Dashboard, marked "Yonge Jewelry website", with the customer's shipping address. Ship it as you normally would.

AFTER SETUP


Everyday tasks

All of these happen on the GitHub website, in the file **products.json**: open the repository, click products.json, then click the pencil. When you are done, click **Commit changes...** and then **Commit changes**. The website updates in about 2 minutes.

> **Important.** Change only the numbers, or the words inside the " marks. Keep every comma, " mark and bracket where it is. The website forgives a missing or extra comma, but neat is safest. If something breaks, see F below to undo.

A After selling a piece in the shop: lower its quantity

Each piece is one line. To find it, press `⌘ command` + `F` (Mac) or `Ctrl` + `F` (Windows) and type its number like this: `"id": 4,` . Change the number after **"qty":**. A qty of 0 shows the piece as **Sold**.



> **Tip.** Online sales are counted automatically. You only change qty for sales in the shop, refunds, or new stock.

B Change a price

Change the number after **"price":**. Type numbers only, for example `1250` . No $ sign.

C Show "Price on request" instead of a price

Replace the price number with `null` , like this: `"price": null` . Customers can then enquire but not buy online.

D Add a new piece

1. Photograph the piece upright (taller than wide). Name the photo with no spaces, for example **ring-301.jpg**.
2. Upload the photo with **Add file**, **Upload files**, then **Commit changes** (as in Part 1).
3. Edit products.json. Copy any whole line and paste it on the next line. Then change the id to a number not used before, the name, category, material, qty and price, and add the photo before the last } like this:

```
{"id": 301, "name": "Gold Signet Ring", "category": "Rings", "material": "18K Gold Vermeil", "qty": 1, "price": 240, "photo": "ring-301.jpg"},
```


Categories: Rings, Earrings, Necklaces, Bracelets. Materials: 925 Silver · 925 Silver & 18K Vermeil · 925 Silver & 18K Rose Gold Vermeil · 18K Gold Vermeil · Surgical Steel · Surgical Steel & 18K Vermeil · Fine Jewelry.

E Take a piece off the website

Delete its whole line. Or set its qty to 0 to keep it showing as Sold.

F Undo a mistake

Open products.json and click **History**. Click the **<>** button next to the last version that was fine, then click products.json and **Raw**. Select all (**⌘ command** + **A**) and copy (**⌘ command** + **C**). Go back to the current products.json, click the pencil, select all, paste, and commit.



G

See online orders

Online orders appear in the Square Dashboard and the Square app like any sale, marked "Yonge Jewelry website", with the shipping address. If email receipts are on, the shop inbox also gets a copy of each receipt.

IF SOMETHING GOES WRONG

Problems and fixes

If your problem is not in this list, write down exactly what the screen says (or take a photo of it) and send it to Neill.

What you see	What to do
The old website still shows	Wait 10 minutes and refresh while holding Shift. Check Part 1, step 9 (Settings, Pages).
No product photos	photos.json is missing. Upload it again (Part 1, steps 6 to 8).
"The collection could not load"	products.json has a mistake in it. Undo it with History (Everyday tasks, F).
Checkout says "Online payment is not switched on yet" after Part 4	One of the four values in settings.js is empty, or a ' mark was deleted. Check them, commit, wait 2 minutes and refresh while holding Shift.
"The card form could not load"	The Application ID and the environment do not match. A sandbox ID needs sandbox; a production ID needs production. Check settings.js.
"The payment did not go through"	Check Cloudflare: SQUARE_ACCESS_TOKEN (type Secret), SQUARE_LOCATION_ID and SQUARE_ENVIRONMENT must all be from the same mode as settings.js: all sandbox, or all production.
The worker address /stock shows an error	SITE_URL must be exactly the website address with https:// and no / at the end. Then check the access token was pasted completely.
No email receipt	Open the worker address. If it says "emailReceipts":"off", a setting is missing (Part 6, step 7). Check the domain says Verified in Resend. RECEIPT_FROM must end in @yongejewelry.com. Check the spam folder.
No text receipt	If the worker address says "textReceipts":"off", a Twilio setting is missing. The number must be approved by Twilio. The customer must have typed a mobile number. For numbers outside Canada and the US, turn on that country in Twilio (Messaging, Settings, Geo permissions).
A piece shows Sold but you still have it	Raise its qty in products.json (Everyday tasks, A). Refunds and practice sales are not added back by themselves.

What you see	What to do
A secret code was pasted in the wrong place	Make a new one and paste the new one into Cloudflare, then Deploy. Square: Credentials, then Replace next to the access token. Resend: API Keys, delete the old key and create a new one. Twilio: Account, API keys & tokens, Auth tokens.

WORKSHEET

Codes to write down

> **Important.** **Never write here:** the Square access token, the Resend API key, the Twilio auth token, or any password.

Website address
for example https://www.yongejewelry.com

GitHub account name

GitHub repository name

Square Sandbox Application ID
starts with sandbox-sq0idb-

Square Sandbox Location ID

Worker address
https:// … .workers.dev

Square Production Application ID
starts with sq0idp-

Square Production Location ID

Resend domain
yongejewelry.com

SHOP_EMAIL
the inbox that gets receipt copies

Twilio phone number
for example +18445550123

Twilio Account SID
starts with AC