
Rule deck

DRC starts from a rule deck , typed rules with limits on each layer

The idea


- GOLDEN: rule_count=8

Deck


RULE DECK LOAD
Deck
Step 1 / 5 · deck · module01-01-rule-deck
Rule deck
rules=8
W.M1
W.M2
W.VIA
S.M2
E.VIA_M1
E.VIA_M2
Explanation
Eight rules in the tiny_drc deck.
deck
r=8


Deck

Types


RULE DECK LOAD
Types
Step 2 / 5 · types · module01-01-rule-deck
Rule deck
width/space/enc/bool
W.M1
W.M2
W.VIA
S.M2
E.VIA_M1
E.VIA_M2
Explanation
width, space, enclosure, boolean rule types.
types
4


Types

Layers




Layers

Load


RULE DECK LOAD
Load
Step 4 / 5 · load · module01-01-rule-deck
Rule deck
load_deck()
W.M1
W.M2
W.VIA
S.M2
E.VIA_M1
E.VIA_M2
Explanation
load_deck returns rules and by_type buckets.
load
by_type


Load

Count


RULE DECK LOAD
Count
Step 5 / 5 · count · module01-01-rule-deck
Rule deck
rule_count=8
W.M1
W.M2
W.VIA
S.M2
E.VIA_M1
E.VIA_M2
Explanation
GOLDEN: rule_count=8.
GOLDEN
8

Count

Browser lab track



Browser lab starter

Implement track

- Call load_deck(); assert rule_count==8

Pitfalls

- Counting shapes as rules
- Ignoring boolean rules in the total

Your turn

- Next: width checker