
Schematic graph

LVS starts from the schematic , devices, nets, and pin edges before layout extract

The idea


- GOLDEN: 2 devices, 4 nets, mn1/mp1

Devices




Devices

Nets


SCHEMATIC CONNECTIVITY GRAPH
Nets
Step 2 / 5 · nets · module01-01-schematic-graph
schematic
nets=4
a
y
vdd
vss
Explanation
Four nets: a, y, vdd, vss.
nets
n=4


Nets

Pins


SCHEMATIC CONNECTIVITY GRAPH
Pins
Step 3 / 5 · pins · module01-01-schematic-graph
schematic
pin edges
mn1
mp1
a
y
Explanation
Each device pin attaches to a net (G/D/S).
pins
G/D/S


Pins

Edges


SCHEMATIC CONNECTIVITY GRAPH
Edges
Step 4 / 5 · edges · module01-01-schematic-graph
schematic
edge_count=6
mn1
mp1
a
y
vdd
vss
Explanation
Six pin edges across mn1 and mp1.
edges
6


Edges

Golden



Golden

Browser lab track



Browser lab starter

Implement track

- Call schematic_graph(); assert device_count==2 and net_count==4

Pitfalls

- Counting layout shapes as schematic devices
- Missing supply nets

Your turn

- Next: device recognition