
Why Paint

Place rectangles on named Magic layers (paint)

The idea

- GOLDEN: 6 rects; metal1 paint=2

Six rectangles



Six rectangles


Layer names

PAINT LAYERS

Layer names

Step 2 / 5 · layers · module01-01-paint-layers

6



Explanation

Layers: ndiff, pdiff, poly, metal1, nwell, pwell.

- ndiff
- poly

6

Layer names


metal1 paint

PAINT LAYERS

metal1 paint

Step 3 / 5 · metal1 · module01-01-paint-layers

2



Explanation


Two metal1 rectangles: m1y and thin.

- m1y
- thin

2

metal1 paint

Paint command



Paint command


Golden

PAINT LAYERS

Golden

Step 5 / 5 · golden · module01-01-paint-layers

6/2



Explanation

GOLDEN: rect_count=6; paint_metal1=2.

- GOLDEN

```
6/2
```

Golden

Browser lab track

- Open **paint-layers**
- Run the stage buttons and Check the goldens

Implement track

- From common/, run solvers.py and confirm MAGIC_PARTA_OK

Pitfalls

- Mixing KLayout viewer shortcuts with Magic paint commands
- Forgetting min_width when reading DRC errors

Try these

- From the common folder, run the Magic map self-test

Try these — try these

```
cd courses/learn_magic/common
python3 solvers.py
```

Pseudocode

- Here is the check in plain steps

Pseudocode — try these

```
6 rects; metal1 paint=2.
ok if goldens match
```

Next

- Complete the quiz for this part
- Continue the Magic Part A map, then the real CLI track