
Why real Magic

Load tiny_inv, verify paint counts, save .mag

The idea


- GOLDEN: rect_count=6; contact_count=1; cell=tiny_inv

tiny_inv



tiny_inv

Six rects



Six rects


One contact

REAL PAINT / SAVE

One contact

Step 3 / 5 · contact · module07-01-real-paint-save

1



Explanation

Contact ca bridges poly and metal1.

- ca

```
1
```

One contact


save

REAL PAINT / SAVE

save

Step 4 / 5 · save · module07-01-real-paint-save

mag



Explanation

save writes the .mag file.

- save

```
mag
```

save


Golden

REAL PAINT / SAVE

Golden

Step 5 / 5 · golden · module07-01-real-paint-save

6/1



Explanation

GOLDEN: rect_count=6 contact_count=1.

- GOLDEN

```
6/1
```

Golden

Browser lab track

- Open **real-paint-save**
- Build the Magic recipe or open evidence stages, then Check

Implement track

- From common/, run real_solvers.py and confirm REAL_MAGIC_OK

Pitfalls

- Editing goldens by hand without re-running scripts
- Confusing Part A map JSON with checked-in logs

Try these

- From the common folder, run the real Magic self-test

Try these — try these

```
cd courses/learn_magic/common
python3 real_solvers.py
```

Pseudocode

- Here is the check in plain steps

Pseudocode — try these

```
rect_count=6; contact_count=1; cell=tiny_inv.
ok if goldens match
```

Next

- Complete the quiz for this part
- Continue the Part B evidence track, then algorithms and internals