Why real Magic

Run the full real Magic engine against goldens

The idea

- GOLDEN: real_magic_engine ok=True


Full recipe

REAL MAGIC EVIDENCE

Full recipe

Step 1 / 5 · recipe · module08-03-magic-evidence

6



Explanation

Golden recipe has six Tcl stages.

- recipe

```
6
```

Full recipe


Paint golden

REAL MAGIC EVIDENCE

Paint golden

Step 2 / 5 · paint · module08-03-magic-evidence

6/1



Explanation


Still six rects and one contact.

- paint

```
6/1
```


Paint golden

DRC golden



DRC golden

GDS golden



GDS golden


Engine

REAL MAGIC EVIDENCE

Engine

Step 5 / 5 · golden · module08-03-magic-evidence

ok



Explanation

GOLDEN: real_magic_engine ok=True.

- GOLDEN

ok

Engine

Browser lab track

- Open **magic-evidence**
- Build the Magic recipe or open evidence stages, then Check

Implement track

- From common/, run real_solvers.py and confirm REAL_MAGIC_OK

Pitfalls

- Editing goldens by hand without re-running scripts
- Confusing Part A map JSON with checked-in logs

Try these

- From the common folder, run the real Magic self-test

Try these — try these

```
cd courses/learn_magic/common
python3 real_solvers.py
```

Pseudocode

- Here is the check in plain steps

Pseudocode — try these

```
real_magic_engine ok=True.
ok if goldens match
```

Next

- Complete the quiz for this part
- Continue the Part B evidence track, then algorithms and internals