Charge

Plasma etch charge scales with exposed metal , toy uses Q=k×metal

The idea


- GOLDEN: charge_n1=25

Charge k

CHARGE ACCUMULATION

Charge k

Step 1 / 5 · k · module02-03-charge-accumulation



Explanation

Q = k × metal_area; k=1 on toy.

- charge_k

```
1
```

Charge k

n1 Q

CHARGE ACCUMULATION

n1 Q

Step 2 / 5 · n1q · module02-03-charge-accumulation



Explanation

n1 metal 25 → Q=25.

- n1

```
25
```


n1 Q

n2 Q

CHARGE ACCUMULATION

n2 Q

Step 3 / 5 · n2q · module02-03-charge-accumulation



Explanation


n2 Q=8.

- n2

8


n2 Q

n3 Q


CHARGE ACCUMULATION
n3 Q
Step 4 / 5 · n3q · module02-03-charge-accumulation
L2
25
L2
8
L1
5
n1
n2
n3
D
1
2
1
Q n3=45
Explanation
n3 Q=45.
n3
45


n3 Q

Golden



Golden

Browser lab track



Browser lab starter

Implement track

- Call charge_by_net(); assert charge['n1']==25

Pitfalls

- Using ratio instead of metal for Q
- Wrong k constant

Your turn

- Next: threshold rules