Edge pair

Spacing patterns compare facing edges of same-layer shapes with overlapping projections

The idea


- On M1, A–B gap is 1 but min_space=2 → one space marker
- GOLDEN space_markers=1

Neighbors

SINGLE-LAYER EDGE-PAIR

Neighbors

Step 1 / 5 · nb · module01-03-single-layer-edge-pair



Explanation

A left of B on M1 with y-projection overlap.

- same layer

```
A—B
```

Neighbors


Gap

SINGLE-LAYER EDGE-PAIR

Gap

Step 2 / 5 · gap · module01-03-single-layer-edge-pair

gap=1



Explanation

Gap A → B equals 1 (x 10 → 11).

- gap

```
1
```

Gap


Limit

SINGLE-LAYER EDGE-PAIR

Limit

Step 3 / 5 · limit · module01-03-single-layer-edge-pair

limit=2



Explanation

min_space[M1]=2.

- rule

```
2
```

Limit


Marker

SINGLE-LAYER EDGE-PAIR

Marker

Step 4 / 5 · mark · module01-03-single-layer-edge-pair

space marker



Explanation

Emit space marker on shapes A,B.

- space

```
marker
```

Marker


Count

SINGLE-LAYER EDGE-PAIR

Count

Step 5 / 5 · count · module01-03-single-layer-edge-pair

GOLDEN 1



Explanation


GOLDEN: one M1 space marker.

- GOLDEN

```
n=1
```

Count

Browser lab track



Browser lab starter

Implement track

- Call match_space(layer='M1'); assert len==1 and shapes {A,B}

Pitfalls

- Matching without projection overlap
- Checking different layers as one pair

Your turn

- Next: single-layer region / enclosure