

# Unified Covariate Adjustment: Estimating Multilinear Causal Estimands

**Yonghan Jung**

School of Information Science (iSchool)

UIUC

[www.yonghanjung.me](http://www.yonghanjung.me)

2025 INFORMS

**NeurIPS-24**

Unified covariate adjustment for causal inference

**Yonghan Jung**

Thesis (2025)

**Working papers**

# **Unified Covariate Adjustment:**

## **Estimating Multilinear Causal Estimands**

**Yonghan Jung**

School of Information Science (iSchool)

UIUC

[www.yonghanjung.me](http://www.yonghanjung.me)

2025 INFORMS


# Motivation: Multilinear Causal Estimands

---

A causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is often identified as a multilinear functional.



# Motivation: Multilinear Causal Estimands

A causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is often identified as a multilinear functional.






# Motivation: Multilinear Causal Estimands

A causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is often identified as a multilinear functional.







# Motivation: Multilinear Causal Estimands

A causal effect  $\mathbb{E}[Y \mid \text{do}(\bar{a})]$  is often identified as a multilinear functional.




# Motivation: Multilinear Causal Estimands

A causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is often identified as a multilinear functional.



# Motivation: Multilinear Causal Estimands

A causal effect  $\mathbb{E}[Y \mid \text{do}(\bar{a})]$  is often identified as a multilinear functional.





# Tasks

---

# Tasks

---

- 1 **Identification:** Sound and complete graphical criterion for identifying causal effects as a multilinear causal estimand

# Tasks

---

- 1 **Identification:** Sound and complete graphical criterion for identifying causal effects as a multilinear causal estimand
- 2 **Computationally efficiency:** A new formulation for multilinear causal estimands with computational efficiency.

# Tasks

---

- ➊ **Identification:** Sound and complete graphical criterion for identifying causal effects as a multilinear causal estimand
- ➋ **Computationally efficiency:** A new formulation for multilinear causal estimands with computational efficiency.
- ➌ **Sample efficiency:** A doubly robust and sample efficient estimation framework

# Identification Criterion for Multilinear Estimands

---

# Identification Criterion for Multilinear Estimands

---

## Implication of Multilinear Causal Estimands Criterion

Suppose a causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is identifiable. Its ID expression is multilinear, iff, it is given as a product of SBDs.

# Identification Criterion for Multilinear Estimands

## Implication of Multilinear Causal Estimands Criterion

Suppose a causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is identifiable. Its ID expression is multilinear, iff, it is given as a product of SBDs.

Special case when  $|\mathbf{A}| = 1$

It's expressible as a multilinear causal estians (non-ratio), iff,  $A$  and its children are not connected by bidirected paths (aka Tian's criterion)

# Identification Criterion for Multilinear Estimands


## Implication of Multilinear Causal Estimands Criterion

Suppose a causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is identifiable. Its ID expression is multilinear, iff, it is given as a product of SBDs.

Special case when  $|\mathbf{A}| = 1$

It's expressible as a multilinear causal estians (non-ratio), iff,  $A$  and its children are not connected by bidirected paths (aka Tian's criterion)

Front-Door (FD)



$$\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \textcolor{blue}{\bar{a}},x) P(x)$$



# Identification Criterion for Multilinear Estimands


## Implication of Multilinear Causal Estimands Criterion

Suppose a causal effect  $\mathbb{E}[\textcolor{red}{Y} \mid \text{do}(\textcolor{blue}{\bar{a}})]$  is identifiable. Its ID expression is multilinear, iff, it is given as a product of SBDs.


Special case when  $|\mathbf{A}| = 1$

It's expressible as a multilinear causal estians (non-ratio), iff,  $A$  and its children are not connected by bidirected paths (aka Tian's criterion)

Front-Door (FD)



Verma



# Nested Conditional Expectation for SBD

---

# Nested Conditional Expectation for SBD

---

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

# Nested Conditional Expectation for SBD

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

Evaluating  $\sum_{x_1, x_2}$  is computationally expensive, but can be circumvented by nested expectation.

# Nested Conditional Expectation for SBD

---

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

❶  $\mu_2(A_2, X_2, A_1, X_1) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid A_2, X_2, A_1, X_1]$

# Nested Conditional Expectation for SBD

---

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

❶  $\mu_2(A_2, X_2, A_1, X_1) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid A_2, X_2, A_1, X_1]$

❷  $\mu_1(A_1, X_1) \triangleq \mathbb{E}[\mu_2(\bar{a}_2, X_2, A_1, X_1) \mid A_1, X_1]$

# Nested Conditional Expectation for SBD

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

❶  $\mu_2(A_2, X_2, A_1, X_1) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid A_2, X_2, A_1, X_1]$

❷  $\mu_1(A_1, X_1) \triangleq \mathbb{E}[\mu_2(\bar{a}_2, X_2, A_1, X_1) \mid A_1, X_1]$   $\sum_{x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, A_1, X_1] P(x_2 \mid A_1, X_1)$

# Nested Conditional Expectation for SBD

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

❶  $\mu_2(A_2, X_2, A_1, X_1) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid A_2, X_2, A_1, X_1]$

❷  $\mu_1(A_1, X_1) \triangleq \mathbb{E}[\mu_2(\bar{a}_2, X_2, A_1, X_1) \mid A_1, X_1]$   $\leftarrow \sum_{x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, A_1, X_1] P(x_2 \mid A_1, X_1)$

❸  $\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] = \mathbb{E}[\mu_1(\bar{a}_1, X_1)]$



# Nested Conditional Expectation for SBD

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

❶  $\mu_2(A_2, X_2, A_1, X_1) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid A_2, X_2, A_1, X_1]$

❷  $\mu_1(A_1, X_1) \triangleq \mathbb{E}[\mu_2(\bar{a}_2, X_2, A_1, X_1) \mid A_1, X_1]$   $\leftarrow \sum_{x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, A_1, X_1] P(x_2 \mid A_1, X_1)$

❸  $\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] = \mathbb{E}[\mu_1(\bar{a}_1, X_1)]$   $\leftarrow \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$

# Nested Conditional Expectation for SBD

$$\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] \triangleq \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$$

❶  $\mu_2(A_2, X_2, A_1, X_1) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid A_2, X_2, A_1, X_1]$

❷  $\mu_1(A_1, X_1) \triangleq \mathbb{E}[\mu_2(\bar{a}_2, X_2, A_1, X_1) \mid A_1, X_1]$   $\leftarrow \sum_{x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, A_1, X_1] P(x_2 \mid A_1, X_1)$

❸  $\mathbb{E}[Y \mid \text{do}(\bar{a}_1, \bar{a}_2)] = \mathbb{E}[\mu_1(\bar{a}_1, X_1)]$   $\leftarrow \sum_{x_1, x_2} \mathbb{E}[\textcolor{red}{Y} \mid \bar{a}_2, x_2, \bar{a}_1, x_1] P(x_2 \mid \bar{a}_1, x_1) P(x_1)$

The SBD estimand can be estimated in a computationally efficient manner using nested conditional expectations.

# Limitation of Nested Expectation: FD

---

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{x,a} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

# Limitation of Nested Expectation: FD

---

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{x,a} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

❶  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$

# Limitation of Nested Expectation: FD

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{x,a} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

❶  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$

❷  $\mu_1(A,X) \triangleq \mathbb{E}[\mu_2(Z, A, X) \mid A,X]$

$$\sum_z \mathbb{E}[\textcolor{red}{Y} \mid z,A,X] P(z \mid A,X)$$

# Limitation of Nested Expectation: FD

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{x,a} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

❶  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$

❷  $\mu_1(A, X) \triangleq \mathbb{E}[\mu_2(Z, A, X) \mid A, X]$

$$\sum_z \mathbb{E}[\textcolor{red}{Y} \mid z, A, X] P(z \mid A, X)$$

❸  $\mathbb{E}[\mu_1(\bar{a}, X)] \neq \mathbb{E}[Y \mid \text{do}(\bar{a})]$

$$\sum_{z,x} \mathbb{E}[\textcolor{red}{Y} \mid z, \bar{a}, x] P(z \mid \bar{a}, x) P(x)$$

# Limitation of Nested Expectation: FD

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{x,a} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

❶  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$

❷  $\mu_1(A,X) \triangleq \mathbb{E}[\mu_2(Z, A, X) \mid A,X]$

$$\sum_z \mathbb{E}[\textcolor{red}{Y} \mid z,A,X] P(z \mid A,X)$$

❸  $\mathbb{E}[\mu_1(\bar{a}, X)] \neq \mathbb{E}[Y \mid \text{do}(\bar{a})]$

$$\sum_{z,x} \mathbb{E}[\textcolor{red}{Y} \mid z,\bar{a},x] P(z \mid \bar{a},x) P(x)$$

The standard nested expectation cannot represent multilinear estimands when treatments are both marginalized and fixed simultaneously.

# Limitation of Nested Expectation: Multilinear Estimand

---

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z, a, x] P(z | \textcolor{blue}{\bar{a}}, x) P(x)$

**Verma**  $\sum_{a,b,r,x} \mathbb{E}[\textcolor{red}{Y} | r b \textcolor{blue}{\bar{a}} x] P(r | b a x) P(b | \textcolor{blue}{\bar{a}} x) P(a x)$

Treatments **A** are fixed to  $\textcolor{blue}{\bar{a}}$  and marginalized **a** simultaneously.




# Limitation of Nested Expectation: Multilinear Estimand

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z, a, x] P(z | \textcolor{blue}{\bar{a}}, x) P(x)$

**Verma**  $\sum_{abrx} \mathbb{E}[\textcolor{red}{Y} | rb\textcolor{blue}{\bar{a}}x] P(r|bax) P(b|\textcolor{blue}{\bar{a}}x) P(ax)$

Treatments **A** are fixed to  $\bar{\mathbf{a}}$  and marginalized **a** simultaneously.

Example



$$\sum_{r,z,a_1,a_2,r'} \mathbb{E}[\textcolor{red}{Y} | z, r, a_2, a_1] P(z | r, \textcolor{blue}{\bar{a}}_1, \textcolor{blue}{\bar{a}}_2) P(r | \textcolor{blue}{\bar{a}}_1) P(r, a_1, a_2)$$

∃ variable that is marginalized multiple times.

# Kernel Policy Product: Representation of MCE

---

# Kernel Policy Product: Representation of MCE

---

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z, a, x] P(z | \textcolor{blue}{\bar{a}}, x) P(x)$

# Kernel Policy Product: Representation of MCE

---

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z,a,x] P(z | \textcolor{blue}{\bar{a}},x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} | Z,A,X)P(Z | \dot{A},X)\mathbb{I}(\dot{A}=\textcolor{blue}{\bar{a}})P(A,X)$

# Kernel Policy Product: Representation of MCE

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z, a, x] P(z | \textcolor{blue}{\bar{a}}, x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} | Z, A, X) P(Z | \dot{A}, X) \mathbb{I}(\dot{A} = \textcolor{blue}{\bar{a}}) P(A, X)$

**Copied Proxy:**  $\dot{A}$  is an *independent* copy of  $A$  s.t.  
 $P(Z | A, X) = P(Z | \dot{A}, X)$ .

# Kernel Policy Product: Representation of MCE

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z, a, x] P(z | \textcolor{blue}{\bar{a}}, x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} | Z, A, X) P(Z | \dot{A}, X) \mathbb{I}(\dot{A} = \textcolor{blue}{\bar{a}}) P(A, X)$

**Copied Proxy:**  $\dot{A}$  is an *independent* copy of  $A$  s.t.  
 $P(Z | A, X) = P(Z | \dot{A}, X)$ .

**Verma**  $\sum_{a,b,r,x} \mathbb{E}[\textcolor{red}{Y} | r b \textcolor{blue}{\bar{a}} x] P(r | b a x) P(b | \textcolor{blue}{\bar{a}} x) P(a x)$

# Kernel Policy Product: Representation of MCE

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z, a, x] P(z | \textcolor{blue}{\bar{a}}, x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} | Z, A, X) P(Z | \dot{A}, X) \mathbb{I}(\dot{A} = \textcolor{blue}{\bar{a}}) P(A, X)$

**Copied Proxy:**  $\dot{A}$  is an *independent* copy of  $A$  s.t.  
 $P(Z | A, X) = P(Z | \dot{A}, X)$ .

**Verma**  $\sum_{a, b, r, x} \mathbb{E}[\textcolor{red}{Y} | r, b, \textcolor{blue}{\bar{a}}, x] P(r | b, a, x) P(b | \textcolor{blue}{\bar{a}}, x) P(a, x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} | R, B, A, X) \mathbb{I}(A = \textcolor{blue}{\bar{a}}) P(R | B, \dot{A}, X) P(B | A, X) P(\dot{A}, X)$

# Kernel Policy Product: Representation of MCE

**Front-Door (FD)**  $\sum_{x,a} \mathbb{E}[\textcolor{red}{Y} | z, a, x] P(z | \textcolor{blue}{\bar{a}}, x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} | Z, A, X) P(Z | \dot{A}, X) \mathbb{I}(\dot{A} = \textcolor{blue}{\bar{a}}) P(A, X)$

**Copied Proxy:**  $\dot{A}$  is an *independent* copy of  $A$  s.t.  
 $P(Z | A, X) = P(Z | \dot{A}, X)$ .

**Kernel Policy Product:** A product of conditional distributions and policies over variables & their copied proxies

**Verma**  $\sum_{a,b,r,x} \mathbb{E}[\textcolor{red}{Y} | r b \textcolor{blue}{\bar{a}} x] P(r | b a x) P(b | \textcolor{blue}{\bar{a}} x) P(a x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} | R, B, A, X) \mathbb{I}(A = \textcolor{blue}{\bar{a}}) P(R | B, \dot{A}, X) P(B | A, X) P(\dot{A}, X)$



# Computationally Efficiency Gain

---

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

# Computationally Efficiency Gain

---

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

**1** Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$

# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$   
= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

❶ Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$

❷ Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$

# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$   
= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

- ➊ Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$
- ➋ Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$
- ➌ Learn  $\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X]$

# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$   
= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

- ➊ Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$
- ➋ Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$
- ➌ Learn  $\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X]$   $= \sum_z \mu_2(z, \dot{A}, X) P(z \mid A, \dot{A}, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X] P(z \mid A, X)$

# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$   
= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

- ➊ Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$
- ➋ Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$
- ➌ Learn  $\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X]$   $= \sum_z \mu_2(z, \dot{A}, X) P(z \mid A, \dot{A}, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X] P(z \mid A, X)$
- ➍ Evaluate  $\mu_1$  on  $(\bar{a}, A, X)$  to have  $\mu_1(\bar{a}, A, X)$

# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

- ➊ Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$
- ➋ Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$
- ➌ Learn  $\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X] = \sum_z \mu_2(z, \dot{A}, X) P(z \mid A, \dot{A}, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X] P(z \mid A, X)$
- ➍ Evaluate  $\mu_1$  on  $(\bar{a}, A, X)$  to have  $\mu_1(\bar{a}, A, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X] P(z \mid \bar{a}, X)$

# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$   
= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

- ➊ Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$
- ➋ Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$
- ➌ Learn  $\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X] = \sum_z \mu_2(z, \dot{A}, X) P(z \mid A, \dot{A}, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X] P(z \mid A, X)$
- ➍ Evaluate  $\mu_1$  on  $(\bar{a}, A, X)$  to have  $\mu_1(\bar{a}, A, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X] P(z \mid \bar{a}, X)$
- ➎  $\mathbb{E}[Y \mid \text{do}(\bar{a})] = \mathbb{E}[\mu_1(\bar{a}, A, X)]$



# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

- ➊ Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$
- ➋ Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$
- ➌ Learn  $\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X]$   $= \sum_z \mu_2(z, \dot{A}, X) P(z \mid A, \dot{A}, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X] P(z \mid A, X)$
- ➍ Evaluate  $\mu_1$  on  $(\bar{a}, A, X)$  to have  $\mu_1(\bar{a}, A, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X] P(z \mid \bar{a}, X)$
- ➎  $\mathbb{E}[Y \mid \text{do}(\bar{a})] = \mathbb{E}[\mu_1(\bar{a}, A, X)] = \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(a,x)$

# Computationally Efficiency Gain

**Front-Door (FD):**  $\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$

= Expectation of  $\textcolor{red}{Y}$  over  $P(\textcolor{red}{Y} \mid Z,A,X) P(Z \mid \dot{A},X) \mathbb{I}(\dot{A}=\bar{a}) P(A,X)$

- 1 Learn  $\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$
- 2 Evaluate  $\mu_2$  on  $(Z, \dot{A}, X)$  ( $\dot{A}$  is a copied proxy of  $A$ ).  $\mu_2(Z, \dot{A}, X) := \mathbb{E}[\textcolor{red}{Y} \mid Z, A \leftarrow \dot{A}, X]$
- 3 Computational efficiency gain via replacing  $\sum_{z,a,x}$  expression with copied proxies and nested conditional expectations
- 4 Evaluate  $\mu_1$  on  $(\bar{a}, A, X)$  to have  $\mu_1(\bar{a}, A, X) = \sum_z \mathbb{E}[\textcolor{red}{Y} \mid Z,A,X] P(z \mid \bar{a},X)$
- 5  $\mathbb{E}[Y \mid \text{do}(\bar{a})] = \mathbb{E}[\mu_1(\bar{a}, A, X)] = \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(a, x)$

# Sample Efficient Estimation

---

# Sample Efficient Estimation

---

- 1 DML( $\mu, \pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

# Sample Efficient Estimation

---

- 1 DML( $\mu, \pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

$$\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$$

# Sample Efficient Estimation

---

- 1 DML( $\mu, \pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

$$\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$$

$$\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$$

# Sample Efficient Estimation

- 1 DML( $\mu, \pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

$$\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$$

$$\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X] \quad \pi_2 > 0 \text{ s.t. } \mathbb{E}[\mu_2 \pi_2] = \mathbb{E}[\mu_2(Z, \dot{A}, X)]$$

# Sample Efficient Estimation

❶ DML( $\mu, \pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

$$\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$$

$$\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X] \qquad \pi_2 > 0 \text{ s.t. } \mathbb{E}[\mu_2 \pi_2] = \mathbb{E}[\mu_2(Z, \dot{A}, X)]$$

$$\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X]$$



# Sample Efficient Estimation

1 DML( $\mu$ ,  $\pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

$$\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$$

$$\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X]$$

$$\pi_2 > 0 \text{ s.t. } \mathbb{E}[\mu_2 \pi_2] = \mathbb{E}[\mu_2(Z, \dot{A}, X)]$$

$$\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X]$$

$$\pi_1 > 0 \text{ s.t. } \mathbb{E}[\mu_1 \pi_1] = \mathbb{E}[\mu_1(\bar{a}, A, X)]$$

# Sample Efficient Estimation

- 1 DML( $\mu, \pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

$$\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[\textcolor{red}{Y} \mid z,a,x] P(z \mid \bar{a},x) P(x)$$

$$\mu_2(Z, A, X) \triangleq \mathbb{E}[\textcolor{red}{Y} \mid Z, A, X] \quad \pi_2 > 0 \text{ s.t. } \mathbb{E}[\mu_2 \pi_2] = \mathbb{E}[\mu_2(Z, \dot{A}, X)]$$

$$\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X] \quad \pi_1 > 0 \text{ s.t. } \mathbb{E}[\mu_1 \pi_1] = \mathbb{E}[\mu_1(\bar{a}, A, X)]$$

- 2 UCA( $\hat{\mu}, \hat{\pi}$ ) is an AIPW-style estimator tailored to KPP.

# Sample Efficient Estimation

- 1 DML( $\mu, \pi$ ), where  $\pi$  is a set of the 1st-order error correction parameters.

$$\mathbb{E}[Y \mid \text{do}(\bar{a})] \triangleq \sum_{z,a,x} \mathbb{E}[Y \mid z,a,x] P(z \mid \bar{a},x) P(x)$$

$$\mu_2(Z, A, X) \triangleq \mathbb{E}[Y \mid Z, A, X] \quad \pi_2 > 0 \text{ s.t. } \mathbb{E}[\mu_2 \pi_2] = \mathbb{E}[\mu_2(Z, \dot{A}, X)]$$


$$\mu_1(A, \dot{A}, X) = \mathbb{E}[\mu_2(Z, \dot{A}, X) \mid A, \dot{A}, X] \quad \pi_1 > 0 \text{ s.t. } \mathbb{E}[\mu_1 \pi_1] = \mathbb{E}[\mu_1(\bar{a}, A, X)]$$

- 2 UCA( $\hat{\mu}, \hat{\pi}$ ) is an AIPW-style estimator tailored to KPP.


$$\text{Error}(\text{UCA}(\hat{\mu}, \hat{\pi}), \text{DML}(\mu, \pi)) = \sum_i \text{Error}(\hat{\mu}_i, \mu_i) \times \text{Error}(\hat{\pi}_i, \pi_i)$$

# Simulation Results

**FD**




**Verma**




- Existing estimators' evaluation time increase as dimensions increases
- UCA estimator exhibits computational efficiency gains.

**MSE**



**MSE**



- UCA estimator exhibits sample efficiency.

# Summary

---

# Summary

---

- 1 **Identification:** Sound and complete graphical criterion for identifying causal effects as a multilinear causal estimand

# Summary

---

- ➊ **Identification:** Sound and complete graphical criterion for identifying causal effects as a multilinear causal estimand
- ➋ **Computationally efficiency:** A new formulation for multilinear causal estimands with computational efficiency.

# Summary

---

- ➊ **Identification:** Sound and complete graphical criterion for identifying causal effects as a multilinear causal estimand
- ➋ **Computationally efficiency:** A new formulation for multilinear causal estimands with computational efficiency.
- ➌ **Sample efficiency:** A doubly robust and sample efficient estimation framework