

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/3/2016 7:13:09 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {45739D1B-84E6-41C8-AC29-5646A6F3E2AE}}
HideNewField:	False	LastUpdated:	2/3/2016 10:03:37 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	10	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingManufacturerID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2160	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {DC20CFCF-C825-494D-8309-2D313945903F}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingManufacturerID	
SourceTable:	tblManufacturers	
TextAlign:	General	
txtManufacturer	Short Text	25
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1935	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {48D1D24B-F54D-41F6-9234-703BA1FB75CA}}	
IMEMode:	0	
IMESentenceMode:	3	


Table: tblManufacturers

Page: 2

OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: txtManufacturer  
SourceTable: tblManufacturers  
TextAlign: General  
UnicodeCompression: True

## Relationships

### tblManufacturerstblVehicles



Attributes: Enforced  
RelationshipType: One-To-Many

## Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ingManufacturerID	Ascending

## User Permissions

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

## Group Permissions

Admins Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data  
Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/1/2016 9:56:42 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {D2D4B41E-B3A8-4DB2-9D0F-A6486E4CFB00}}
HideNewField:	False	LastUpdated:	2/3/2016 10:13:33 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	3	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingOwnerID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	-2	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Owner ID	
GUID:	{guid {742CE5E3-F904-43D3-99DB-FB807C69E3D7}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingOwnerID	
SourceTable:	tblOwner	
TextAlign:	General	
txtFirstName	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	-2	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	First Name	
DisplayControl:	Text Box	
GUID:	{guid {63833825-D54C-41A3-9E24-4EC613E4F1BB}}	

Table: tblOwner

Page: 4

IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: txtFirstName  
SourceTable: tblOwner  
TextAlign: General  
UnicodeCompression: True

txtLastName Short Text 50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: -2  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Last Name  
DisplayControl: Text Box  
GUID: {guid {066FFE4C-969E-4075-8440-C0BCFCEB44AD}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
SourceField: txtLastName  
SourceTable: tblOwner  
TextAlign: General  
UnicodeCompression: True

txtAddress Short Text 50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1875  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Address  
DisplayControl: Text Box  
GUID: {guid {CF67AEE7-53FA-451B-99CB-023062BE28F8}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
ResultType: 0  
SourceField: txtAddress  
SourceTable: tblOwner

Table: tblOwner

Page: 5

	TextAlign:	General	
	UnicodeCompression:	True	
txtCity		Short Text	30
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	-2	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	City	
	DisplayControl:	Text Box	
	GUID:	{guid {27BDBFBE-C56E-4596-A21A-A545BA43CB28}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	txtCity	
	SourceTable:	tblOwner	
	TextAlign:	General	
	UnicodeCompression:	True	
txtProvince		Short Text	2
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	-2	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Province	
	DisplayControl:	Text Box	
	GUID:	{guid {6342BBF9-1AD6-4508-B0F2-5E668E4AD7A6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	>LL	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	SourceField:	txtProvince	
	SourceTable:	tblOwner	
	TextAlign:	General	
	UnicodeCompression:	True	
	ValidationRule:	In ("AB","BC","MB","NB","NL","NS","NT","NU","ON","PE","QC","SK","YT")	
	ValidationText:	Province can be one among AB,BC,MB,NB,NL,NS,NT,NU,ON,PE,QC,SK,YT	

Table: tblOwner

Page: 6

txtPostalCode	Short Text
AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	-2
CurrencyLCID:	0
DataUpdatable:	False
Description:	Postal Code
DisplayControl:	Text Box
GUID:	{guid {6148EA05-0D32-4A54-BA89-E7A2C2BDDA8C}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	>L0L0L0
OrdinalPosition:	6
Required:	False
ResultType:	0
SourceField:	txtPostalCode
SourceTable:	tblOwner
TextAlign:	General
UnicodeCompression:	True
ValidationRule:	Like "?#?#?#"
ValidationText:	Postal Code to be entered in the format "N4S3S5"

txtPhoneNumber	Short Text	15
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	-2	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Phone Number	
DisplayControl:	Text Box	
GUID:	{guid {D4E55A1C-899D-48D3-BFD9-A397433665C2}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	\(000\)000\~0000	
OrdinalPosition:	7	
Required:	False	
ResultType:	0	
SourceField:	txtPhoneNumber	
SourceTable:	tblOwner	
TextAlign:	General	
UnicodeCompression:	True	
ValidationRule:	Like "#####"	
ValidationText:	You must enter either a 10-digit phone number	

ingOwnerType

Long Integer

4

Table: tblOwner

Page: 7

AggregateType: -1  
 AllowMultipleValues: False  
 AllowValueListEdits: False  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 2  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: -2  
 ColumnWidths: 0;1440  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: 1: employee, 2: student, 3: visitor, 4: etc  
 DisplayControl: Combo Box  
 GUID: {guid {BC9189E3-6A55-4874-93DA-63F7731D42ED}}  
 LimitToList: True  
 ListRows: 16  
 ListWidth: 1440twip  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 RowSource: SELECT [tblOwnerType].[ingOwnerTypeID],  
 [tblOwnerType].[txtOwnerType] FROM tblOwnerType;  
 RowSourceType: Table/Query  
 ShowOnlyRowSourceValues: False  
 SourceField: ingOwnerType  
 SourceTable: tblOwner  
 TextAlign: General

txtEmail

Short Text

100

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1845  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Email  
 DisplayControl: Text Box  
 GUID: {guid {2F8DB59F-5F17-414A-A1F1-2CAB8D45CC28}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ResultType: 0  
 SourceField: txtEmail  
 SourceTable: tblOwner


Table: tblOwner

Page: 8

TextAlign: General  
UnicodeCompression: True  
ValidationRule: Like "\*@\*.\*)"   
ValidationText: Please enter the appropriate email address


## Relationships

### tblOwnertblVehicles



Attributes: Enforced  
RelationshipType: One-To-Many

### tblOwnerTypetblOwner



Attributes: Enforced  
RelationshipType: One-To-Many

## Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ingOwnerID	Ascending
tblOwnerTypetblOwner	1
Clustered:	False
DistinctCount:	2
Foreign:	True
IgnoreNulls:	False
Name:	tblOwnerTypetblOwner
Primary:	False
Required:	False
Unique:	False
Fields:	
ingOwnerType	Ascending
txtPostalCode	1



Table: tblOwner

Page: 9

Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	txtPostalCode
Primary:	False
Required:	False
Unique:	False
Fields:	
txtPostalCode	Ascending

### **User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	---

### **Group Permissions**

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/1/2016 11:34:36 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {542B0B3D-DE77-4130-B65E-5CB567565063}}
HideNewField:	False	LastUpdated:	2/3/2016 10:03:37 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	4	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingOwnerTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1980	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {956BC0BD-7FB7-4ED4-A8C3-016D11EBB5D7}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingOwnerTypeID	
SourceTable:	tblOwnerType	
TextAlign:	General	
txtOwnerType	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1755	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E796C6B1-96E2-409F-B16B-345F8FF3E6D6}}	
IMEMode:	0	
IMESentenceMode:	3	


Table: tblOwnerType

Page: 11

OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: txtOwnerType  
SourceTable: tblOwnerType  
TextAlign: General  
UnicodeCompression: True

## Relationships

### tblOwnerTypetblOwner



Attributes: Enforced  
RelationshipType: One-To-Many

## Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ingOwnerTypeID	Ascending

## User Permissions

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

## Group Permissions

Admins Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data  
Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/1/2016 10:18:08 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {9272FE63-0CCB-49B6-B1BB-967A7CDEDA31}}
HideNewField:	False	LastUpdated:	2/4/2016 8:48:19 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	0	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingTicketID	Long Integer	4
AggregateType:	-1	
AllowMultipleValues:	False	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	1	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1455	
ColumnWidths:	1440	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Ticket ID	
DisplayControl:	Combo Box	
GUID:	{guid {DB768184-3CBC-41F4-97C4-5CBD2DD54918}}	
LimitToList:	False	
ListRows:	16	
ListWidth:	1440twip	
OrdinalPosition:	0	
Required:	True	
ResultType:	0	
RowSource:	SELECT [tblTicket].[ingTicketID] FROM tblTicket ORDER BY [ingTicketID];	
RowSourceType:	Table/Query	
ShowOnlyRowSourceValues:	False	
SourceField:	ingTicketID	
SourceTable:	tblPaidTickets	
TextAlign:	General	

Table: tblPaidTickets

Page: 13

curPaymentAmt Currency

8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1920  
CurrencyLCID: 1033  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: Payment amount  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {guid {F3379F4D-16AD-4196-A874-F69A8B647AC6}}  
OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: curPaymentAmt  
SourceTable: tblPaidTickets  
TextAlign: General

datPaymentDate

Date With Time

8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1980  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Payment Date (MM/DD/YYYY)  
Format: Short Date  
GUID: {guid {9D5EEABD-AFFD-42CE-ADD5-4139CCD2D9C9}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: datPaymentDate  
SourceTable: tblPaidTickets  
TextAlign: General

datPaymentTime

Date With Time

8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1935

Table: tblPaidTickets

Page: 14

CurrencyLCID: 0  
DataUpdatable: False  
Description: Payment time  
Format: Long Time  
GUID: {guid {EA84CCB3-6D89-4AA7-B74D-DE02DC95C08B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: datPaymentTime  
SourceTable: tblPaidTickets  
TextAlign: General

ingPaymentType

Long Integer

4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1980  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: 1: cash, 2: debit, 3: credit card, 4: check  
DisplayControl: Text Box  
GUID: {guid {DF77C0D1-5059-4C82-A77A-E01AB2D8C8E8}}  
OrdinalPosition: 4  
Required: False  
ResultType: 0  
SourceField: ingPaymentType  
SourceTable: tblPaidTickets  
TextAlign: General

txtPayerFirstName

Short Text

50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 2160  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Payer First Name  
DisplayControl: Text Box  
GUID: {guid {24B7E8BC-AEA1-4107-9BA2-A2DADC09BE19}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False

Table: tblPaidTickets

Page: 15


ResultType: 0  
SourceField: txtPayerFirstName  
SourceTable: tblPaidTickets  
TextAlign: General  
UnicodeCompression: True

txtPayerLastName Short Text 50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 2115  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Payer Last Name  
DisplayControl: Text Box  
GUID: {guid {9BD2B1BF-DA4D-49FE-B896-DCB2AC1547E1}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
ResultType: 0  
SourceField: txtPayerLastName  
SourceTable: tblPaidTickets  
TextAlign: General  
UnicodeCompression: True


## Relationships

### tblPaymentTypetblPaidTickets



Attributes: Enforced, Cascade Updates  
RelationshipType: One-To-Many

### tblTickettblPaidTickets



Attributes: Unique, Enforced, Right Join  
RelationshipType: One-To-One

## Table Indexes

Table: tblPaidTickets

Page: 16

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ingTicketID	Ascending
tblPaymentTypetblFinePayment	1
Clustered:	False
DistinctCount:	0
Foreign:	True
IgnoreNulls:	False
Name:	tblPaymentTypetblFinePayment
Primary:	False
Required:	False
Unique:	False
Fields:	
ingPaymentType	Ascending
tblTickettblPaidTickets	1
Clustered:	False
DistinctCount:	0
Foreign:	True
IgnoreNulls:	False
Name:	tblTickettblPaidTickets
Primary:	False
Required:	False
Unique:	True
Fields:	
ingTicketID	Ascending

### **User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

### **Group Permissions**

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data



### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/1/2016 11:47:58 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {A280CA70-54DA-49AA-8E42-4395F34AC827}}
HideNewField:	False	LastUpdated:	2/3/2016 10:03:37 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	4	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingPaymentTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2175	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {98C27A29-6DB2-407A-8E09-1717CD205D8F}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingPaymentTypeID	
SourceTable:	tblPaymentType	
TextAlign:	General	
txtPaymentType	Short Text	15
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1950	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {FA03711C-99F8-4DA2-8D56-C4F45E9C65AC}}	
IMEMode:	0	
IMESentenceMode:	3	


Table: tblPaymentType

Page: 18

OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: txtPaymentType  
SourceTable: tblPaymentType  
TextAlign: General  
UnicodeCompression: True

## Relationships

### tblPaymentTypetblPaidTickets



Attributes: Enforced, Cascade Updates  
RelationshipType: One-To-Many

## Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ingPaymentTypeID	Ascending

## User Permissions

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

## Group Permissions

Admins Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data  
Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/1/2016 10:08:16 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {34DAC6FB-AF1B-4012-9EC8-6CD68549EF2B}}
HideNewField:	False	LastUpdated:	2/3/2016 10:37:21 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	10	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingTicketID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1455	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Ticket ID	
GUID:	{guid {26DD5C51-CE96-4628-97AA-37901B433458}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingTicketID	
SourceTable:	tblTicket	
TextAlign:	General	
ingVehicleID	Long Integer	4
AggregateType:	-1	
AllowMultipleValues:	False	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	1	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1605	

Table: tblTicket

Page: 20

ColumnWidths: 1440  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: Vehicle ID  
DisplayControl: Combo Box  
GUID: {guid {3E2D801F-3EDB-4F0F-9443-35D2B6FB9665}}  
LimitToList: False  
ListRows: 16  
ListWidth: 1440twip  
OrdinalPosition: 1  
Required: False  
ResultType: 0  
RowSource: SELECT [tblVehicles].[ingVehicleID] FROM tblVehicles;  
RowSourceType: Table/Query  
ShowOnlyRowSourceValues: False  
SourceField: ingVehicleID  
SourceTable: tblTicket  
TextAlign: General

ingViolationType

Long Integer

4

AggregateType: -1  
AllowMultipleValues: False  
AllowValueListEdits: False  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
BoundColumn: 1  
CollatingOrder: General  
ColumnCount: 2  
ColumnHeads: False  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 2640  
ColumnWidths: 0;1440  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: Violation Type  
DisplayControl: Combo Box  
GUID: {guid {51BBC69D-58BF-43E3-AE3D-8F3CF7269A68}}  
LimitToList: True  
ListRows: 16  
ListWidth: 1440twip  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
RowSource: SELECT [tblViolationType].[ingViolationTypeID],  
[tblViolationType].[txtViolationType] FROM tblViolationType;  
RowSourceType: Table/Query  
ShowOnlyRowSourceValues: False  
SourceField: ingViolationType  
SourceTable: tblTicket  
TextAlign: General

Table: tblTicket

Page: 21

datOccurDate

Date With Time

8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1680  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Occur Date  
Format: Short Date  
GUID: {guid {50B872BF-365A-4F89-9ABE-DBEFDAB4BE22}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: datOccurDate  
SourceTable: tblTicket  
TextAlign: General

datOccurTime

Date With Time

8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1710  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Occur Time  
Format: Long Time  
GUID: {guid {9D0D46DE-E8EE-4916-AB84-F118ED7E2175}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: datOccurTime  
SourceTable: tblTicket  
TextAlign: General

txtViolationPlace

Short Text

50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False

Table: tblTicket

Page: 22

ColumnOrder:	Default
ColumnWidth:	2025
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {D4306DE3-D6A6-47E5-9005-DC81A09EE12C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
ResultType:	0
SourceField:	txtViolationPlace
SourceTable:	tblTicket
TextAlign:	General
UnicodeCompression:	True

ingTicketStatus


Long Integer

4

AggregateType:	-1
AllowMultipleValues:	False
AllowValueListEdits:	False
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	-2
ColumnWidths:	0;1440
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Ticket Status 1: open, 2: paid, 3: withdrawn
DisplayControl:	Combo Box
GUID:	{guid {B2764310-CE6A-463A-B55A-8CAFD32808ED}}
LimitToList:	True
ListRows:	16
ListWidth:	1440twip
OrdinalPosition:	6
Required:	False
ResultType:	0
RowSource:	SELECT [tblTicketStatusTypes].[ingTicketStatusID], [tblTicketStatusTypes].[txtStatusType] FROM tblTicketStatusTypes;
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	ingTicketStatus
SourceTable:	tblTicket
TextAlign:	General


## **Relationships**

**tblTicketStatusTypestblTicket**




Attributes: Enforced  
RelationshipType: One-To-Many

**tblTickettblPaidTickets**




Attributes: Unique, Enforced, Right Join  
RelationshipType: One-To-One

**tblVehiclestblTicket**



Attributes: Enforced  
RelationshipType: One-To-Many

**tblViolationTypetblTicket**



Attributes: Enforced  
RelationshipType: One-To-Many

**Table Indexes**

Name	Number of Fields
ingVehicleID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	ingVehicleID
Primary:	False
Required:	False
Unique:	False

Table: tblTicket

Page: 24

Fields:	
ingVehicleID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ingTicketID	Ascending
tblTicketStatusTypestblTicket	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	tblTicketStatusTypestblTicket
Primary:	False
Required:	False
Unique:	False
Fields:	
ingTicketStatus	Ascending
tblVehiclestblTicket	1
Clustered:	False
DistinctCount:	5
Foreign:	True
IgnoreNulls:	False
Name:	tblVehiclestblTicket
Primary:	False
Required:	False
Unique:	False
Fields:	
ingVehicleID	Ascending
tblViolationTypestblTicket	1
Clustered:	False
DistinctCount:	5
Foreign:	True
IgnoreNulls:	False
Name:	tblViolationTypestblTicket
Primary:	False
Required:	False
Unique:	False
Fields:	
ingViolationType	Ascending

### User Permissions

admin

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Group Permissions**

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/3/2016 7:32:57 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {21D12B34-DDB5-45C7-83D6-E1D4DB97580C}}
HideNewField:	False	LastUpdated:	2/3/2016 10:03:37 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	3	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingTicketStatusID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2025	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {3B4D726B-2FF5-4C14-B8C3-A719BF566E7C}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingTicketStatusID	
SourceTable:	tblTicketStatusTypes	
TextAlign:	General	
txtStatusType	Short Text	15
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1695	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {B6D0C919-B898-4942-AC4D-7634F7840399}}	
IMEMode:	0	
IMESentenceMode:	3	


Table: tblTicketStatusTypes

Page: 27

OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: txtStatusType  
SourceTable: tblTicketStatusTypes  
TextAlign: General  
UnicodeCompression: True

## Relationships

**tblTicketStatusTypestblTicket**



Attributes: Enforced  
RelationshipType: One-To-Many

## Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ingTicketStatusID	Ascending

## User Permissions

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

## Group Permissions

Admins Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data  
Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/1/2016 10:00:58 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {3A5D4116-0FBF-41D0-9BE7-6EC1474C8E63}}
HideNewField:	False	LastUpdated:	2/3/2016 10:27:05 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	5	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingVehicleID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1605	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Vehicle ID	
GUID:	{guid {9F660FDD-D179-4FB6-9A73-C30DBB94DD1E}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingVehicleID	
SourceTable:	tblVehicles	
TextAlign:	General	
ingOwnerID	Long Integer	4
AggregateType:	-1	
AllowMultipleValues:	False	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	1	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1530	

Table: tblVehicles

Page: 29

ColumnWidths: 1440  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: Owner ID  
DisplayControl: Combo Box  
GUID: {guid {BCB3D80D-83E1-49A0-9D2A-D106D0D6466F}}  
LimitToList: True  
ListRows: 16  
ListWidth: 1440twip  
OrdinalPosition: 1  
Required: False  
ResultType: 0  
RowSource: SELECT [tblOwner].[ingOwnerID] FROM tblOwner;  
RowSourceType: Table/Query  
ShowOnlyRowSourceValues: False  
SourceField: ingOwnerID  
SourceTable: tblVehicles  
TextAlign: General

txtLicensePlate

Short Text

10

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1845  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Plate  
DisplayControl: Text Box  
GUID: {guid {FED32605-8E84-44A8-B1B8-AECE35EA247D}}  
IMEMode: 0  
IMESentenceMode: 3  
InputMask: >CCCC\ CCC  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
SourceField: txtLicensePlate  
SourceTable: tblVehicles  
TextAlign: General  
UnicodeCompression: True

txtManufacturer

Long Integer

4

AggregateType: -1  
AllowMultipleValues: False  
AllowValueListEdits: False  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
BoundColumn: 1  
CollatingOrder: General  
ColumnCount: 2

Table: tblVehicles

Page: 30

ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1935
ColumnWidths:	0;1440
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Maker
DisplayControl:	Combo Box
GUID:	{guid {C4AECA8A-1177-49A8-BD18-268136A50940}}
LimitToList:	True
ListRows:	16
ListWidth:	1440twip
OrdinalPosition:	3
Required:	False
ResultType:	0
RowSource:	SELECT [tblManufacturers].[ingManufacturerID], [tblManufacturers].[txtManufacturer] FROM tblManufacturers;
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	txtManufacturer
SourceTable:	tblVehicles
TextAlign:	General

txtModel

Short Text

50

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1275
CurrencyLCID:	0
DataUpdatable:	False
Description:	Model
DisplayControl:	Text Box
GUID:	{guid {2416237E-13E1-40AC-9C5C-F280B76CA2B5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
ResultType:	0
SourceField:	txtModel
SourceTable:	tblVehicles
TextAlign:	General
UnicodeCompression:	True

ingYear

Short Text

4

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General

Table: tblVehicles

Page: 31

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1110
CurrencyLCID:	0
DataUpdatable:	False
Description:	Year
DisplayControl:	Text Box
GUID:	{guid {E5266775-4EB3-4C6C-B505-0ADAA5501327}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	9999;;_
OrdinalPosition:	5
Required:	False
ResultType:	0
SourceField:	ingYear
SourceTable:	tblVehicles
TextAlign:	General
UnicodeCompression:	False
ValidationRule:	Like "19##" Or "20##"
ValidationText:	Year must be less than 2100 and bigger thwn 1900

txtColor


Short Text

20

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1170
CurrencyLCID:	0
DataUpdatable:	False
Description:	Color
DisplayControl:	Text Box
GUID:	{guid {ECC4400B-F013-4382-8A5D-79B0981CA157}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
ResultType:	0
SourceField:	txtColor
SourceTable:	tblVehicles
TextAlign:	General
UnicodeCompression:	True


## **Relationships**

**tblManufacturerstblVehicles**




Attributes: Enforced  
RelationshipType: One-To-Many

**tblOwnertblVehicles**



Attributes: Enforced  
RelationshipType: One-To-Many

**tblVehiclesstblTicket**



Attributes: Enforced  
RelationshipType: One-To-Many

**Table Indexes**

Name	Number of Fields
ingOwnerID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	ingOwnerID
Primary:	False
Required:	False
Unique:	False
Fields:	
ingOwnerID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True



Table: tblVehicles

Page: 33

Fields:	
ingVehicleID	Ascending
tblManufacturerstblVehicles	1
Clustered:	False
DistinctCount:	4
Foreign:	True
IgnoreNulls:	False
Name:	tblManufacturerstblVehicles
Primary:	False
Required:	False
Unique:	False
Fields:	
txtManufacturer	Ascending
tblOwnertblVehicles	1
Clustered:	False
DistinctCount:	3
Foreign:	True
IgnoreNulls:	False
Name:	tblOwnertblVehicles
Primary:	False
Required:	False
Unique:	False
Fields:	
ingOwnerID	Ascending

### **User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

### **Group Permissions**

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

### Properties

AlternateBackShade:	95	AlternateBackThemeColorIn	1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	0
DatasheetGridlinesThemeCol	3	DateCreated:	2/1/2016 10:06:55 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {B42D64D2-C7E0-415F-9D9B-323E9D2106AB}}
HideNewField:	False	LastUpdated:	2/3/2016 10:03:37 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
PublishToWeb:	1	ReadOnlyWhenDisconnected	False
RecordCount:	7	ThemeFontIndex:	1
TotalsRow:	False	Updatable:	True

### Columns

Name	Type	Size
ingViolationTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2145	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {4A32B727-48C2-41AC-A780-78545F2ACCFA}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ingViolationTypeID	
SourceTable:	tblViolationType	
TextAlign:	General	
txtViolationType	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2385	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {439823AB-35BE-40EA-B236-EF0BFAEA1FCA}}	
IMEMode:	0	
IMESentenceMode:	3	

Table: tblViolationType

Page: 35

OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: txtViolationType  
SourceTable: tblViolationType  
TextAlign: General  
UnicodeCompression: True

curAssocFine


Currency

8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1710  
CurrencyLCID: 1033  
DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {guid {440B5BA0-A3E5-4270-B9D9-9DEFEB0FDB5}}  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
SourceField: curAssocFine  
SourceTable: tblViolationType  
TextAlign: General

## Relationships

### tblViolationTypetblTicket



Attributes: Enforced  
RelationshipType: One-To-Many

## Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

Table: tblViolationType

Page: 36

Fields:

ingViolationTypeID

Ascending

### **User Permissions**

admin

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

### **Group Permissions**

Admins

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data