

BCOM Measurements

BCOM Measurements

Draft

Publication date 21 December 2017

Copyright © 2017 Oxford Technical Solutions

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Table of Contents

1 Introduction	4
1.1 Format	4
2 BCOM Measurements	5
2.1 Nano	5
2.2 MillisecondOfWeek	5
2.3 Week	5
2.4 PositionValid	6
2.5 BaseStatus	6
2.6 Lat	6
2.7 Lon	6
2.8 Alt	7
2.9 AveragingPeriod	7
2.10 AveragingPercent	7
2.11 GnssAntStatus	8
2.12 GnssAntPower	8
2.13 GnssCpuUsed	8
2.14 GnssCoreNoise	9
2.15 GnssCoreTemp	9
2.16 GnssSupplyVolt	9
2.17 NumSats	10
2.18 BaseStationID	10
2.19 DiffFormat	10
2.20 RadioBaud	11
2.21 UdpCharsSent	11
2.22 UdpCharsDropped	11
2.23 CmdChars	11
2.24 CmdCharsSkipped	12
2.25 CmdPkts	12
2.26 SupplyVolt	12
2.27 DiskSpace	13
2.28 FileSize	13
2.29 DevID	13
2.30 SerialNumber	14
2.31 ProductModel	14

Chapter 1. Introduction

This document lists all of the available BCOM measurements and their properties pertaining to NAVlib. Similar documents can be found for Range and NCOM measurements.

BCOM streams are output from the RT-Base S and related products.

1.1. Format

Each available measurement has the following attributes:

Name	Internal name of the measurement, used to configure the measurement in the datastore.
Short Name	A more descriptive name than the internal name but without spaces.
Full Name	Full descriptive name of the measurement.
Units	Default units of measurement.
Public	Used by OxTS application to determine if the measurement is displayed to the end user.
Graphable	Used by OxTS application to determine if the measurement can be used within a graph plot.
Type	Type of the measurement.

Chapter 2. BCOM Measurements

2.1. Nano

2.1.1. Information

Name	Nano
Short Name	Nano
Full Name	Nano
Units	ns
Public	True
Graphable	False
Type	int64_t

2.1.2. Description

Local time yyyy/mm/dd hh:mm:ss.000

2.2. MillisecondOfWeek

2.2.1. Information

Name	MillisecondOfWeek
Short Name	MillisecondOfWeek
Full Name	MillisecondOfWeek
Units	ms
Public	True
Graphable	True
Type	uint32_t

2.2.2. Description

Milliseconds from the beginning of GPS Week

2.3. Week

2.3.1. Information

Name	Week
Short Name	Week
Full Name	Week
Units	week
Public	True
Graphable	True
Type	uint16_t

2.3.2. Description

GPS Week number

2.4. PositionValid

2.4.1. Information

Name	PositionValid
Short Name	PositionValid
Full Name	PositionValid
Units	
Public	True
Graphable	True
Type	uint8_t

2.4.2. Description

Is current position valid

2.5. BaseStatus

2.5.1. Information

Name	BaseStatus
Short Name	BaseStatus
Full Name	BaseStatus
Units	
Public	True
Graphable	True
Type	uint8_t

2.5.2. Description

Current Status

2.6. Lat

2.6.1. Information

Name	Lat
Short Name	Lat
Full Name	Lat
Units	deg
Public	True
Graphable	True
Type	double

2.6.2. Description

Latitude

2.7. Lon

2.7.1. Information

Name	Lon
------	-----

Short Name	Lon
Full Name	Lon
Units	deg
Public	True
Graphable	True
Type	double

2.7.2. Description

Longitude

2.8. Alt

2.8.1. Information

Name	Alt
Short Name	Alt
Full Name	Alt
Units	ms
Public	True
Graphable	True
Type	double

2.8.2. Description

Altitude

2.9. AveragingPeriod

2.9.1. Information

Name	AveragingPeriod
Short Name	AveragingPeriod
Full Name	AveragingPeriod
Units	min
Public	True
Graphable	True
Type	uint16_t

2.9.2. Description

User set averaging period in minutes

2.10. AveragingPercent

2.10.1. Information

Name	AveragingPercent
Short Name	AveragingPercent
Full Name	AveragingPercent

Units	%
Public	True
Graphable	True
Type	double

2.10.2. Description

Averaging percent

2.11. GnssAntStatus

2.11.1. Information

Name	GnssAntStatus
Short Name	GnssAntStatus
Full Name	GnssAntStatus
Units	
Public	True
Graphable	True
Type	uint8_t

2.11.2. Description

GNSS Antenna status

2.12. GnssAntPower

2.12.1. Information

Name	GnssAntPower
Short Name	GnssAntPower
Full Name	GnssAntPower
Units	
Public	True
Graphable	True
Type	uint8_t

2.12.2. Description

GNSS Antenna power on/off

2.13. GnssCpuUsed

2.13.1. Information

Name	GnssCpuUsed
Short Name	GnssCpuUsed
Full Name	GnssCpuUsed
Units	%
Public	True

Graphable	True
Type	double

2.13.2. Description

GNSS receiver CPU percentage used

2.14. GnssCoreNoise

2.14.1. Information

Name	GnssCoreNoise
Short Name	GnssCoreNoise
Full Name	GnssCoreNoise
Units	%
Public	True
Graphable	True
Type	double

2.14.2. Description

GNSS receiver Core noise percentage

2.15. GnssCoreTemp

2.15.1. Information

Name	GnssCoreTemp
Short Name	GnssCoreTemp
Full Name	GnssCoreTemp
Units	Celsius
Public	True
Graphable	True
Type	double

2.15.2. Description

GNSS receiver core temperature

2.16. GnssSupplyVolt

2.16.1. Information

Name	GnssSupplyVolt
Short Name	GnssSupplyVolt
Full Name	GnssSupplyVolt
Units	V
Public	True
Graphable	True
Type	double

2.16.2. Description

GNSS receiver supply voltage

2.17. NumSats

2.17.1. Information

Name	NumSats
Short Name	NumSats
Full Name	NumSats
Units	
Public	True
Graphable	True
Type	int32_t

2.17.2. Description

GNSS number of satellites

2.18. BaseStationID

2.18.1. Information

Name	BaseStationID
Short Name	BaseStationID
Full Name	BaseStationID
Units	
Public	True
Graphable	True
Type	uint64_t

2.18.2. Description

User configured base station ID

2.19. DiffFormat

2.19.1. Information

Name	DiffFormat
Short Name	DiffFormat
Full Name	DiffFormat
Units	
Public	True
Graphable	True
Type	uint8_t

2.19.2. Description

Differential correction format

2.20. RadioBaud

2.20.1. Information

Name	RadioBaud
Short Name	RadioBaud
Full Name	RadioBaud
Units	
Public	True
Graphable	True
Type	uint8_t

2.20.2. Description

Radio Baud

2.21. UdpCharsSent

2.21.1. Information

Name	UdpCharsSent
Short Name	UdpCharsSent
Full Name	UdpCharsSent
Units	
Public	True
Graphable	True
Type	uint32_t

2.21.2. Description

2.22. UdpCharsDropped

2.22.1. Information

Name	UdpCharsDropped
Short Name	UdpCharsDropped
Full Name	UdpCharsDropped
Units	
Public	True
Graphable	True
Type	uint32_t

2.22.2. Description

2.23. CmdChars

2.23.1. Information

Name	CmdChars
------	----------

Short Name	CmdChars
Full Name	CmdChars
Units	
Public	True
Graphable	True
Type	uint32_t

2.23.2. Description

2.24. CmdCharsSkipped

2.24.1. Information

Name	CmdCharsSkipped
Short Name	CmdCharsSkipped
Full Name	CmdCharsSkipped
Units	
Public	True
Graphable	True
Type	uint32_t

2.24.2. Description

2.25. CmdPkts

2.25.1. Information

Name	CmdPkts
Short Name	CmdPkts
Full Name	CmdPkts
Units	
Public	True
Graphable	True
Type	uint32_t

2.25.2. Description

2.26. SupplyVolt

2.26.1. Information

Name	SupplyVolt
Short Name	SupplyVolt
Full Name	SupplyVolt
Units	V
Public	True
Graphable	True
Type	double

2.26.2. Description

RT-Base S supply voltage

2.27. DiskSpace

2.27.1. Information

Name	DiskSpace
Short Name	DiskSpace
Full Name	DiskSpace
Units	B
Public	True
Graphable	True
Type	uint64_t

2.27.2. Description

Disk space available in Bytes

2.28. FileSize

2.28.1. Information

Name	FileSize
Short Name	FileSize
Full Name	FileSize
Units	B
Public	True
Graphable	True
Type	uint64_t

2.28.2. Description

Current file size in Bytes

2.29. DevID

2.29.1. Information

Name	DevID
Short Name	DevID
Full Name	DevID
Units	
Public	True
Graphable	True
Type	uint64_t

2.29.2. Description

DevID

2.30. SerialNumber

2.30.1. Information

Name	SerialNumber
Short Name	SerialNumber
Full Name	SerialNumber
Units	
Public	False
Graphable	False
Type	uint64_t

2.30.2. Description

RT-Base S serial number

2.31. ProductModel

2.31.1. Information

Name	ProductModel
Short Name	ProductModel
Full Name	ProductModel
Units	
Public	True
Graphable	True
Type	uint64_t

2.31.2. Description

Product model