


ELLWOOD FLOW

From release
to shipment.
One connected path.

Production release control and shop-floor
operations for architectural panel manufacturing.

Built around the way your shop works

Product walkthrough | August 2026



KEEP THE HANDOFFS CONNECTED

Engineering. Materials. Production.
Quality. Shipping.

Give the shop one current release.

Connect the job, revision, panel marks, controlled documents, and unresolved blockers before work moves forward.

Establish the release

Bring ZIP/PDF files and structured panel takeoffs into a controlled record. Preserve originals and publish revisions.

Keep the right files close

Drawings, CNC files, and complete release packets have distinct actions in the active-release workspace.

Make readiness visible

See the current revision, department progress, panel marks, and owned exceptions together.

JOB 54120 • RELEASE 1Key: 54120-1Approved for productionPriority 1

REVISION Rev 1 (A)
CURRENT — Approved for Shop Floor

Tempe Gateway Commercial Center Phase II

Customer: Tempe Gateway Commercial Partners

Required Date: Not scheduledPlanned Ship: Not scheduled

Active Command Center • Pinned Release

Prominent Shop Floor Actions

Job 54120-1

Scan

Record Qty

Add Note/Photo

Report Issue

Drawings

CNC Files

Toggle Hold

Department Execution Pipeline

Live operational progress across fabrication stations

Total Scope: 61 panels0% Complete

CNC ...0 / 70%

ELU E...0 / 610%

Parts...0 / 610%

Asse...0 / 610%

QC In...0 / 610%

Palle...0 / 610%

Shipp...0 / 610%

Panel Marks Master (10 of 10 marks)

Filter marks, material, color...

Export CSV

Blockers & Owned Exceptions2 Active Issues

Extrusion Profile EX-402 Shortage

Owner: Purchasing Lead

120 ft required for perimeter perimeter trim. PO #9021 from AlumEx scheduled for delivery Aug 22.

QC Hold on Mark P-102 (1 unit)

Owner: QC Inspector

Minor anodized finish scratch detected during first-off routing inspection. Disposition: Rework pending.

Know what is available before work starts.

Inventory connects release demand to stock, allocations, receiving, and material movements.

Separate stock from availability

Distinguish what is on hand, what is already committed, and what is available for the next release.

Reserve against real demand

Allocate material to release needs, then record issues and returns as work progresses.

Keep a transaction trail

Receiving, adjustments, scrap, and blind cycle counts support an accountable inventory record.

Inventory, Purchasing & Material Allocations

Transaction-led stock ledger, PO line receiving, demand allocation, and blind cycle counts

Stock Ledger

PO Receiving Dock

Release Demand

Blind Cycle Count

Export Stock CSV

Active SKUs

3

ACM, Extrusions & Hardware

On-Hand Valuation

\$

\$143,290

Standard Cost Valuation

Open Purchase Orders

19

All items above reorder point

Release Shortages

58

Action required for 54120-1

Raw Material & Stock Ledger

On-hand, allocated, available, and reorder levels derived from immutable ledger

Search item, color, description

all

Reorder Alerts Only

ITEM NUMBER & SPECS	FAMILY / COLOR	ON HAND	ALLOCATED	AVAILABLE	EXPECTED (PO)	VALUATION	ACTIONS
ACM-4MM-SLV 4mm ACM Panel Sheet — Silver Metallic (48" × 120")	ACM Silver Metallic • 48.0000" × 120.0000"	562 sheets +9 damaged	18 sheets	544 sheets	+201 sheets	\$81,490.00	Adjust / Scrap
ACM-4MM-WHT 4mm ACM Panel Sheet — Bone White (48" × 120")	ACM Bone White • 48.0000" × 120.0000"	300 sheets	0 sheets	300 sheets	+200 sheets	\$41,400.00	Adjust / Scrap
ALU-EXT-4001 Perimeter Extrusion Profile 4001 (24ft Stock Length)	Extrusion Mill Finish • 2.5000" × 288.0000"	4800 ft	0 ft	4800 ft	—	\$20,400.00	Adjust / Scrap



YORKSTEAD SYSTEMS

Ellwood Flow | Screens shown with fictional project data

03 / 10

Put the next valid action at the station.

Supervisors plan department work. Operators scan a mark and act within its current revision and allowed routing.



Direct the work

Department queues, workstation assignments, first-off inspections, and downtime records give production a shared operating view.

Protect the revision

The scanner checks revision status and blocks obsolete marks from silently moving through production.

Tablet planning view and phone scan station. Screenshots show fictional work and example quantities.

Build the load from traceable panel marks.

Pallet construction connects finished work to a physical container and its shipping handoff.

Group work deliberately

Select the release and elevation, then add panel marks to a named pallet.

Check the configured limits

Review pallet height, weight, and material compatibility as the stack is built.

Make the handoff explicit

Complete and stage the pallet, then export a packing slip with its recorded contents.

Palletizing & Staging Command Center

Stack sequence verification, height/weight constraint limits, and packing slips

Total Pallets

2

Building

1

Staged for Ship

1

Shipped

0

Panels Staged

36

ALL

BUILDING

STAGED

SHIPPED

PAL-54120-R1-002

BUILDING

12 Panels

222 / 2500 lbs

Release 54120-R1 • South Elevation

Weight

9%

Height

9.0" / 60"

PAL-54120-R1-001

STAGED

24 Panels

444 / 2500 lbs

Release 54120-R1 • North Elevation

Weight

18%

Height

18.0" / 60"

PAL-54120-R1-002

54120-R1 • Tempe Gateway Exterior Cladding

Packing Slip

Total Weight

222.0 lbs

Stack Height

9.0 Inches

Stack Contents (0 Items)

Add Mark

SEQ	MARK	MATERIAL	QTY
No items loaded onto this pallet yet.			

Complete & Stage for Shipping

Carry the record all the way to dispatch.

Plan shipments, assign staged pallets, and keep the outbound record connected to the release.

Plan the shipment

Record the carrier, trailer, destination, and pallets assigned to the load.

Review before dispatch

Inspect staged contents and configured load limits before authorizing the shipment.

Close the loop

Dispatch updates the shipping record and supports a bill-of-lading CSV for the outbound handoff.

Shipping & Logistics Command Center

Flatbed trailer load planning, axle weight limits, and Bill of Lading (BOL) dispatch

Total Loads

1

Loading/Staging

1

Dispatched

0

Total Weight

444 lbs

Pallets Loaded

1

Search shipment #, carrier, BOL...

ALLDRAFTLOADINGDISPATCHED

SHP-2026-0001

LOADING

BOL-54120-001

Flatbed Freight Express • Trailer FB-5309

Flatbed Capacity (1/26 Pallets)

1 Pallets

444 / 45,000 lbs

1% Legal Limit

SHP-2026-0001

Flatbed Freight Express • Tempe Gateway Commercial Center - 4500 Gateway Blvd, Tempe, AZ

BOL CSV

Driver & Contact

David Martinez

303-555-0192

Total Weight Loaded

444 lbs

0 total panels

Trailer Bed Manifest (0 pallets)

Load Pallet

POS	PALLET #	RELEASE	PANELS	WEIGHT
No pallets loaded onto this trailer yet.				

Authorize & Dispatch Shipment (BOL)

YORKSTEAD SYSTEMS

Ellwood Flow | Screens shown with fictional project data

07 / 10

See the flow behind the finished product.

Reporting brings production activity, yield, scrap, and logistics measures into a common review surface.

Review the department picture


Use station-level throughput and cycle information to identify where work needs attention.

Connect quality to output

Bring yield, scrap, and remake activity into the same operational conversation.

Share a consistent record

Export report data for planning and review. Displayed metrics are examples, not measured customer results.



Give each action an owner and a history.

Authenticated access, role permissions, and audit records support controlled operational changes.

System Administration & Access Control

User management, dynamic RBAC permission matrices, staged configuration rules, and immutable audit ledger

Users & Logins (2)

Dynamic Roles & Permissions (21)

Staged Config Rules (6)

Audit Ledger (100)

Registered Plant Users

+ Add New User

USER NAME	EMAIL	ASSIGNED ROLES	ADMIN STATUS	CREATED
Local Administrator	brandon@4twenty.dev	System Administrator	Administrator	8/22/2026
Local Administrator	admin@example.test	System Administrator Operations Manager	Administrator	8/19/2026

Elward

FLOW

OPERATIONS CONTROL

RELEASE TO SHIPMENT

ONE OPERATIONAL SOURCE OF TRUTH.

Production control for Elward Systems—from engineering intake and revision safety through QC, palletizing, and dispatch.

BUILT FOR THE WORK. CLEAR AT EVERY HANDOFF.

SECURE OPERATIONS ACCESS

SIGN IN TO ELWARD FLOW

Accounts are provisioned by an administrator. Public registration is disabled.

Email

Password

SIGN IN

Roles shaped around responsibilities

Administration supports user access and permissions for operational work. Audit history records who changed what and when.

A workspace for authorized teams

The app uses authenticated access. Identity setup, deployment configuration, and recovery procedures remain part of rollout planning.

YORKSTEAD SYSTEMS


Ellwood Flow | Screens shown with fictional project data

09 / 10

Start with the handoff that costs you time.

Use this workflow as a starting point for a focused conversation about your manufacturing operation.

ONE CONNECTED OPERATIONS CHAIN



DISCUSS YOUR WORKFLOW

Map the release package, revision rules, station routing, material constraints, quality decisions, and shipping requirements before choosing the first implementation milestone.

Connect with Yorkstead Systems

Sources & presentation notes
Elward Flow project README, release lifecycle guide, and service implementation; screenshots from public/media/projects/ellwood-flow, matched to the project's August 22, 2026 fictional-data captures. Original Elward app branding is retained in the screenshots; Ellwood Flow follows the current portfolio title. No time, cost, or quality improvement is claimed as measured.

Current scope
The project describes an integrated operational MVP approaching internal-pilot readiness. Production acceptance, deployment setup, backup/restore rehearsal, data migration, and integrations require environment-specific validation.

Live access check
The recorded Ellwood and Elward Flow addresses returned Deployment not found on August 31, 2026. This booklet uses verified project sources and supplied screenshots; it does not certify current live operation.