Description	Method + Path	Request / Response
Get all categories	GET / categories	Response:
Endpoint:		[{_id:"",categoryName:""},{}]
http://localhost:3000 /api/		
categories		
Get all products by category id	POST/	Poquest
	products_of_category/:categoryId	Request:
Endpoint:		categoryID – in params
http://localhost:3000 /api/ products_of_category/:categoryId		Response:
** Protected by session if user is		[{
login!		_id:"",
		categoryId:"",
		categoryName:"",
		image:"",
		productName:"",
		price: number,
		},{}]
Get all products by product name	POST/ products/:productName	Request:
– for search products		value to search – in params
Endpoint:		Response:
http://localhost:3000 /api/ products/:productName		[{
** Protected by session if user is		_id:"",
login!		productName:"",
		categoryId:"",
		categoryName:"",
		price: number,
		image:"",
		},{}]

Create new order	POST/ orders	Request:
Endpoint:		{
http://localhost:3000 /api/		city:"",
orders		street:"",
** Protected by session if user is login!		deliveryDate:"",
		creditCard: numbers
		}
		Response:
		{
		status:" received",
		orderld:""
		}
Edit and duct. for a ducin	DUT/ graduate	Degreet
Edit product – for admin	PUT/ products	Request:
http://localhost:3000 /api/ products		{
** Protected by session if admin		_id:"",
is login!		newProduct:{
		productName:"",
		categoryId:"",
		price: number,
		image:""
		}
		}
		Response:
		{
		msg: " Product successfully updated!"
		}

Create new product – for admin	POST/ products	Request:
http://localhost:3000 /api/ products ** Protected by session if admin is login!		<pre>{ productName:"", categoryld:"", price: number, image:"" } Response: { msg: " Product has been successfully added!" }</pre>