

Overlays

- Popup
- Snackbar
- Toast Overlay
- Tooltip
- Bottom Sheet
- Pulldown Menu

Systems

LIFF View

Text Only

☒ Control Text Label

☐ Control Text Label

Text + Description

☒ Control Text Label
Please enter a Guide description

☐ Control Text Label
Please enter a Guide description

You can select whether to use a description. Description is not used by default.

States

	Selected	Unselected	Indeterminate
Enabled	☒ Control Text Label	☐ Control Text Label	☒ Control Text Label
Disabled	☒ Control Text Label	☐ Control Text Label	☒ Control Text Label
Hover	☒ Control Text Label	☐ Control Text Label	☒ Control Text Label
Pressed	☒ Control Text Label	☐ Control Text Label	☒ Control Text Label
Error	☒ Control Text Label	☐ Control Text Label	☒ Control Text Label

A checkbox may have the normal and selected states. The states may be used in duplicate except for the "Disabled" state. The "Hover" and "Pressed" states are not provided in the design library, and the states are automatically applied during development.

General States

Disabled

- Indicates that the component is not available.
- Option changes are not available in this state.

Hover

- A state indicating that the mouse cursor is placed over an element, which is available only in PC and web environments.
- This state is not available when "Disabled" is selected.


Pressed

- Provided for the "Mouse Down" or "Touch Down" states.
- This state is not available when "Disabled" is selected.


Error	Indicates an error when a required selection has not been made or a wrong option has been selected. Users can change the selection states.
Enabled	Indicates that the component is available.
Select States	
Selected	Indicates that a checkbox has been selected.
Unselected	- Indicates that a checkbox has not been selected. - This option is used by default.
Indeterminate	When there are multiple groups of selection items under a checkbox, this option is provided when the selection states are different for the subordinate selection items.


Behavior

Nesting



A parent component under which children components can be added. When the parent checkbox has been selected or deselected, the all children checkbox states the change identically to the parent checkbox state.






When the children checkboxes have mixed selection states, the parent checkbox state becomes 'Indeterminate'. When the checkbox in the "Indeterminate" state is selected, all children checkbox states change to "Selected".


Usage

Single Item



This option is used for mutually exclusive selections to choose one of the two states.


Multiple Items



Do

Use checkboxes to allow users to make multiple selections.


For a Large List



Do

Provide a simple and clear text label.

When the text is long, provide a key text in the label area and place the additional information in the description area.



Don't

Do not use complicated text labels that are in two or more lines.