



Common Component

Badge

Banner

Bottom Navigation

Bottom Sheet

Buttons

Chips

Controls

Dialog

Empty

Text Inputs

List Header

Search Bar

Page Indicator

Popup

Profile

Progress Indicator

Spinner

Tabs

Top Navigation

Video Player

Contents Component

Card

Image Grid

List

Chatroom Component


Flex Message

Inputs


Input is a component to enter and edit text, numbers, and symbols.

- It is a component to enter text, passwords, and codes.
- It is used in the context of requesting relatively simple input from users in a specific section on the LINE app screen.
- Cases where the entire screen is switched to an input environment (e.g., story, profile, keep) are not applicable.

Anatomy



Text input



Code input

1. Underline (Required)

This is an area to indicate the input field. It is changed to a different color depending on the state.

Inactive, Disabled

Green: Focused

Red: Error

2. Text area (Required)

A placeholder is exposed before entering, and the details entered by the user are displayed during and after entering.

3. Reset button (Required)

A button to delete the entered details all at once.

4. Label (Optional)

Displays the details that must be entered by the user.

5. Required mark (Optional)

Informs that the information is required by using the * mark.

6. Helper text (Optional)

This is an area that can be used if additional explanation is necessary for the details that users must enter in the text field.
An error message can be exposed if an invalid value is entered.

7. Text counter (Optional)

Expose the maximum number of characters that can be entered and currently entered as characters.

8. Show/Hide button (Optional)

This is a toggle button to select whether to hide text or numbers on the screen when entering sensitive information like passwords.

9. Remaining time (Optional)


The time limit for entering information is displayed, and the remaining time is displayed in real time in seconds.

10. Text button

Action buttons, such as the retransmission of verification code or phone verification, can be provided.

States

Text input

Inactive		This is a state that the user has not entered yet and is able to enter. If the area is selected, the state is changed to focused.
Focused		This is a state where the user has enabled the text field by tapping for input. A cursor is displayed and color is applied to the underline.
Typing		>The user is typing the input after activating the text field. The cursor indicates the current typing location.
Completed		The user has completed typing. The cursor disappears and is focused out.
Error		An error has occurred. (Mismatch of input condition or password) Indicate the error by changing the color of Underline, Cursor, and Help Text.
Disable		The user cannot enter for some reason. Although the details already entered exist in the field, it is displayed after being dimmed. The area will not be focused even if it is selected.

Password input

Inactive		This is a state where the user has not entered yet and is able to enter. When applying a trailing icon, trailing ON is the default
----------	---	---

		When applying a trailing icon, trailing OFF is the default. You can change to trailing OFF by tapping the trailing icon.
Focused		The text input field is enabled. A cursor is exposed and color is applied to the underline. You can change to trailing OFF by tapping the trailing icon.
Typing (Trailing ON)		The user is typing the input after activating the text field. The cursor indicates the current location for typing. The entered details are hidden because the trailing icon is ON. You can change to trailing OFF by tapping the trailing icon.
Typing (Trailing OFF)		The user has tapped the trailing icon while typing and the status has been changed to trailing OFF. The entered details are shown because the trailing icon is ON. You can change to trailing ON by tapping the trailing icon.

Code input

Initial (Focused)		This is a state that the user has not entered yet and is able to enter. The keyboard is exposed. The placeholder can expose the hint on the action as text.
Typing		The user is entering the code. The remaining time can be exposed on the right side of the field.
Submitted		Submitted automatically when the last digit of the code is entered, and it switches to the next screen automatically if successful.
Error		If a code is entered but does not match, an error interaction is generated and the inner field is returned to the initial state.

Types

The type is classified according to the input's form and usage.

LightDark

Label *0 / 50

Text Inputting

Controls

Type

☒ Large Text

☐ Small Text

☐ Password

☐ Code

Label area


☒ Text

☐ Text + Helper text

It is recommended to use the small text type if there is a lot of information in the page and use the large text type if there is not much information.
(e.g., small text type - Create Openchat page, large text type - Settings pages)


Usage

Label usage




A label can be placed on the top-left corner of the input field, and this has the same meaning as the title of the content which must be entered.

Placeholder usage



- Placeholder is a phrase lightly displayed inside an input field.
- It can play the role of guiding users to enter information easily by briefly displaying the details that must be entered in the field or the


reference details for the input.



A mobile app interface titled "Text Input" with a close button (X) in the top right corner. The form contains three input fields, each with a label above it: "Name", "Phone number", and "Address". All three input fields are currently empty.

Do


If using a label is sufficient, it is better to leave the input field empty without a placeholder. Using less text will make the form look easy and simple.



A mobile app interface titled "Text Input" with a close button (X) in the top right corner. The form contains three input fields. The first field, labeled "Name", is filled with the text "Brown". The second field, labeled "Phone number", is filled with the text "312349584". The third field, labeled "Address", contains a green placeholder text "Enter street name".

Caution

If guided only with a placeholder without using a label, the details that must be entered can be seen only by erasing the entered details. If there are many input fields, it is recommended to pass on the details to input more clearly by applying a label.




A mobile app interface titled "Create password" with a back arrow in the top left corner. Below the title is a instruction: "Use at least one letter, one number and four other chatacters." The form contains two input fields, each with a label above it: "New Password" and "Confirm password". Both input fields are currently empty.

Caution


If possible, do not insert overlapping details in the label and the placeholder. It will be complicated and difficult to enter as the amount of text doubles. A placeholder just to fill up space is unnecessary.

Trail usage




A mobile app interface titled "Change your password" with a close button (X) in the top right corner. The form contains two input fields. The first field, labeled "Password", is filled with the text "Password12345". The second field, labeled "Required", is empty.

- Apply the trail function by default to make the input of sensitive user information invisible like with passwords.
- The entered details can be seen if the user taps the button, and it returns to the hidden state if tapped again.



Do


When users enter sensitive information, such as a password, apply the Trailing function to make the entered details invisible.





Don't

Extra caution is required because the user information can be exposed if the trailing function is not applied when entering sensitive personal information, such as a password or card number.

Scroll within an input field



A horizontal scroll may be generated depending on the amount of entered content on a one-line input where the input field is not extended.




Do

The input field area can be scrolled horizontally depending on the number of entered characters.


Do

In case of an input field which allows multiple columns, the line feed will be applied automatically if the number of entered characters has reached the right-end of the input field, and the cursor and the underline will move down.

Required mark usage



- A red * mark can be displayed on the right side of the label for the required items that must be filled out when requesting information from the user.
- Using this mark can prevent the user from missing inputs, and it can also notify them that input is required using a red underline and helper desk if the user proceeds without entering information.




Don't

Don't


Do not notify the user of required information as "required" by using text.
If the amount of text increases, users will feel that the form is complicated and difficult to fill out.

Maximum input

You must set up whether to allow the maximum number of characters as up to one line or more than one line.
It is convenient if a text counter is provided in the input field's top right corner because users can estimate how much more can be entered.



The counter displays the currently entered number of characters and the maximum number of characters at the same time, and reflects the increase or decrease of entered words in real time.



Once the entered text reaches the maximum number of characters, use a toast component to inform users that they cannot enter any more.

