



Common Component

Badge

Banner

Bottom Navigation

Bottom Sheet

Buttons

Chips

Controls

Dialog

Empty

Text Inputs

List Header

Search Bar

Page Indicator

Popup

Profile

Progress Indicator

Spinner

Tabs

Top Navigation

Video Player

Contents Component

Card

Image Grid

List


Chatroom Component

Flex Message

Progress Indicator

A progress indicator is a component to show users the progress of an upload or download in real time.

Anatomy



1. Icon/Image area

Display the visual affordance to represent the nature of progress as an area to insert icons or images.

2. Text area

Display the description of progress using text.

3. Sub text area (Optional)

Out of the total volume, display the current volume in most cases as an area to provide more detailed progress information. (MB, %, number)

4. Linear progress track

Out of the total progress, the current progress is shown on a linear track and a linear bar.

5. Button area (Optional)

This is an area to expose the Stop button to cancel progress or the Retry button to resume progress if an error occurs.

6. Circular progress track

Out of the total progress, the current progress is shown on a circular track and a circular bar.

7. Button area (Optional)

This is an area to expose the Stop button to cancel progress or the Retry button to resume progress if an error occurs.


8. Sub text area (Optional)

Out of the total volume, display the current volume in most cases as an area to provide more detailed progress information. (MB, %, number)

Types


Two progress Indicator types (linear and circular) are provided according to the visual style.


Linear type



- On the linear progress bar, you can apply a visual element related to the details of progress as an icon on the left or apply an image thumbnail.
- Image thumbnails are mainly used for uploading images or videos, and icons are mainly used when an image cannot be imported or for the processes related to settings.

Circular type












- The circular type is provided only as an overlay because it is exposed at the top center of the content, such as images and media.
- You can use the circular progress bar by choosing to apply or not apply the sub text. Also, large and small sizes are provided for easy use according to the applied environment.

States

Linear progress indicator

Before progress (Default)		The progress is still 0 just after starting the progress.
In progress		Task is in progress. The amount of progress can be seen as the line gradually fills up the bar. When the Cancel button is selected, the progress will be terminated and the progress indicator will disappear.
Loading		The progress is over, but the loading is temporarily taking place in the context of processing completion.
Error/Stopped		The task is stopped. When the Retry button on the right is selected, the task will be retried. When the Cancel button on the right is selected, the task will be canceled and the progress indicator will disappear.
Complete		The task has been completed and it is used limitedly only for the floating type. If you select the 'arrow' button on the right, it will move to the uploaded screen.


Circular progress indicator

Before progress (Default)		The progress is still 0 just after starting the progress.
In progress		Task is in progress. The amount of progress can be seen as the line gradually fills up the circle. When the button at the center is tapped, the progress will be terminated and the progress indicator will stay the same. At this time, the button will be changed to the Retry button.
Error/Stopped		The task is stopped. When the Retry button at the center is selected, the task will be retried.

Usage


Although the usability of the linear progress indicator and circular progress indicator is similar, differences may exist depending on the location to place the component or the implementation method. For this reason, it is recommended to use indicators after selecting the proper type based on the screen UI to apply the component and the implementation method at the same time.


Unable to display thumbnail during upload



- It is appropriate to expose a linear progress indicator at the top of the area when it is impossible to display a thumbnail of the content being uploaded on the body text.
- At this time, you can access other remaining functions of the screen. Using the toast or snack bar components is also a good way to inform users that the upload is complete


Able to display thumbnail during upload






- If the situation allows you to display a thumbnail of the content being uploaded, including a circular progress bar directly over the thumbnail can be an intuitive method.
- You can decide whether to include the button to cancel or stop progress by consulting with the Development Team, and the button does not have to be included if the progress time is relatively short.
- Likewise, you can access other areas of the screen while the progress is occurring.


Downloading from the end page



- A progress indicator is generally exposed when downloading large-volume content.
- At this time, you can also access a different button depending on whether the background is dimmed or not. But if you cannot access it, disable the button by making it dim.
- Once the download is complete, it is recommended to inform users that the task is complete by using toast or snack bar component.

Exposing the progress of a task from all pages






- When users cannot access the other areas on the screen in the process of downloading, installing or upgrading content, expose a progress indicator using a pop-up as shown below in most cases.
- Exposing a progress indicator using a pop-up can be applied to all pages in addition to the detailed page. However, access to the area outside of the pop-up will be restricted when a task is in progress.




Popup

Futher details on pop-ups are available in Popup.


Sending and receiving contents in chatroom





When sending or receiving media, such as photos or videos, as a message in a chat room, a circular progress indicator will be shown over the media.

Downloading from the list




When content is downloaded from the list, a progress indicator may be displayed on the list as shown above.




List

Further details on List are available in List.

When the user views another page while the upload is in progress




Floating Type is used when inducing users to access other pages while uploading is in progress. When provided in Floating Type, it is necessary to move to the uploaded screen when progress is completed, so it provides the completion status.



Do


If the user is looking at a different page while upload is in progress, inform the status using toast, toast overlay, snack bar, etc.



Don't

You do not have to expose two or more of the same progress indicators when uploading or downloading content.


Interaction



As a structure that is not moved to the top of the screen, it is exposed to the part above the extended area of the upper content area (the existing content is moved down by the extension), disappears automatically upon the completion of the process, and the content that had been pushed down is moved up again.


Placement


Linear progress indicator




Expose the linear progress indicator to the top of the content area where the progress is taking place.

Circular progress indicator






Expose the circular progress indicator to the top of each image or each media type and display in the center of the thumbnail in general.



Do

The progress indicator will also move up if the content part is scrolled up in a state of exposing a linear progress indicator.



Don't

It is inappropriate to apply the linear progress indicator as a floating type to overlay the content.