



Buttons

Action Button

Floating Action Button

Icon Button

Contents

Avatar

Tag

Image Grid

Skeleton

Video Player

Indicators

Badge

Page Controller

Page Indicator

Progress Indicator

Inputs

Checkbox

Chip

Radio Button

Slider

Stepper

Switch

Text Area

Text Input

Pulldown

Navigations

Tab

Tab - Expanded Tab List

Side Drawer

Footer

Top Navigation


Segmented Control

Bottom Navigation

Skeleton


Skeletons are used to reduce the perceived load time by showing the virtual locations of the content while loading it.

Anatomy



1. Skeleton Item

Behavior



Overlays

Popup

Snackbar

Toast Overlay

Tooltip

Bottom Sheet

Pulldown Menu

Systems

LIFF View



Use a gradient animation that runs from the top-left to the bottom-right.


* In the LIFF environment, you cannot use a skeleton for the Close button in the upper-right area since it is a native element.

Usage

You can use skeletons in various environments where content is loaded for different purposes, such as entering a service and moving to another page.

When it is not appropriate to use a skeleton, consider using a progress indicator.


Entry Service




Show a rough layout of the page using a skeleton when the user enters a service.

Page Transition






Use a skeleton when the user moves to another page.



Don't
Do not use a skeleton and a progress indicator together.

Design Specs





Element		Properties
1	Width	Can be changed as necessary.
2	Height	Can be changed as necessary.
3	Background Color	- Unchangeable - ldsg-color-gray-150