



Common Component

Badge

Banner

Bottom Navigation

Bottom Sheet

Buttons

Chips

Controls

Dialog

Snackbar

Toast Overlay

Tooltip

Empty

Text Inputs

List Header

Search Bar

Page Indicator

Popup

Profile

Progress Indicator

Spinner

Tabs

Top Navigation

Video Player

Contents Component

Card

Image Grid

List

Chatroom Component


Flex Message

Toast Overlay

The Toast overlay needs to be used to provide notification of any change in the system's status caused by an action or modification. In general, this is used to provide feedback for actions that alter the system's status. What matters is that the Toast overlay does not interfere with the current tasks being carried out by users.

- Toast overlay sends informative messages to users without causing any interference.
- Toast overlay temporarily appears and it disappears on its own without any need for user intervention.
- Toast overlay provides additional information depending on the circumstances.

Anatomy



1. Background Area



Use a translucent dark background.


2. Icon Area (Optional)

Additional icons may be displayed to help users understand.

3. Text Area


The feedback content is displayed.





Do

Displayed as a feedback provided to users to confirm the constructive action that modifies the system's status.



Don't

Toast overlay is not used where additional actions are required for confirmation.

Component Type

Mainly divided into two types depending on the existence of an icon inside the toast overlay, and there is also a type combined with a spinner component.

Common

Enter a Description

Controls

Type

☒ Center
 ☐ Bottom


Column

☒ Text Short
 ☐ Text Long
 ☐ Icon + Text
 ☐ Spinner
 ☐ Spinner + Text

- Text short is a case used for short messages within one line.
- Text long is used for maximum width and text.
- Using a short phrase is recommended when showing icon and text together.
- You can display loading in combination with the spinner before the system changes.

States

Default




Icon and Text-Short are included.
Fade-out duration: 0.5 seconds

With Spinner




Combine Spinner of the dialog component with Toast overlay.
The Spinner operates until loading is complete.
Overlay Fade-out duration: 0.5 seconds



Do

Place at the center of the screen.
(Note. Follow another placement rule for Android.)



Don't

Do not place this above an important action or navigation button.

Usage

- Toast overlays should always be displayed one at a time.
- Communication should be minimized to maximize understanding and readability.
- Designers need to consider the level of interference to be provided to users. If the user's task is more important than the feedback provided and the change in the system's status is not important or is being confirmed, the feedback should be provided in a manner that causes minimum interference by using the Toast overlay.



Feedback

You can find out what kind of




Confirmation

You can find out more about the

feedback you need to use depending on the results of user behavior. You can find out what kind of feedback you need to use depending on the results of user behavior.

means of providing confirmations through concrete examples for each situation.


General Usage



Feedback with Toast Overlay

The feedback for the change in the system's status is provided after the user's action.

General Usage with transition





Toast overlay display	Followed by Transition
-----------------------	------------------------

It can be used with a screen transition.


Toast overlay display	Fades out and disappears upon completion.
Followed by Transition	The transition occurs after the fade-out animation of the Toast overlay ends.

After confirmation





Conformation on Destructive Action





Toast overlay Feedback

It can be used with a screen transition.

Confirmation on Destructive Action	This is an Alert UI to confirm destructive actions
Toast overlay Feedback	Provides a toast overlay after a destructive action.

With Spinner






You can display loading by combining the Feedback for the Toast overlay with a spinner before system change.

Loading in Progress	Loading a display with a spinner displays server response or load time depending on the situation. Please use this when the progress display cannot be provided through any other means. (e.g. If it cannot be provided through buttons)
Toast overlay display	It turns into a message and then it fades out.

Placement

Center




Placement	Place center aligned horizontally or vertically on the screen.
-----------	--

Place center aligned horizontally or vertically on the screen.

Its location cannot be changed and no design QA is requested for its location.

Bottom





Place with a center alignment based on width at the bottom of the screen.

(Exposed height of the toast overlay may vary depending on the existence of the bottom navigation. Refer to the design guide.)

Design spec

Do not detach the symbol for use because the Toast overlay has no area that allows customization.






Check the maximum length of the Toast overlay and observe this length. If a new icon is required in the Icon Area, you may request its design. In this case, carry out the task after checking with the request guide.

Type	Max line	Min width	Max width
Icon + Text	No limit	123 pt	305 pt
Text	No limit	-	305 pt

How to use - Text type



For a more convenient sketch project, two symbol types according to the text length have been manufactured. Use the short type when entering one line of text in a short sentence and use a long-type symbol when entering text that is longer than one or two sentences. It is connected to one identical component whatever the type is.

Screen Mode Symbol

