## **Importing Libraries**

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

### **Importing Datasets**

```
In [2]:
    df=pd.read_csv("punjab.csv")
    df
```

Out[2]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NO
	0	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3.7	0
	1	1473	PUNJAB	1902	0.0	0.8	9.9	10.9	29.6	49.9	125.6	94.9	67.2	9.0	0
	2	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6.9	0
	3	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7.4	9
	4	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1.2	0
	•••														
	110	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	0.0	1
	111	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2.2	0
	112	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16.2	6
	113	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6.0	0
	114	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	9.0	0

115 rows × 20 columns

# **Data Cleaning and Data Preprocessing**

```
In [3]:
    df=df.dropna()
    df
```

Out[3]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NO
	0	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3.7	0
	1	1473	PUNJAB	1902	0.0	8.0	9.9	10.9	29.6	49.9	125.6	94.9	67.2	9.0	0
	2	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6.9	0
	3	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7.4	9
	4	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1.2	0

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NO
•••														
110	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	0.0	1
111	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2.2	0
112	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16.2	6
113	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6.0	0
114	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	9.0	0


115 rows × 20 columns

```
In [4]:
        df.columns
       Out[4]:
             dtype='object')
In [5]:
        df.info()
        <class 'pandas.core.frame.DataFrame'>
        Int64Index: 115 entries, 0 to 114
        Data columns (total 20 columns):
        #
            Column
                         Non-Null Count Dtype
        ---
            -----
                         _____
        0
            index
                         115 non-null
                                        int64
         1
            SUBDIVISION 115 non-null
                                        object
         2
            YEAR
                         115 non-null
                                        int64
         3
            JAN
                         115 non-null
                                        float64
         4
            FEB
                         115 non-null
                                        float64
         5
            MAR
                         115 non-null
                                        float64
         6
            APR
                         115 non-null
                                        float64
         7
            MAY
                         115 non-null
                                        float64
         8
            JUN
                         115 non-null
                                        float64
         9
            JUL
                         115 non-null
                                        float64
         10
            AUG
                         115 non-null
                                        float64
         11
                         115 non-null
                                        float64
            SEP
         12
                         115 non-null
                                        float64
            OCT
         13
                         115 non-null
                                        float64
            NOV
         14
                         115 non-null
                                        float64
            DEC
         15
                         115 non-null
                                        float64
            ANNUAL
                         115 non-null
                                        float64
         16
            Jan-Feb
                                        float64
         17
            Mar-May
                         115 non-null
                                        float64
         18
            Jun-Sep
                         115 non-null
         19 Oct-Dec
                         115 non-null
                                        float64
        dtypes: float64(17), int64(2), object(1)
        memory usage: 18.9+ KB
```


#### Line chart

```
In [6]:
       df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
```


<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
<AxesSubplot:>, dtype=object)



#### Line chart




Out[7]: <AxesSubplot:>



### Bar chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



### Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>




### Area chart

```
In [10]: df.plot.area()
```

Out[10]: <AxesSubplot:>




#### **Box chart**



### Pie chart


```
In [12]: df.plot.pie(y='index')
Out[12]: <AxesSubplot:ylabel='index'>
```





### **Scatter chart**

```
In [13]: df.plot.scatter(x='YEAR' ,y='index')
Out[13]: <AxesSubplot:xlabel='YEAR', ylabel='index'>
```



In [14]:

df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtyp	es: float64(1	7), int64(2), o	bject(1)
	4.0	0 1/0	

memory usage: 18.9+ KB

In [15]:


df.describe()

Out[15]:		index	YEAR	JAN	FEB	MAR	APR	MAY	1
	count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000
	mean	1529.000000	1958.000000	25.246087	26.786957	23.651304	12.660000	14.136522	46.466
	std	33.341666	33.341666	22.306656	23.473612	22.890109	16.751778	15.185232	33.349
	min	1472.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.100000	1.600
	25%	1500.500000	1929.500000	7.250000	5.650000	6.900000	2.550000	3.350000	21.600
	50%	1529.000000	1958.000000	21.600000	21.300000	15.800000	6.700000	9.200000	40.700
	75%	1557.500000	1986.500000	36.100000	40.600000	33.650000	15.700000	19.700000	60.15(
	max	1586.000000	2015.000000	112.100000	96.000000	108.500000	113.200000	98.300000	162.900

### **EDA AND VISUALIZATION**


In [16]: sns.pairplot(df)

Out[16]: <seaborn.axisgrid.PairGrid at 0x18c1e91a610>




In [17]: sns.displot(df['YEAR'])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x18c238cf1c0>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>



In [ ]: