Importing Libraries

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]:
    df=pd.read_csv("kerala.csv")
    df
```

Out[2]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост
	0	3887	KERALA	1901	28.7	44.7	51.6	160.0	174.7	824.6	743.0	357.5	197.7	266.9
	1	3888	KERALA	1902	6.7	2.6	57.3	83.9	134.5	390.9	1205.0	315.8	491.6	358.4
	2	3889	KERALA	1903	3.2	18.6	3.1	83.6	249.7	558.6	1022.5	420.2	341.8	354.1
	3	3890	KERALA	1904	23.7	3.0	32.2	71.5	235.7	1098.2	725.5	351.8	222.7	328.1
	4	3891	KERALA	1905	1.2	22.3	9.4	105.9	263.3	850.2	520.5	293.6	217.2	383.5
	•••													
	110	3997	KERALA	2011	20.5	45.7	24.1	165.2	124.2	788.5	536.8	492.7	391.2	227.2
	111	3998	KERALA	2012	7.4	11.0	21.0	171.1	95.3	430.3	362.6	501.6	241.1	187.5
	112	3999	KERALA	2013	3.9	40.1	49.9	49.3	119.3	1042.7	830.2	369.7	318.6	259.9
	113	4000	KERALA	2014	4.6	10.3	17.9	95.7	251.0	454.4	677.8	733.9	298.8	355.5
	114	4001	KERALA	2015	3.1	5.8	50.1	214.1	201.8	563.6	406.0	252.2	292.9	308.1

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
    df
```

Out[3]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
	0	3887	KERALA	1901	28.7	44.7	51.6	160.0	174.7	824.6	743.0	357.5	197.7	266.9
	1	3888	KERALA	1902	6.7	2.6	57.3	83.9	134.5	390.9	1205.0	315.8	491.6	358.4
	2	3889	KERALA	1903	3.2	18.6	3.1	83.6	249.7	558.6	1022.5	420.2	341.8	354.1
	3	3890	KERALA	1904	23.7	3.0	32.2	71.5	235.7	1098.2	725.5	351.8	222.7	328.1
	4	3891	KERALA	1905	1.2	22.3	9.4	105.9	263.3	850.2	520.5	293.6	217.2	383.5

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
•••													
110	3997	KERALA	2011	20.5	45.7	24.1	165.2	124.2	788.5	536.8	492.7	391.2	227.2
111	3998	KERALA	2012	7.4	11.0	21.0	171.1	95.3	430.3	362.6	501.6	241.1	187.5
112	3999	KERALA	2013	3.9	40.1	49.9	49.3	119.3	1042.7	830.2	369.7	318.6	259.9
113	4000	KERALA	2014	4.6	10.3	17.9	95.7	251.0	454.4	677.8	733.9	298.8	355.5
114	4001	KERALA	2015	3.1	5.8	50.1	214.1	201.8	563.6	406.0	252.2	292.9	308.1


115 rows × 20 columns

```
In [4]:
        df.columns
       Out[4]:
             dtype='object')
In [5]:
        df.info()
        <class 'pandas.core.frame.DataFrame'>
        Int64Index: 115 entries, 0 to 114
        Data columns (total 20 columns):
        #
            Column
                         Non-Null Count
                                        Dtype
        ---
            -----
                         _____
        0
            index
                         115 non-null
                                        int64
         1
            SUBDIVISION 115 non-null
                                        object
         2
            YEAR
                         115 non-null
                                        int64
         3
            JAN
                         115 non-null
                                        float64
         4
            FEB
                         115 non-null
                                        float64
         5
            MAR
                         115 non-null
                                        float64
         6
            APR
                         115 non-null
                                        float64
         7
            MAY
                         115 non-null
                                        float64
         8
            JUN
                         115 non-null
                                        float64
         9
            JUL
                         115 non-null
                                        float64
         10
            AUG
                         115 non-null
                                        float64
         11
                         115 non-null
                                        float64
            SEP
                         115 non-null
                                        float64
         12
            OCT
         13
                         115 non-null
                                        float64
            NOV
                         115 non-null
                                        float64
         14
            DEC
         15
                         115 non-null
                                        float64
            ANNUAL
                                        float64
         16
            Jan-Feb
                         115 non-null
                                        float64
         17
            Mar-May
                         115 non-null
                                        float64
         18
            Jun-Sep
                         115 non-null
         19 Oct-Dec
                         115 non-null
                                        float64
        dtypes: float64(17), int64(2), object(1)
        memory usage: 18.9+ KB
```

Line chart

```
In [6]:
       df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
```


<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
<AxesSubplot:>, <AxesSubplot:>], dtype=object)



Line chart

```
In [7]: df.plot.line()
```


Out[7]: <AxesSubplot:>



Bar chart

```
In [8]: df.plot.bar()
```


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [10]: df.plot.area()
```


Out[10]: <AxesSubplot:>




Box chart

Pie chart


```
In [12]: df.plot.pie(y='index')
Out[12]: <AxesSubplot:ylabel='index'>
```





Scatter chart

```
In [13]: df.plot.scatter(x='YEAR' ,y='index')
Out[13]: <AxesSubplot:xlabel='YEAR', ylabel='index'>
```



In [14]:

df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Coun	t Dtype					
0	index	115 non-null	int64					
1	SUBDIVISION	115 non-null	object					
2	YEAR	115 non-null	int64					
3	JAN	115 non-null	float64					
4	FEB	115 non-null	float64					
5	MAR	115 non-null	float64					
6	APR	115 non-null	float64					
7	MAY	115 non-null	float64					
8	JUN	115 non-null	float64					
9	JUL	115 non-null	float64					
10	AUG	115 non-null	float64					
11	SEP	115 non-null	float64					
12	OCT	115 non-null	float64					
13	NOV	115 non-null	float64					
14	DEC	115 non-null	float64					
15	ANNUAL	115 non-null	float64					
16	Jan-Feb	115 non-null	float64					
17	Mar-May	115 non-null	float64					
18	Jun-Sep	115 non-null	float64					
19	Oct-Dec	115 non-null	float64					
dtyp	es: float64(1	7), int64(2),	object(1)					
memory usage: 18.9+ KB								

In [15]:


df.describe()

FEB APR Out[15]: index **YEAR JAN** MAR MAY 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.00 count mean 3944.000000 1958.000000 12.246957 15.496522 36.814783 110.573913 229.881739 654.30 std 33.341666 33.341666 15.538923 16.206572 30.324601 44.673971 149.271697 187.64 0.000000 0.100000 3887.000000 1901.000000 0.000000 13.100000 53.400000 196.80 25% 3915.500000 1929.500000 2.250000 4.700000 18.100000 74.800000 124.350000 539.00 **50%** 3944.000000 1958.000000 6.000000 8.400000 28.300000 109.800000 185.400000 633.10 **75%** 3972.500000 1986.500000 17.750000 21.400000 50.000000 136.000000 277.250000 791.50 4001.000000 2015.000000 83.500000 79.000000 217.200000 238.000000 738.800000 1098.20

EDA AND VISUALIZATION


In [16]: sns.pairplot(df)

Out[16]: <seaborn.axisgrid.PairGrid at 0x2492f4b8e80>




In [17]: sns.displot(df['YEAR'])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x2493aa4e310>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>



In []: