Importing Libraries

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]:
    df=pd.read_csv("goa.csv")
    df
```

Out[2]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
	0	2507	KONKAN & GOA	1901	5.6	0.1	0.4	35.7	19.9	746.1	1075.5	748.0	117.4	38.6
	1	2508	KONKAN & GOA	1902	0.3	0.0	0.0	0.4	7.6	428.2	943.6	515.1	613.8	74.3
	2	2509	KONKAN & GOA	1903	0.0	0.0	0.1	0.0	201.1	470.5	1298.6	673.9	285.1	140.8
	3	2510	KONKAN & GOA	1904	0.0	0.1	6.6	6.3	4.6	975.8	771.7	321.3	217.0	90.3
	4	2511	KONKAN & GOA	1905	0.1	0.1	0.0	0.4	8.6	293.7	770.6	305.5	208.3	83.5
	110	2617	KONKAN & GOA	2011	0.0	0.0	0.0	3.4	1.1	857.0	1384.1	987.9	468.3	120.3
	111	2618	KONKAN & GOA	2012	0.0	0.0	0.0	0.6	1.1	633.0	928.5	762.5	515.3	175.1
	112	2619	KONKAN & GOA	2013	1.8	5.4	0.1	0.1	18.5	1028.3	1478.5	497.6	340.7	149.3
	113	2620	KONKAN & GOA	2014	1.3	5.3	1.8	0.7	21.3	238.2	1293.2	658.0	419.5	98.7
	114	2621	KONKAN & GOA	2015	2.7	0.0	36.8	3.6	11.3	764.0	526.5	377.3	240.9	91.4

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
    df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	2507	KONKAN & GOA	1901	5.6	0.1	0.4	35.7	19.9	746.1	1075.5	748.0	117.4	38.6
1	2508	KONKAN & GOA	1902	0.3	0.0	0.0	0.4	7.6	428.2	943.6	515.1	613.8	74.3
2	2509	KONKAN & GOA	1903	0.0	0.0	0.1	0.0	201.1	470.5	1298.6	673.9	285.1	140.8
3	2510	KONKAN & GOA	1904	0.0	0.1	6.6	6.3	4.6	975.8	771.7	321.3	217.0	90.3
4	2511	KONKAN & GOA	1905	0.1	0.1	0.0	0.4	8.6	293.7	770.6	305.5	208.3	83.5
•••													
110	2617	KONKAN & GOA	2011	0.0	0.0	0.0	3.4	1.1	857.0	1384.1	987.9	468.3	120.3
111	2618	KONKAN & GOA	2012	0.0	0.0	0.0	0.6	1.1	633.0	928.5	762.5	515.3	175.1
112	2619	KONKAN & GOA	2013	1.8	5.4	0.1	0.1	18.5	1028.3	1478.5	497.6	340.7	149.3
113	2620	KONKAN & GOA	2014	1.3	5.3	1.8	0.7	21.3	238.2	1293.2	658.0	419.5	98.7
114	2621	KONKAN & GOA	2015	2.7	0.0	36.8	3.6	11.3	764.0	526.5	377.3	240.9	91.4

115 rows × 20 columns

```
In [4]: df.columns
```

In [5]: df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

		,	
#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64

```
NOV
                  115 non-null
                                   float64
 13
                                   float64
 14
     DEC
                  115 non-null
                                   float64
 15
     ANNUAL
                  115 non-null
                                   float64
 16
     Jan-Feb
                  115 non-null
                                   float64
 17
    Mar-May
                  115 non-null
    Jun-Sep
                  115 non-null
                                   float64
 18
 19 Oct-Dec
                  115 non-null
                                   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```


Line chart

```
In [6]:
       df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>], dtype=object)
                JAN
                                                FEB
                MAR
                                                APR
                                MAY
                SEP
                OCT
                DEC
                                              Jan-Feb
                Mar-May
                Oct-Dec
            0
                   20
                         40
                                60
                                      80
                                            100
```


Line chart

```
In [7]: df.plot.line()
```


Out[7]: <AxesSubplot:>



Bar chart




Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [10]: df.plot.area()
```


Out[10]: <AxesSubplot:>



Box chart

```
In [11]: df.plot.box()
```


Out[11]: <AxesSubplot:>




Pie chart

```
In [12]: df.plot.pie(y='index')
```

Out[12]: <AxesSubplot:ylabel='index'>






Scatter chart

```
In [13]: df.plot.scatter(x='YEAR' ,y='index')
Out[13]: <AxesSubplot:xlabel='YEAR', ylabel='index'>
```

localhost:8888/nbconvert/html/Rainfall-goa.ipynb?download=false



In [14]:

df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	•	Non-Null Coun	t Dtype				
0	index	115 non-null	int64				
1	SUBDIVISION	115 non-null	object				
2	YEAR	115 non-null	int64				
3	JAN	115 non-null	float64				
4	FEB	115 non-null	float64				
5	MAR	115 non-null	float64				
6	APR	115 non-null	float64				
7	MAY	115 non-null	float64				
8	JUN	115 non-null	float64				
9	JUL	115 non-null	float64				
10	AUG	115 non-null	float64				
11	SEP	115 non-null	float64				
12	OCT	115 non-null	float64				
13	NOV	115 non-null	float64				
14	DEC	115 non-null	float64				
15	ANNUAL	115 non-null	float64				
16		115 non-null	float64				
17	Mar-May	115 non-null	float64				
18	Jun-Sep	115 non-null	float64				
19	Oct-Dec	115 non-null	float64				
		7), int64(2),	object(1)				
memory usage: 18.9+ KB							

In [15]:


df.describe()

YEAR FEB MAR **APR** Out[15]: index **JAN** MAY 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.00 count mean 2564.000000 1958.000000 1.262609 0.546957 1.374783 4.266087 33.515652 688.5€ std 33.341666 33.341666 3.884234 2.048034 4.749309 9.103141 58.327263 197.23 0.000000 0.000000 0.000000 0.000000 2507.000000 1901.000000 0.000000 238.20 25% 2535.500000 1929.500000 0.000000 0.000000 0.000000 0.300000 2.900000 552.15 **50**% 2564.000000 1958.000000 0.000000 0.000000 0.100000 1.300000 9.700000 706.90 **75%** 2592.500000 1986.500000 0.500000 0.100000 0.400000 4.200000 30.300000 804.85 2621.000000 2015.000000 31.800000 18.400000 36.800000 67.300000 345.400000 1118.10

EDA AND VISUALIZATION


In [16]: sns.pairplot(df)

Out[16]: <seaborn.axisgrid.PairGrid at 0x1ff5a3b6bb0>




In [17]: sns.displot(df['YEAR'])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x1ff68688a90>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>



In []: