Importing Libraries

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]:
    df=pd.read_csv("chhattisgarh.csv")
    df
```

Out[2]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост
	0	2967	CHHATTISGARH	1901	48.9	116.5	27.8	5.5	18.4	101.6	381.0	476.7	182.8	27.3
	1	2968	CHHATTISGARH	1902	0.6	6.5	0.4	13.9	10.3	37.2	403.8	236.6	198.1	4.7
	2	2969	CHHATTISGARH	1903	6.2	13.9	0.4	6.8	51.1	110.7	365.9	396.0	212.0	168.0
	3	2970	CHHATTISGARH	1904	0.0	8.6	32.3	0.2	77.5	369.5	303.6	483.6	86.8	129.3
	4	2971	CHHATTISGARH	1905	50.3	22.6	19.0	24.6	31.8	40.4	443.7	270.8	338.8	8.9
	•••													
	110	3077	CHHATTISGARH	2011	0.3	11.5	2.6	35.0	16.8	183.5	272.6	379.8	382.2	15.5
	111	3078	CHHATTISGARH	2012	36.6	4.8	1.1	14.9	9.4	147.3	430.6	442.2	245.3	19.8
	112	3079	CHHATTISGARH	2013	2.8	19.7	4.9	45.8	5.7	263.6	418.8	336.6	140.9	180.9
	113	3080	CHHATTISGARH	2014	2.3	29.0	21.4	17.3	25.0	104.9	416.7	327.7	252.7	77.9
	114	3081	CHHATTISGARH	2015	15.8	1.2	21.2	37.0	13.0	257.6	248.6	286.6	216.9	17.7

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
    df
```

Out[3]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
	0	2967	CHHATTISGARH	1901	48.9	116.5	27.8	5.5	18.4	101.6	381.0	476.7	182.8	27.3
	1	2968	CHHATTISGARH	1902	0.6	6.5	0.4	13.9	10.3	37.2	403.8	236.6	198.1	4.7
	2	2969	CHHATTISGARH	1903	6.2	13.9	0.4	6.8	51.1	110.7	365.9	396.0	212.0	168.0
	3	2970	CHHATTISGARH	1904	0.0	8.6	32.3	0.2	77.5	369.5	303.6	483.6	86.8	129.3
	4	2971	CHHATTISGARH	1905	50.3	22.6	19.0	24.6	31.8	40.4	443.7	270.8	338.8	8.9

FEB MAR APR MAY

JUL AUG

SEP

OCT

JUN

•••													
110	3077	CHHATTISGARH	2011	0.3	11.5	2.6	35.0	16.8	183.5	272.6	379.8	382.2	15.5
111	3078	CHHATTISGARH	2012	36.6	4.8	1.1	14.9	9.4	147.3	430.6	442.2	245.3	19.8
112	3079	CHHATTISGARH	2013	2.8	19.7	4.9	45.8	5.7	263.6	418.8	336.6	140.9	180.9
113	3080	CHHATTISGARH	2014	2.3	29.0	21.4	17.3	25.0	104.9	416.7	327.7	252.7	77.9
114	3081	CHHATTISGARH	2015	15.8	1.2	21.2	37.0	13.0	257.6	248.6	286.6	216.9	17.7

115 rows × 20 columns

index

SUBDIVISION YEAR JAN


```
In [4]:
        df.columns
       Out[4]:
             dtype='object')
In [5]:
        df.info()
        <class 'pandas.core.frame.DataFrame'>
        Int64Index: 115 entries, 0 to 114
        Data columns (total 20 columns):
        #
            Column
                         Non-Null Count
                                        Dtype
        ---
            -----
                         _____
        0
            index
                         115 non-null
                                        int64
         1
            SUBDIVISION 115 non-null
                                        object
         2
            YEAR
                         115 non-null
                                        int64
         3
            JAN
                         115 non-null
                                        float64
         4
            FEB
                         115 non-null
                                        float64
         5
            MAR
                         115 non-null
                                        float64
         6
            APR
                         115 non-null
                                        float64
         7
            MAY
                         115 non-null
                                        float64
         8
            JUN
                         115 non-null
                                        float64
         9
            JUL
                         115 non-null
                                        float64
         10
            AUG
                         115 non-null
                                        float64
         11
                         115 non-null
                                        float64
            SEP
         12
                         115 non-null
                                        float64
            OCT
         13
                         115 non-null
                                        float64
            NOV
         14
                         115 non-null
                                        float64
            DEC
         15
                         115 non-null
                                        float64
            ANNUAL
            Jan-Feb
                         115 non-null
                                        float64
         16
                                        float64
         17
            Mar-May
                         115 non-null
                                        float64
         18
            Jun-Sep
                         115 non-null
         19 Oct-Dec
                         115 non-null
                                        float64
        dtypes: float64(17), int64(2), object(1)
        memory usage: 18.9+ KB
```

Line chart


```
In [6]: df.plot.line(subplots=True)

Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <Axes
```


<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
<AxesSubplot:>, <AxesSubplot:>], dtype=object)



Line chart




Out[7]: <AxesSubplot:>



Bar chart

```
In [8]: df.plot.bar()
```


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>




Area chart

```
In [10]: df.plot.area()
```

Out[10]: <AxesSubplot:>





Box chart



Pie chart

```
In [12]: df.plot.pie(y='index')
Out[12]: <AxesSubplot:ylabel='index'>
```






Scatter chart

```
In [13]: df.plot.scatter(x='YEAR' ,y='index')
Out[13]: <AxesSubplot:xlabel='YEAR', ylabel='index'>
```

localhost:8888/nbconvert/html/Rainfall-Chattisgarh.ipynb?download=false



In [14]:

df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	•	Non-Null Coun	t Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	
		7), int64(2),	object(1)
memo	ry usage: 18.	9+ KB	

In [15]:


df.describe()

JI	MAY	APR	MAR	FEB	JAN	YEAR	index		Out[15]:
115.0000	115.000000	115.000000	115.000000	115.00000	115.000000	115.000000	115.000000	count	
198.2660	21.048696	16.773043	15.266957	19.25913	14.206957	1958.000000	3024.000000	mean	
90.1084	20.630349	17.125078	20.653922	23.03757	18.315772	33.341666	33.341666	std	
37.2000	0.000000	0.000000	0.000000	0.00000	0.000000	1901.000000	2967.000000	min	
128.1000	8.700000	5.350000	2.200000	4.05000	1.450000	1929.500000	2995.500000	25%	
184.3000	15.500000	11.900000	7.900000	11.00000	6.500000	1958.000000	3024.000000	50%	
257.3000	25.150000	20.800000	21.300000	24.85000	22.100000	1986.500000	3052.500000	75%	
431.2000	122.300000	112.800000	102.900000	116.50000	99.500000	2015.000000	3081.000000	max	

EDA AND VISUALIZATION


In [16]: sns.pairplot(df)

Out[16]: <seaborn.axisgrid.PairGrid at 0x28cfc8b6b80>



In [17]: sns.displot(df['YEAR'])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x28c87d6bcd0>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>

