Importing Libraries

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]:
    df=pd.read_csv("vidarbha.csv")
    df
```

Out[2]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NC
	0	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2	(
	1	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6	16
	2	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8	í
	3	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7	(
	4	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0	(
	•••														
	110	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7	(
	111	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9	- 1
	112	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5	(
	113	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3	(
	114	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0	(

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [3]:
    df=df.dropna()
    df
```

0 1 503															
Out[3]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NC
	0	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2	(
	1	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6	16
	2	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8	ź
	3	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7	(
	4	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0	(

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NC
•••														
110	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7	(
111	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9	-
112	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5	(
113	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3	•
114	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0	(


115 rows × 20 columns

```
In [4]:
        df.columns
dtype='object')
In [5]:
        df.info()
        <class 'pandas.core.frame.DataFrame'>
        Int64Index: 115 entries, 0 to 114
        Data columns (total 20 columns):
        #
            Column
                        Non-Null Count Dtype
        ---
            -----
                         _____
        0
            index
                         115 non-null
                                        int64
         1
            SUBDIVISION 115 non-null
                                        object
         2
            YEAR
                         115 non-null
                                        int64
         3
            JAN
                         115 non-null
                                        float64
         4
            FEB
                         115 non-null
                                        float64
         5
            MAR
                         115 non-null
                                        float64
         6
            APR
                         115 non-null
                                        float64
         7
            MAY
                         115 non-null
                                        float64
         8
            JUN
                         115 non-null
                                        float64
         9
            JUL
                        115 non-null
                                        float64
         10
            AUG
                        115 non-null
                                        float64
         11
                        115 non-null
                                        float64
            SEP
         12
                        115 non-null
                                        float64
            OCT
         13
                        115 non-null
                                        float64
            NOV
         14
                        115 non-null
                                        float64
            DEC
         15
                        115 non-null
                                        float64
            ANNUAL
                        115 non-null
                                        float64
         16
            Jan-Feb
                                        float64
         17
            Mar-May
                         115 non-null
                                        float64
         18
            Jun-Sep
                         115 non-null
         19 Oct-Dec
                         115 non-null
                                        float64
        dtypes: float64(17), int64(2), object(1)
        memory usage: 18.9+ KB
```

Line chart

```
In [6]:
       df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
```


<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
<AxesSubplot:>, <AxesSubplot:>], dtype=object)



Line chart




Out[7]: <AxesSubplot:>



Bar chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>




Area chart

```
In [10]: df.plot.area()
```

Out[10]: <AxesSubplot:>




Box chart



Pie chart


```
In [12]: df.plot.pie(y='index')
Out[12]: <AxesSubplot:ylabel='index'>
```





Scatter chart

```
In [13]: df.plot.scatter(x='YEAR' ,y='index')
Out[13]: <AxesSubplot:xlabel='YEAR', ylabel='index'>
```



In [14]:

df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	•	Non-Null Coun	
#	COTUIIII	NOII-NUII COUII	t Dtype
		445 33	
0	index	115 non-null	
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtype	es: float64(1	7), int64(2),	object(1)
memor	ry usage: 18.	9+ KB	
17 18 19 dtype	Mar-May Jun-Sep Oct-Dec es: float64(1	115 non-null 115 non-null 115 non-null 7), int64(2),	float64 float64 float64

In [15]:


df.describe()

FEB APR Out[15]: index **YEAR JAN** MAR MAY 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.000 count mean 2909.000000 1958.000000 10.563478 11.982609 11.872174 9.435652 11.551304 173.578 13.177554 std 33.341666 33.341666 15.105752 17.288888 15.540002 14.604363 77.517 0.000000 0.000000 2852.000000 1901.000000 0.000000 0.000000 0.000000 21.400 25% 2880.500000 1929.500000 0.400000 1.100000 0.950000 2.650000 2.250000 116.55(**50**% 2909.000000 1958.000000 3.800000 4.800000 4.900000 5.600000 6.200000 156.400 **75%** 2937.500000 1986.500000 14.950000 14.300000 16.050000 12.000000 14.900000 232.400 2966.000000 2015.000000 74.900000 84.900000 66.300000 112.700000 83.100000 377.500

EDA AND VISUALIZATION


In [16]: sns.pairplot(df)

Out[16]: <seaborn.axisgrid.PairGrid at 0x22463481a60>




In [17]: sns.displot(df['YEAR'])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x22471283df0>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>



In []: