Importing Libraries

In [1]:
```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:
```
df=pd.read_csv("sb_west _bengal _ sikkim.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55.5
1	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74.4
2	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141.3
3	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164.8
4	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87.9
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46.7
111	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119.4

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
112	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199.8
113	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31.2
114	551	SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53.6

115 rows × 20 columns

Data Cleaning and Data Preprocessing

In [3]:
```
df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55.5
1	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74.4
2	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141.3
3	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164.8
4	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87.9
...	...	...	...	...	...	...	...	...	...	...	...	...	...

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
110	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46.7
111	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119.4
112	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199.8
113	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31.2
114	551	SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53.6

115 rows × 20 columns

In [4]:
```
df.columns
```

Out[4]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

In [5]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        115 non-null    int64  
 1   SUBDIVISION  115 non-null    object 
 2   YEAR         115 non-null    int64  
 3   JAN          115 non-null    float64
 4   FEB          115 non-null    float64
 5   MAR          115 non-null    float64
 6   APR          115 non-null    float64
 7   MAY          115 non-null    float64
 8   JUN          115 non-null    float64
 9   JUL          115 non-null    float64
 10  AUG          115 non-null    float64
 11  SEP          115 non-null    float64
 12  OCT          115 non-null    float64
 13  NOV          115 non-null    float64
```

```
 14  DEC          115 non-null    float64
 15  ANNUAL       115 non-null    float64
 16  Jan-Feb      115 non-null    float64
 17  Mar-May      115 non-null    float64
 18  Jun-Sep      115 non-null    float64
 19  Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

In [6]:
```
df.plot.line(subplots=True)
```

Out[6]:
```
array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

In [7]:
```
df.plot.line()
```

Out[7]:
```
<AxesSubplot:>
```



Bar chart

In [8]:
```
df.plot.bar()
```

Out[8]: <AxesSubplot:>



Histogram

In [9]:
```
df.plot.hist()
```

Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

In [10]:
```
df.plot.area()
```

Out[10]: <AxesSubplot:>



Box chart

In [11]:
```
df.plot.box()
```

Out[11]: <AxesSubplot:>



Pie chart

In [12]:
```
df.plot.pie(y='index')
```

Out[12]: <AxesSubplot:ylabel='index'>


index
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68



Scatter chart

In [13]:
```
df.plot.scatter(x='YEAR' ,y='index')
```

Out[13]:
```
<AxesSubplot:xlabel='YEAR', ylabel='index'>
```



In [14]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype
---  ------       --------------  -----
 0   index        115 non-null    int64
 1   SUBDIVISION  115 non-null    object
 2   YEAR         115 non-null    int64
 3   JAN          115 non-null    float64
 4   FEB          115 non-null    float64
 5   MAR          115 non-null    float64
 6   APR          115 non-null    float64
 7   MAY          115 non-null    float64
 8   JUN          115 non-null    float64
 9   JUL          115 non-null    float64
 10  AUG          115 non-null    float64
 11  SEP          115 non-null    float64
 12  OCT          115 non-null    float64
 13  NOV          115 non-null    float64
 14  DEC          115 non-null    float64
 15  ANNUAL       115 non-null    float64
 16  Jan-Feb      115 non-null    float64
 17  Mar-May      115 non-null    float64
 18  Jun-Sep      115 non-null    float64
 19  Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [15]:
```
df.describe()
```

Out[15]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	JU
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000(
mean	494.000000	1958.000000	14.083478	22.974783	43.135652	110.681739	269.143478	537.8817
std	33.341666	33.341666	17.066089	19.583787	30.851319	55.688697	69.790921	134.1205
min	437.000000	1901.000000	0.000000	0.100000	0.000000	4.800000	142.000000	261.700(
25%	465.500000	1929.500000	2.250000	8.650000	15.100000	71.300000	217.100000	447.400(
50%	494.000000	1958.000000	9.400000	19.600000	42.600000	110.900000	269.400000	527.800(
75%	522.500000	1986.500000	19.550000	33.400000	63.650000	144.850000	311.100000	611.200(
max	551.000000	2015.000000	103.000000	109.900000	132.100000	281.800000	503.100000	896.000(

EDA AND VISUALIZATION

In [16]:
```
sns.pairplot(df)
```

Out[16]:
```
<seaborn.axisgrid.PairGrid at 0x12a1c8b4b50>
```



In [17]:
```
sns.displot(df['YEAR'])
```

Out[17]:
```
<seaborn.axisgrid.FacetGrid at 0x12a27e141c0>
```



In [18]:
```
sns.heatmap(df.corr())
```

Out[18]: <AxesSubplot:>



In [ ]: