

# Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

# Importing Datasets

In [2]:

```
df=pd.read_csv("hdc.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2.0	0.0
1	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9.3	0.0
2	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4.0	0.0
3	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1.5	10.4
4	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0.0	0.0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
110	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0.0	0.0
111	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2.4	0.6
112	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10.9	1.7
113	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10.5	0.2
114	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3.7	2.3

115 rows × 20 columns

# Data Cleaning and Data Preprocessing

In [3]:

df=df.dropna()  
df

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2.0	0.0
1	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9.3	0.0
2	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4.0	0.0
3	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1.5	10.4
4	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0.0	0.0
...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
110	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0.0	0.0
111	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2.4	0.6
112	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10.9	1.7
113	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10.5	0.2
114	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3.7	2.3

115 rows × 20 columns

In [4]:

df.columns

Out[4]:

Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',  
 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',  
 'Mar-May', 'Jun-Sep', 'Oct-Dec'],  
 dtype='object')

In [5]:


df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null    int64
1   SUBDIVISION     115 non-null    object
2   YEAR            115 non-null    int64
3   JAN             115 non-null    float64
4   FEB             115 non-null    float64
5   MAR             115 non-null    float64
6   APR             115 non-null    float64
7   MAY             115 non-null    float64
8   JUN             115 non-null    float64
9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb         115 non-null    float64
17  Mar-May         115 non-null    float64
18  Jun-Sep         115 non-null    float64
19  Oct-Dec         115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

# Line chart

```
In [6]: df.plot.line(subplots=True)
```


```
Out[6]: array([<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>], dtype=object)
```



# Line chart

```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:~>
```



## Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



## Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



## Area chart

```
In [10]: df.plot.area()
```


Out[10]: <AxesSubplot:>



## Box chart

```
In [11]: df.plot.box()
```


Out[11]: <AxesSubplot:>




## Pie chart

```
In [12]: df.plot.pie(y='index')
```

```
Out[12]: <AxesSubplot:ylabel='index'>
```






# Scatter chart

```
In [13]: df.plot.scatter(x='YEAR' ,y='index')
```

Out[13]: <AxesSubplot:xlabel='YEAR', ylabel='index'>





```
In [14]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype  
---  -
0   index           115 non-null   int64  
1   SUBDIVISION     115 non-null   object  
2   YEAR            115 non-null   int64  
3   JAN             115 non-null   float64 
4   FEB             115 non-null   float64 
5   MAR             115 non-null   float64 
6   APR             115 non-null   float64 
7   MAY             115 non-null   float64 
8   JUN             115 non-null   float64 
9   JUL             115 non-null   float64 
10  AUG             115 non-null   float64 
11  SEP             115 non-null   float64 
12  OCT             115 non-null   float64 
13  NOV             115 non-null   float64 
14  DEC             115 non-null   float64 
15  ANNUAL          115 non-null   float64 
16  Jan-Feb         115 non-null   float64 
17  Mar-May         115 non-null   float64 
18  Jun-Sep         115 non-null   float64 
19  Oct-Dec         115 non-null   float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```


```
In [15]: df.describe()
```

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	1414.000000	1958.000000	16.889565	17.433913	12.935652	7.633913	14.533913	48.620000
std	33.341666	33.341666	15.514478	18.893422	15.251840	12.847533	15.900347	34.180000
min	1357.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	2.100000
25%	1385.500000	1929.500000	3.550000	2.250000	2.100000	0.800000	3.700000	24.600000
50%	1414.000000	1958.000000	14.300000	12.100000	7.200000	2.800000	7.900000	43.700000
75%	1442.500000	1986.500000	25.150000	27.850000	17.700000	8.750000	20.700000	66.600000
max	1471.000000	2015.000000	66.500000	91.000000	71.800000	82.500000	72.900000	193.500000

# EDA AND VISUALIZATION


```
In [16]: sns.pairplot(df)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x2a91a92b5e0>
```



```
In [17]: sns.displot(df['YEAR'])
```


```
Out[17]: <seaborn.axisgrid.FacetGrid at 0x2a925e20fa0>
```



In [18]:

```
sns.heatmap(df.corr())
```

Out[18]: <AxesSubplot:>



In [ ]: