

1./topic/transittag/login/{IMEI}-Publish (When device connects to the server and starts reporting data)

Topic: /topic/transittag/login/863471065046913 QoS: 0

863471065046913

2024-07-17 14:10:47:089

2./topic/transittag/{IMEI} - Subscribe (Used when sending a command to the device)

/topic/transittag/863471065046913

health

3./topic/transittag/cmd/{IMEI} - Publish (Used when the device is responding to a command)

Topic: /topic/transittag/cmd/863471065046905 QoS: 0

VERSION: TRANSITTAG-GPS-1.0.0-20240731

IMEI: 863471065046905

BT: disconnected

GSM: Ready rssi:17

GPS: invalid

OTA: ready

TIME: 2024-8-9 14:33:22

TIMEZONES: 12

POWER: 12.7v

ACC: connected

OBD: disconnected

SPEED: 0km/h

SERVICE: connected

Powered by NIOT

5./topic/transittag/wifi/{IMEI}- Publish (Wifi Parameters)

- **Wifi payload when no device is connected**

```
{
  "imei": "863471065046905",
  "config": {
    "ssid": "4G-MIFI_A293",
    "hidden": false,
    "key": "12345678",
    "disabled": false,
    "channel": 6,
    "macaddr": "14:CB:49:02:A2:93"
  }
}
```

- **Wifi payload when a device has been connected to the wifi**

```
{
  "imei": "863471065046905",
  "config": {
    "ssid": "4G-MIFI_A293",
    "hidden": false,
    "key": "12345678",
    "disabled": false,
    "channel": 6,
    "macaddr": "14:CB:49:02:A2:93"
  },
  "clients_num": 1,
  "clients_info": [{
    "client_id": 1,
    "mac_address": "22:f3:05:b0:6d:88",
    "ip_address": "192.168.100.14",
    "device_name": "Pixel-8"
  }]
}
```

6./topic/transittag/rfid/{IMEI}- Publish (Tag information)

```
{  
  "time": "2024-08-09 14:32:22",  
  "stationID": 0,  
  "deviceID": "863471065046905",  
  "status": 0,  
  "userID": "04:B3:3C:CA:B3:1A:90"  
}
```