

Asset Transfer Rejection

Document ID: cmauzaj5j0010wfu4zkwi3n7x

Transfer Details

Field	Value
Asset Name	Real State
Serial Number	sr#123real
From Location	Ayat 49 , condominium
To Location	Ayat 49 , Tsebel
Status	REJECTED
Request Date	May 19th, 2025
Response Date	May 19th, 2025

Personnel Information

Role	Details
Requester Name	moges tadesse
Requester Email	moges@gmail.com
Manager Name	bewket
Manager Email	bewket@gmail.com


Reason Information

Type	Reason
Request Reason	qqqqqqqqqqqqqqqqqwerty

	<p>You fetch recent notifications from your database (via API) when the bell is clicked.</p> <p>Or you load them on page load and just toggle visibility of the dropdown.</p> <p>You mark them as read (optional) when the dropdown is opened or when each one is clicked.</p> <p>You can use:</p> <p>React state to toggle the dropdown</p> <p>Tailwind + Headless UI for the UI</p> <p>Prisma + Next.js API routes to fetch/store notifications</p> <p>You fetch recent notifications from your database (via API) when the bell is clicked.</p> <p>Or you load them on page load and just toggle visibility</p>
--	--

Rejection Reason

Type	Reason
------	--------



of the dropdown.

You mark them as read (optional) when the dropdown is opened or when each one is clicked.

You can use:

`useState` React state to toggle the dropdown

`classnames` Tailwind + Headless UI for the UI

`useQuery` Prisma + Next.js API routes to fetch/store notifications

You fetch recent notifications from your database (via API) when the bell is clicked.

Or you load them on page load and just toggle visibility of the dropdown.

You mark them as read (optional) when the dropdown is opened or when each one is clicked.

You can use:

`useState` React state to toggle the dropdown

`classnames` Tailwind + Headless UI for the UI

`useQuery` Prisma + Next.js API routes to fetch/store notifications

You fetch recent notifications from your database (via API) when the bell is clicked.

Or you load them on page load and just toggle visibility of the dropdown.

You mark them as read (optional) when the dropdown is opened or when each one is clicked.

You can use:

`useState` React state to toggle the dropdown

`classnames` Tailwind + Headless UI for the UI

`useQuery` Prisma + Next.js API routes to fetch/store notifications

You fetch recent notifications from your database (via API) when the bell is clicked.

Or you load them on page load and just toggle visibility of the dropdown.

You mark them as read (optional) when the dropdown is opened or when each one is clicked.

You can use:

`useState` React state to toggle the dropdown

