

IQly

From a free test to account value

AI Builder Challenge

Flow, conversion and the decisions behind them


Flow and conversion: 2–7. Decisions and tests: 8–20.

Supporting detail: 21–35. Submission links: 36.

Question 1 of 12

Pattern recognition

Which tile completes the grid?




[Skip this one](#)

10 September 2026

The visitor's path, from first click to account

Entry sources: "iq test" / "free iq test" search, or the supplied display creative



The next two slides show this path in the actual prototype. Account creation is local; no email is sent.

The control before signup

 Free IQ test

FREE IQ TEST · 12 QUESTIONS · ~5 MIN

Find out your IQ range and where you rank.

Twelve reasoning questions, no timer.
Result the moment you finish.

12
questions

~5
minutes

4
areas

Free to take. Free account at the end.

- **Free, no payment:** all 12 questions, and how many you got right.
- **Free account (email only, no password, no payment):** IQ range and rank, full answer review (what you missed and why), attempt history if you retake, and delete anytime in this browser.

Start the test

No payment, ever. A short reasoning test, not a clinical IQ assessment.

 Free IQ test

Question 4 of 12 Spatial reasoning

Which option is the same shape as the figure shown, only rotated (not flipped)?



1 

2 

3 

4 

5 

[← Back](#) [Skip this one](#)

1 Understand the exchange

The landing explains what is free and what the account unlocks before the visitor invests effort.

2 Complete the quiz

Twelve questions, no countdown, visible progress and recoverable navigation.

Free value, account creation, delivered value

3 Counts + sample

IQly

Free IQ test

YOUR RESULT IS READY

You answered 9 of 12 correctly.
9 correct · 3 incorrect. Your IQ range and rank are ready to view.

Create your free account (no payment) to see your result

- Your IQ range on the familiar scale
- An illustrative rank from the prototype mapping, not a measured population rank
- Full answer review: every question you missed, and why
- Attempt history: every retake kept under your account
- Delete control: remove your account and data from this browser anytime

Free. Email only, no password. No payment, ever — not a trial, not a card.

Create free account (no payment)

See one explanation from your review +

Your answers by area +

IQly is a short online reasoning test, not a clinical or psychometrically normed IQ assessment. The range and

4 Email-only account

IQly

Free IQ test

FREE ACCOUNT

Create your free account (no payment) to see your result
Your answers are already scored. The free account (email only, no payment) shows your IQ range and rank, keeps the full answer review, saves attempt history if you retake, and lets you delete everything from this browser anytime.

Email address

you@example.com

Only your email, no password, no payment. Email sign-in links would be a future service; this prototype saves only in this browser.

☐ Also send me occasional IQly updates. Optional.

Create my free account

By continuing you agree to IQly's Terms and Privacy Policy. You can delete your account and saved result from this browser at any time.

Prototype note: this page runs offline. Your email is validated in the browser and kept only in this browser's storage. No email is sent and no real account exists on a server. Terms and Privacy Policy are placeholders here.

[← Back to my result](#)

5 Review + history

Your attempts (1) —

Sep 10 05:07 PM · latest · 9/12 · Above average range

Why a range, not a number +

Your answers by area +

Answer review

✓ Q1 · Pattern recognition · correct

Each row keeps one shape, and the number of shapes grows 1, 2, 3 across the row. The missing tile needs three triangles.

✓ Q2 · Numerical reasoning · correct

Each number is double the one before it: $24 \times 2 = 48$.

✓ Q3 · Logical reasoning · correct

Every glimp is striped, and nothing striped is heavy, so no glimp can be heavy.

✗ Q4 · Spatial reasoning · correct answer: option 4 (you chose option 5)

Only option 4 is the same L-shape turned a quarter turn. Option 1 is a mirror image, which turning alone cannot produce; the others are different shapes.

✓ Q5 · Pattern recognition · correct

Along each row the arrow turns a quarter turn clockwise (up, right, down) and keeps its fill.

Working value: answer review and local history. Email links and updating population rank remain future functionality.

Conversion is counted across the whole visit

The visitor wants a free test and a useful result.

Account creations / page visits

For a single-visit, post-quiz path:

$$\begin{array}{ccccccc} \text{Starts} & & \times & \text{Completions} & & \times & \text{Signup views} & & \times & \text{Accounts} \\ \text{/ visits} & & & \text{/ starts} & & & \text{/ completions} & & & \text{/ signup views} \end{array}$$

A gain at one step can be lost at another. No observed IQly conversion rate is claimed. Metric definitions follow in the appendix.

An intermediate winner can still lose

Proposed production comparison — hypothetical numbers

Metric	Control	Shorter quiz
Eligible visitors	1,000	1,000
Quiz completions	600	700
Verified accounts	90	80
Verified conversion	9%	8%

The business question

Did more visitors create a verified account?

Counts show the tradeoff. The production decision still requires the prespecified primary, quality rules and uncertainty assessment.

Follow the signup through to delivered value

Stage	What can be counted	What is still unknown
Prototype signup	One email accepted; local state saved.	Syntax does not prove ownership or demand.
Delivered value	Full review and local history are available.	Do people use the result or return?
Production outcome	Seven-day verified accounts / eligible visitors.	Identity and live measurement need implementation.
Economics	Acquisition cost against cohort contribution.	No spend, retention or revenue measured here.

Keep the assigned conversion metric. Report result delivery and downstream value alongside it.

One promise from the ad to the account

Transition	The actual promise	Decision it supports
Ad → landing	A short, free reasoning test.	Keep the task and effort promise continuous.
Landing → quiz	12 questions; free account at the end.	Show the free/account boundary before effort.
Quiz → result	Counts and a sample explanation are free.	Show what was produced before asking for identity.
Account → reward	Full review and local history.	Deliver now; email links remain future work.

Search can bring explicit intent; display may need to create it. Treat this as a channel hypothesis.

Why the flow could convert

Visitor question	Design response	Expected effect to test
Is this what I came for?	The ad, landing and task match.	More relevant starts.
Is the effort manageable?	A bounded, untimed quiz with recovery.	More completed attempts.
Is the account worth it?	Real counts and a sample review before the ask.	More visitors who choose the account.
Can I finish the step?	One email field and a clear local result.	Fewer abandoned forms and more result views.

These mechanisms can fail or offset each other. The account rate across the whole path is the decision metric.

The account has to earn the email

The positive argument

A visitor may want to understand mistakes and revisit attempts. A sample explanation makes that value inspectable before the ask.

Why retain the exchange

The challenge asks for account conversion. This is a concrete starting offer, with a complete score-first alternative that can overturn it.

The strongest objection

Local saving does not need an email. The prototype simulates identity; it cannot justify the ask through cross-device access or recovery.

What would change the decision

If people understand the offer and still do not want it, reconsider anonymous results or the payload. Do not invent future benefits.

Feature existence is verified. Account demand, retention and the value of saving remain unmeasured.

Why I changed the control

Original approach

**Show the range
before signup**

Adopted control

**Give real counts,
then ask for an account**

The judgment

A free range might spend the main reason to register before the ask. A disclosed exchange deserved a direct comparison.

The reversal did not prove the replacement better. Test 1 preserves the strongest competing approach.

Why these three tests come first

Amount of value

Score-first challenges the gate: does earlier free value earn enough verified accounts to justify giving up gated curiosity?

Amount of effort

Eight questions tests whether reduced effort outweighs any loss in perceived value. It also changes item composition and resolution.

Moment of the ask

Signup-first tests capture before quiz attrition against asking before demonstrated value. It can create accounts that never reach a result.

Why defer smaller changes

Copy, color and disclosure prominence remain plausible. The chosen portfolio addresses the core exchange; larger effects are not guaranteed.

These are three learning questions. The prototype has complete variants; no production A/B test has run.

Three experiments around the same flow

Flow	Questions	Account moment	Value before the account
Control	12	After the quiz	Counts and one explanation
Test 1: Result gating	12	After the quiz	Counts, range and rank
Test 2: Quiz length	8	After the quiz	Counts and one explanation
Test 3: Signup timing	12	Before question 1	The disclosed offer

One main choice per arm, with stated copy/layout coupling.

Shipping bounds below use variant/control rate ratios and two-sided 95% intervals.

Test 1: Result gating

Hypothesis

A free range may build trust while weakening the reason to create an account.


Proposed shipping rule

Primary ratio lower 95% bound > 0.90 , with account-quality guardrails.

Tradeoff

The 10% tolerance is a policy for a possible trust benefit. Free content and page height change together.

Primary: seven-day verified accounts per eligible exposed visitor. No production test has run.



Test 2: Quiz length

Hypothesis

Less effort may improve completion without making the result feel less worth an account.

Proposed shipping rule

Primary ratio lower 95% bound > 1.00 .

Gate-entry ratio lower bound > 0.95 .

Tradeoff

Eight items also change composition and score resolution. Fast completers stay in the analysis.

Primary: seven-day verified accounts per eligible exposed visitor. No production test has run.

IQlyFree IQ test

Question 4 of 8Pattern recognition

Which tile completes the grid?

1	2	3
4	5	6

[← Back](#)[Skip this one](#)

Test 3: Signup timing

Hypothesis

An earlier ask may create more accounts, while fewer account holders reach the result.

Proposed shipping rule

Primary ratio lower 95% bound > 1.05 .

Full-result/account ratio lower bound ≥ 1.00 .

Tradeoff

An early account is only the first step. Result delivery must justify the additional accounts.

The zero-loss quality rule is strict and can remain inconclusive at equal true quality. Set any tolerated-loss margin before enrollment.

 Free IQ test

FREE ACCOUNT

Create your free account to start the test

Your range, rank and answer review are saved to your account the moment you finish.

Email address

Only your email, no password, no payment. Email sign-in links would be a future service; this prototype saves only in this browser.

☐ Also send me occasional IQly updates. Optional.

Create my free account

By continuing you agree to IQly's Terms and Privacy Policy. You can delete your account and saved result from this browser at any time.

Prototype note: this page runs offline. Your email is validated in the browser and kept only in this browser's storage. No email is sent and no real account exists on a server. Terms and Privacy Policy are placeholders here.

[← Back](#)

The first 1,000 visitors

1 Validate the measurement

Check exposure, assignment and each arm's event order. Reconcile visits, sessions and visitors.

3 Study comprehension

Ask visitors what “free” meant and what they expected the account to provide.

2 Establish a baseline

Measure verification and result delivery by acquisition source. Locate the largest loss.

4 Choose one comparison

Choose one comparison from the observed loss. Fix its rules and sample; let cohorts mature.

A thousand visitors can expose broken measurement or unclear value. It does not guarantee enough power for all three tests.

My decisions and AI's contribution

Decisions I accepted

The project constraints
The disclosed-gate reversal
The three experiment choices
The evidence limits and final corrections

Work AI produced

Research synthesis and arguments
Question, code and creative drafts
Verification tooling
Additional audit discoveries

Human oversight and earlier AI review both missed defects. I own the accepted choices and their limits.

What the final audit changed

Finding	Bounded correction
Answer and Skip could race	Guard pending navigation and cancel stale callbacks.
Some account promises exceeded behavior	Keep local review/history. Label future email/rank features.
Vertical artwork exceeded its declared margins	Refit the existing content and re-export the formats.
Claims and analysis rules exceeded evidence	Qualify unsupported claims and keep fast visitors in analysis.

Functional checks passed. Conversion impact and IQ validity remain unmeasured. Desktop emulation leaves a separate physical-phone check.

What would change the decisions

Current choice	Evidence that matters	Possible response
Disclosed gate	Score-first passes its rule, or the offer is misunderstood.	Change the value boundary or clarify it.
Twelve items	Eight passes conversion and the required guardrails.	Adopt the short form; investigate composition.
Late account ask	Early signup passes both primary and result-delivery rules.	Move the ask with truthful acquisition copy.
Illustrative range/rank	People still read it as measured intelligence.	Hide the mapping pending suitable evidence.
Auto-advance / disclosure	Repeated mis-taps or poor offer comprehension.	Test explicit Next or a clearer compact layout.

Keep the control when the required evidence is inconclusive. A larger intermediate metric cannot overrule the policy.

The arithmetic exposed the assumptions

Hypothetical scenarios. Gate account rate held at 40% of finishers.

Score-first accounts / finishers	Upstream improvement needed to tie
12%	3.33× starts × completion
30%	1.33× starts × completion
40%	1.00×: equal upstream performance
45%	0.89×: some upstream loss is affordable

Changing the assumptions changes the preferred design. Verification quality is held equal in this toy calculation.

How the work changed over time

Stage	Question reopened	Resulting decision
Initial direction	Give the interpretation first?	Score-first favored immediate free value.
Architecture review	What makes the account worth creating?	Adopt a disclosed gate; retain its strongest rival.
Implementation review	Does each promise have a behavior?	Add history, verified storage and deletion; improve events.
Final adversarial audit	What did ordinary passes miss?	Fix races and bounds; narrow claims and analysis rules.

A change in judgment can be defensible before its performance is known. The live tests must still decide.

Why this question bank and length

Why twelve

A bounded task with variety across four areas. Twelve gives room for progression without requiring a large authoring and review scope.

Why untimed

The task counts accuracy. A countdown would introduce speed pressure and change the experience without a validated reason to do so.

Why these areas

Pattern, numerical, logical and spatial tasks provide variety. Omitting a separate verbal category does not remove language or accessibility barriers.

Why defer longer or adaptive tests

A longer form needs more reviewed items. Adaptive testing needs calibrated items. Eight tests reduced effort using the supplied bank.

Difficulty tiers and duration estimates are authored judgments. Neither form has measured reliability or norms.

Why the interaction is recoverable

Choice	Reason to keep it	Tradeoff and revision trigger
One question + progress	Show the immediate action and remaining work.	No measured lift; watch per-item loss.
Back and Skip	Recover mistakes or move past a difficult item.	Skips reduce the evidence available.
320 ms auto-advance	Remove a repeated Next action.	Mis-taps may favor explicit Next.
Brief calculating transition	Mark the move from answers to result.	Pacing can add needless delay; inspect exits.
Resume, retake, deletion	Let a visitor interrupt, return or remove data.	Local persistence may fail; disclose the fallback.

Functional recovery is verified. These interaction choices have not been optimized on real conversion traffic.

Why disclose before asking for effort

Reason for the visible boundary

Let visitors know what is free, what the account unlocks and that no payment is required before they start.

Reason for the hierarchy

Keep the main action clear. Put supplementary explanation and area counts in expandable sections, while the offer remains visible.

The tradeoff

Disclosure uses space. Expandable details may go unread. A viewport measurement does not prove everyone sees or understands a CTA.

The credible alternative

A compact, equally understood disclosure could work. Test comprehension and the full funnel before replacing the block.

Disclosure could raise starts, lower starts or have little effect. Its availability does not prove comprehension.

What the result can honestly mean

What is supported

The count follows the shipped answer keys. Area counts describe these responses; they do not establish an ability profile.

The strongest alternative

Show raw performance only until validation and norms exist. A broad range or disclaimer does not make an IQ claim scientifically valid.

Why keep a labelled range

The brief asks for an IQ result and rank. The prototype represents that concept through an explicitly illustrative mapping.

What would change the choice

Hide the mapping if people misunderstand it. Any measured score or rank needs evidence for this bank and a defined reference population.

No exact IQ, reliability coefficient, error margin, measured percentile or general-population comparison is established.

Why email-only, and what it leaves out

The chosen step

One email field, no password and a separate unchecked marketing choice. Fewer requested actions are a design property, not a guaranteed lift.

Alternatives and tradeoffs

Anonymous saving avoids identity. Passwords and social login add a different account model. A real email link needs a service and recovery rules.

What the prototype does

Check syntax, create local state and reveal the result. Verify storage by reading it back; disclose when only the current tab retains it.

What should be measured

Syntax errors here. Ownership verification, duplicates, result use and complaints in production. Keep raw email out of event and debug logs.

The local account contains the email. There is no server account, email delivery, cross-device history or ownership verification.

One concept across three creatives


320 × 50



250 × 250



1080 × 1920



The ad previews the task.

The landing carries the same free offer and explains the account exchange.

The sample can prime Q1. Future length tests need the same count-neutral acquisition message.

Why this creative concept

Reason for the real puzzle

Show the activity the visitor will actually reach.
A matching promise can help attract people interested in the task.

Tradeoffs and rejected claims

Q1 exposure can prime the answer. Small text competes for attention. Invented certification, urgency and rarity claims lack support.

Why adapt the same concept

The banner carries the compact offer. Square and vertical formats show the sample; the landing explains the full account boundary.

How to judge it

Measure accounts per impression and acquisition cost. CTR and account conversion after the click explain why a creative wins or loses.

$\text{Accounts} / \text{impressions} = \text{clicks} / \text{impressions} \times \text{accounts} / \text{click}$, for the same attributed cohort and window.

Alternatives that remain worth testing

Alternative	Why it is credible	Why it is deferred
Coarse free band	A middle point between counts and full interpretation.	First test the adopted gate against score-first.
Signup after question 3	Some demonstrated value before the account ask.	Needs its own complete timing comparison.
Question-first entry	Participation begins immediately.	Needs a composition that explains the exchange.
Sixteen or more items	May offer a more substantial experience.	Requires additional reviewed items and fresh evidence.
Learning plan / email report	Could create a stronger account benefit.	Requires real new functionality.
Copy, color, disclosure dial	Small changes can affect understanding and behavior.	Prioritized the three core product uncertainties.

Deferred does not mean disproved. Evidence from the main comparisons should determine the next question.

Three denominators, three uses

Use	Metric	Boundary
Official objective	Account creations / page visits	Page visits include reloads.
Prototype diagnostic	Sessions with signup / sessions with landing	Persistent browser IDs, local simulation.
Proposed production primary	Seven-day verified accounts / eligible exposed visitors	Stable assignment and real verification still need implementation.

Every eligible exposed visitor stays in the assigned denominator.

Why the shipping thresholds differ

Test	Policy being expressed	Lower 95% ratio boundaries
1 Score-first	Allow a limited possible account loss for a hypothesized trust benefit.	Primary >0.90; account-quality checks hold.
2 Eight items	Require more verified accounts without a material gate-entry loss.	Primary >1.00; gate entry >0.95.
3 Signup-first	Require a worthwhile account gain and preserved result delivery.	Primary >1.05; full result/account $\geq$ 1.00.

All ratios compare variant with control. These are prospective policies requiring production sign-off, not completed results.

Why the analysis keeps everyone assigned

Stable visitor assignment

Randomize before showing treatment and keep assignment across visits. Four manually chosen files do not provide this in the prototype.

Separate diagnosis from decisions

Step rates and device/keyword cuts explain patterns. Conditional account groups can change; also report results per eligible visitor.

Keep treatment consequences

Retain bounces, invalid submissions, fast completers and signup-first non-finishers. Removing them can manufacture a favorable rate.

Protect the comparison

Hold acquisition constant, verify event order and assignment balance, then finish the declared sample and seven-day follow-up.

Data-quality failures block interpretation. No outcome-driven stopping, denominator changes or unpowered segment ship calls.

Why a small launch cannot settle every test

Planning illustration: 10% control verified rate, 80% power, equal arms.

Comparison	Assumed true ratio / boundary	Visitors per arm
Test 1: score-first	1.00 / 0.90	12,727
Test 2: eight items	1.20 / 1.00	3,857
Test 3: signup-first	1.20 / 1.05	7,190

Approximate primary-only counts. Required guardrails may need more traffic; a thousand visitors is not a universal test budget.

Why the implementation is packaged this way

Offline and self-contained

The reviewer opens index.html without a server or build. No runtime framework, CDN, font download or analytics endpoint is required.

One public release

Keep source, assets and write-ups together with a deterministic ZIP. Preserve stable URLs and exclude private preparation material.

One template, complete variants

Generate four standalone flows from shared source. Review diffs and render each arm so accidental differences are visible.

Evidence beyond a manifest

Hashes verify bytes. Fresh extraction, actual flow tests and rendered checks establish different parts of completeness and behavior.

This presentation is supplemental. The original quiz ZIP and its 46 release files retain their pinned bytes.

Explore the submission

Part 1 The flow

[Part 1 explanation](#)

[Control flow](#)

Part 2 The experiments

[Part 2 explanation](#)

[Test 1: Score first](#)

[Test 2: Eight questions](#)

[Test 3: Signup first](#)

Part 3 The creatives

[Part 3 explanation](#)

[320 × 50 banner](#)

[250 × 250 creative](#)

[1080 × 1920 creative](#)

[Public source and supporting records](#)

The ZIP supplies the offline release. These links open the corresponding public artifacts.