DATE /

X Rotor ~~Bee~~ .3115 900 KV

Specs →

LiPo batt: 4S-6S Max current:

81 A

We could use 90 AmP because the maximum is 81A and now we have [DYS 100A 2-6S brushles ESC] on web: Unmaned Tech.com

DATE /

(2)

LiPo batt

Specs of our motor says that the 3115 could use from 4 to 6 cells in series. [unmaned tech]


We have 6 kg, each motor must thrust 1.5 kg.

- Max thrust for 3115 is 517.7 g
- Optimal trust to weight ratio is 3:1.

∴ weight is 6 the thrust is 18 kg

∴ 450 g for each motor

DATE /



$\frac{4500}{5177} \times 100 = 86.9\%$

~~1 Motor~~

one motor need to work 87% from each maximum

in case off 20 min:

$\frac{87}{100} \times 81\,Amb = 70.5\,A$

$70.5 \times 4 = 282\,A$ for each 9 sec

- 20 min = 1200 sec / $\frac{1200}{9\,sec}$ = 133

$133 \times 282\,A = 37506$

Capacity for batt

DATE /

4

we could use from makers.com

infiggpt

we will use 2 in Parallel.

2 X 22000 mAh = 44,000 mAh

~~PDB~~ Power module

we could use pm.2

- it is output is 5V 3A for Pixhawk

DATE / PDb

5

~~8 MAX 4 = 32A~~

7 0.5 A x 4 = 28 2 A

I have search of got 300A in Unmanned

That is above our Max current.