SLEEP-02 | Therapist only - all age groups

Conditions that affect rest

1 | Purpose, fit and boundaries

Purpose of this unit

Map environmental conditions, bodily sensations and daily demands that affect comfort around rest. Distinguish a simple chosen adjustment, a condition outside personal control, and a question requiring professional assessment.

Choice and adaptation

Choose this sheet following professional assessment and with consent. The person may skip questions, answer aloud, or choose another tool. This is proposed original material for review; it provides no score, diagnosis, or promise of an outcome.

Boundaries specific to this unit

This sheet does not diagnose sleep disorders or offer sleep restriction, medication changes or a universal hours target. Persistent difficulty, pain, suspected pauses in breathing or involuntary daytime sleep warrant medical assessment. Do not delay assessment until the sheets are completed.

Reusing existing material

SLEEP-01 offers an evening and morning picture. Here we explore one condition and ways to support it, without adding a detailed diary or repeated clock checks.

A fictional example for discussion

Fictional example: Roni says his shared room is noisy when his brother gets ready. With an adult, he chooses to arrange earlier bag preparation and explores comfort without measuring how quickly he falls asleep.

> Draft for administrator review. Clinical review and final rights approval are still pending.

Mindful Path

SLEEP-02 | Therapist only - all age groups

Working together with the worksheet

2 | A conversation about one situation

Opening

Choose a situation the person wants to explore. It need not be the hardest situation. Check that the question is understood and the wording fits the person; their account comes before the therapist's interpretation.

1 | Question for discussion

What environmental and bodily conditions relate to my chosen difficulty?

2 | Question for discussion

What is practical to change, and what is outside my control?

3 | Question for discussion

How do shifts, caring for others or daily demands affect things?

4 | Question for discussion

What one adjustment could we safely explore?

5 | Question for discussion

What persistent difficulty or daytime sign needs assessment?

Closing

Summarize what became clearer and what remains open. Use the existing SES-S01 and SES-S02 for the session framework. There is no need to repeat an assessment or plan already recorded.

Possible difficulties

If the list of conditions grows long, choose just one. If it cannot be changed, focus on requesting support; do not promise that an adjustment will resolve sleep difficulty.

Mindful Path

SLEEP-02 | Therapist only - all age groups

Adapting for four age groups

3 | Age is a starting point, not an assumption about ability

CH | Children, approximately ages 6 to 11

The adult checks safe, accessible conditions; the child describes comfort and is not responsible for falling asleep. Pointing or drawing can replace writing.

Offer one question at a time with little writing. Adult support must not replace the child's own voice.

TE | Adolescents, approximately ages 12 to 17

Explore shared space, school and privacy without automatically blaming screens. Changing a family environment requires agreement and support.

Agree in advance what will be shared and with whom, and explain the privacy limits in this setting. Do not promise absolute confidentiality.

AD | Adults

Allow for housing, shifts and caregiving responsibilities. Do not portray financial or organizational conditions as a willpower problem.

OA | Older adults

Ask about actual changes without explaining them solely by age. Adjustments, lighting or help must preserve accessibility and safety.

Offer reading support, time, and conversation according to preference. Choose help from another person together with the participant, respecting their privacy.

> Each age version needs its own review. Approval of one version does not automatically approve the others.

Mindful Path

SLEEP-02 | Therapist only - all age groups

Practice, review and next steps

4 | Shared choice and learning from the attempt

Before offering practice sheet P

Choose a simple, safe adjustment with consent. Do not change treatment, safety measures or sleep times through this attempt; discussing conditions in the session is enough.

At the next session

Explore changes in comfort and needs for other help. Information about an unchangeable condition matters even if sleep has not changed.

Professional and technical records

Each version has a separate review record covering age suitability, originality, rights, and fictional filling. Reviewer and date fields remain blank until assigned. File checks or a code merge are not clinical approval. Clinical information stays only in the authorized setting, outside the code repository.

Background references

The following links were used for background only. Questions and adaptations were written afresh for the expansion plan; no questionnaire, scale, or protocol was copied. Adult sources do not validate the child versions. This material makes no claim about session count or treatment effectiveness.

www.nhs.uk/conditions/insomnia/
www.nhs.uk/conditions/excessive-daytime-sleepiness-hypersomnia/

Mindful Path