SLEEP-03 | Therapist only - all age groups

A flexible evening routine

1 | Purpose, fit and boundaries

Purpose of this unit

Choose a short, pleasant sequence before rest that fits the person's life and allows a different evening. The aim is to ease demands and transitions, not create mandatory conditions for falling asleep.

Choice and adaptation

Choose this sheet following professional assessment and with consent. The person may skip questions, answer aloud, or choose another tool. This is proposed original material for review; it provides no score, diagnosis, or promise of an outcome.

Boundaries specific to this unit

Do not set a sleep window, restrict time in bed or stop daytime rest through this sheet. There is no universal hours target across ages, medication change or requirement to stay alone in distress. Persistent difficulty requires suitable assessment.

Reusing existing material

After exploring conditions in SLEEP-02, choose a limited sequence. EXEC-02 can support general planning, but the evening must not become another task list.

A fictional example for discussion

Fictional example: Or chooses to prepare clothes and read briefly before rest. On an evening with a family visit, he skips reading without trying to compensate or complete the sequence at any cost.

> Draft for administrator review. Clinical review and final rights approval are still pending.

Mindful Path

SLEEP-03 | Therapist only - all age groups

Working together with the worksheet

2 | A conversation about one situation

Opening

Choose a situation the person wants to explore. It need not be the hardest situation. Check that the question is understood and the wording fits the person; their account comes before the therapist's interpretation.

1 | Question for discussion

What daily transition would I like to ease?

2 | Question for discussion

What few activities suit this need?

3 | Question for discussion

How will I adapt them to shifts and commitments?

4 | Question for discussion

What can be left out when the evening changes?

5 | Question for discussion

How will we explore comfort without judging success at falling asleep?

Closing

Summarize what became clearer and what remains open. Use the existing SES-S01 and SES-S02 for the session framework. There is no need to repeat an assessment or plan already recorded.

Possible difficulties

If someone fears they cannot sleep without every step, stop the routine becoming a rule. Explore the pressure in the session and choose fewer activities or conversation alone.

Mindful Path

SLEEP-03 | Therapist only - all age groups

Adapting for four age groups

3 | Age is a starting point, not an assumption about ability

CH | Children, approximately ages 6 to 11

Offer a choice between a few familiar activities. The adult is responsible for the routine and suitable presence; falling asleep earns neither reward nor punishment.

Offer one question at a time with little writing. Adult support must not replace the child's own voice.

TE | Adolescents, approximately ages 12 to 17

Allow adolescents to shape the sequence and choose what to share. Explore real constraints without presenting one time or habit as everyone's solution.

Agree in advance what will be shared and with whom, and explain the privacy limits in this setting. Do not promise absolute confidentiality.

AD | Adults

Adapt the sequence for shift workers or people caring for others. An impractical plan requires changed expectations, not hidden departures from it.

OA | Older adults

Respect meaningful habits, customs and preferences. Choose changes with the person; do not transfer evening management to a companion without need and consent.

Offer reading support, time, and conversation according to preference. Choose help from another person together with the participant, respecting their privacy.

> Each age version needs its own review. Approval of one version does not automatically approve the others.

Mindful Path

SLEEP-03 | Therapist only - all age groups

Practice, review and next steps

4 | Shared choice and learning from the attempt

Before offering practice sheet P

A short sequence can be tried once, with permission to change it or not try. Do not count hours or check the clock to judge success.

At the next session

Explore whether the sequence was practical and flexible. Keep pleasant parts and remove unnecessary demands; falling asleep is not a graded task.

Professional and technical records

Each version has a separate review record covering age suitability, originality, rights, and fictional filling. Reviewer and date fields remain blank until assigned. File checks or a code merge are not clinical approval. Clinical information stays only in the authorized setting, outside the code repository.

Background references

The following links were used for background only. Questions and adaptations were written afresh for the expansion plan; no questionnaire, scale, or protocol was copied. Adult sources do not validate the child versions. This material makes no claim about session count or treatment effectiveness.

www.nhs.uk/conditions/insomnia/
www.nhs.uk/conditions/excessive-daytime-sleepiness-hypersomnia/

Mindful Path