CHANGE-02 | Therapist only - all age groups

Changing responses and needs

1 | Purpose, fit and boundaries

Purpose of this unit

Describe responses to change or loss as they feel now, and connect them to possible needs and support. Different feelings can coexist or change; experience does not have to fit a list of stages.

Choice and adaptation

Choose this sheet following professional assessment and with consent. The person may skip questions, answer aloud, or choose another tool. This is proposed original material for review; it provides no score, diagnosis, or promise of an outcome.

Boundaries specific to this unit

There is no grief timetable, test of the right response, or obligation to share difficult details. This sheet does not diagnose prolonged grief, depression, or trauma. Significant difficulty functioning or increasing distress needs appropriate assessment, not an automatic explanation that everything is part of grief.

Reusing existing material

CHANGE-01 helps select a change to discuss. Here, focus on responses and needs at a particular time; REG-02 can support identifying feelings without replacing the meaning of the loss.

A fictional example for discussion

Fictional example: Noa misses the home she left and also enjoys a new friendship. She chooses to share both feelings and asks for time to talk without being told that she has already settled in.

> Draft for administrator review. Clinical review and final rights approval are still pending.

Mindful Path

CHANGE-02 | Therapist only - all age groups

Working together with the worksheet

2 | A conversation about one situation

Opening

Choose a situation the person wants to explore. It need not be the hardest situation. Check that the question is understood and the wording fits the person; their account comes before the therapist's interpretation.

1 | Question for discussion

What moment will I choose to consider without describing the event in detail?

2 | Question for discussion

What feelings, sensations, or responses came up?

3 | Question for discussion

How have my needs changed compared with another time?

4 | Question for discussion

What response might fit my current need?

5 | Question for discussion

What matters to clarify to others about my way of responding?

Closing

Summarize what became clearer and what remains open. Use the existing SES-S01 and SES-S02 for the session framework. There is no need to repeat an assessment or plan already recorded.

Possible difficulties

If naming a feeling is difficult, describe what was missing or burdensome. There is no need to draw out a response the therapist expects to see.

Mindful Path

CHANGE-02 | Therapist only - all age groups

Adapting for four age groups

3 | Age is a starting point, not an assumption about ability

CH | Children, approximately ages 6 to 11

Drawing, playing, or answering one question are options. Do not expect tears or continuous conversation, or give the child responsibility for comforting adults.

Offer one question at a time with little writing. Adult support must not replace the child's own voice.

TE | Adolescents, approximately ages 12 to 17

Respect choosing to talk to someone else or share only a little. Not sharing does not prove a lack of feeling; agree on the setting's privacy boundaries.

Agree in advance what will be shared and with whom, and explain the privacy limits in this setting. Do not promise absolute confidentiality.

AD | Adults

Explore practical as well as emotional needs. Do not assume the person wants a group, ritual, or family conversation simply because they are available.

OA | Older adults

Allow an individual response without comparison with previous losses. Familiarity with loss does not mean being able to bear a new change without support.

Offer reading support, time, and conversation according to preference. Choose help from another person together with the participant, respecting their privacy.

> Each age version needs its own review. Approval of one version does not automatically approve the others.

Mindful Path

CHANGE-02 | Therapist only - all age groups

Practice, review and next steps

4 | Shared choice and learning from the attempt

Before offering practice sheet P

Choose a moment that can be discussed tolerably and one response the person wants. Practicing a request for support only in the session or skipping practice are options.

At the next session

Check whether the response met the need and preserved choice. Emotional change is not the only measure; sometimes being able to ask for support is the most useful information.

Professional and technical records

Each version has a separate review record covering age suitability, originality, rights, and fictional filling. Reviewer and date fields remain blank until assigned. File checks or a code merge are not clinical approval. Clinical information stays only in the authorized setting, outside the code repository.

Background references

The following links were used for background only. Questions and adaptations were written afresh for the expansion plan; no questionnaire, scale, or protocol was copied. Adult sources do not validate the child versions. This material makes no claim about session count or treatment effectiveness.

www.nhs.uk/mental-health/feelings-symptoms-behaviours/feelings-and-symptoms/grief-bereavement-loss/
www.childbereavementuk.org/supporting-bereaved-children-and-young-people

Mindful Path