CHANGE-05 | Therapist only - all age groups

Routine and relationships during change

1 | Purpose, fit and boundaries

Purpose of this unit

Explore what connection or small part of a routine could support the person during change, and what adjustments are needed for participation by choice. There is no demand to return to previous functioning or show others that grief has ended.

Choice and adaptation

Choose this sheet following professional assessment and with consent. The person may skip questions, answer aloud, or choose another tool. This is proposed original material for review; it provides no score, diagnosis, or promise of an outcome.

Boundaries specific to this unit

Do not force a meeting, reconciliation, or unsafe relationship. Participation does not prove distress has passed, and nonparticipation does not prove unwillingness. Significant burden or ongoing difficulty needs assessment and support beyond an activity plan.

Reusing existing material

CHANGE-03 addresses roles and CHANGE-04 expression by choice. Here, choose an everyday action or connection; SOC can help phrase a request without requiring contact.

A fictional example for discussion

Fictional example: After a family change, Lior wants to return to an activity group briefly. He agrees with an adult on how to ask for a break, without needing to explain to everyone what happened at home.

> Draft for administrator review. Clinical review and final rights approval are still pending.

Mindful Path

CHANGE-05 | Therapist only - all age groups

Working together with the worksheet

2 | A conversation about one situation

Opening

Choose a situation the person wants to explore. It need not be the hardest situation. Check that the question is understood and the wording fits the person; their account comes before the therapist's interpretation.

1 | Question for discussion

What activity or relationship would I like to consider now?

2 | Question for discussion

What benefit do I want from it for myself?

3 | Question for discussion

What practical and emotional barriers need adjustment?

4 | Question for discussion

What level of participation would be reasonable, with room to change?

5 | Question for discussion

What support or alternative will I prepare beforehand?

Closing

Summarize what became clearer and what remains open. Use the existing SES-S01 and SES-S02 for the session framework. There is no need to repeat an assessment or plan already recorded.

Possible difficulties

If there is no wish to participate, explore what is needed instead, not just how to increase motivation. Reducing a commitment or asking for company may also be appropriate choices.

Mindful Path

CHANGE-05 | Therapist only - all age groups

Adapting for four age groups

3 | Age is a starting point, not an assumption about ability

CH | Children, approximately ages 6 to 11

An adult prepares a predictable setting and a plan for returning to support. Brief participation or choosing not to participate now are options, without comparison with other children.

Offer one question at a time with little writing. Adult support must not replace the child's own voice.

TE | Adolescents, approximately ages 12 to 17

Allow peer contact without requiring an explanation of the loss. Coordinate with the setting while considering the adolescent's privacy and wishes.

Agree in advance what will be shared and with whom, and explain the privacy limits in this setting. Do not promise absolute confidentiality.

AD | Adults

Distinguish a chosen gradual return from external demands to match a previous pace. Explore access, cost, and time alongside the wish for connection.

OA | Older adults

Make room for existing, new, or remote relationships according to preference. Do not assume loneliness or force group activity because of age or family status.

Offer reading support, time, and conversation according to preference. Choose help from another person together with the participant, respecting their privacy.

> Each age version needs its own review. Approval of one version does not automatically approve the others.

Mindful Path

CHANGE-05 | Therapist only - all age groups

Practice, review and next steps

4 | Shared choice and learning from the attempt

Before offering practice sheet P

Choose a small, safe step that can be changed or canceled. Coordinate with others by agreement; sharing the sheet's content or details of the change is not required.

At the next session

Check whether the action supported the need and preserved boundaries. Do not automatically increase participation after one comfortable experience.

Professional and technical records

Each version has a separate review record covering age suitability, originality, rights, and fictional filling. Reviewer and date fields remain blank until assigned. File checks or a code merge are not clinical approval. Clinical information stays only in the authorized setting, outside the code repository.

Background references

The following links were used for background only. Questions and adaptations were written afresh for the expansion plan; no questionnaire, scale, or protocol was copied. Adult sources do not validate the child versions. This material makes no claim about session count or treatment effectiveness.

www.nhs.uk/mental-health/feelings-symptoms-behaviours/feelings-and-symptoms/grief-bereavement-loss/
www.childbereavementuk.org/supporting-bereaved-children-and-young-people

Mindful Path