

6.1 An Intrusive Thought Is Only a Thought

We identify a thought that comes without invitation and learn to remember that it does not define me.



What intrusive thought came to me?

1

How do I feel when it happens?

2

What does my body feel?

3

What do I want to do right away?

4

What can remind me that this is only a thought and not a fact?

5

A sentence that helps me

6

IMPORTANT REMINDER:

An intrusive thought can feel very strong —
but it is still only a thought.



6.2 When Doubt Begins

We identify the doubt, the lack of certainty, and what helps me not keep chasing reassurance.



1 What is the doubt telling me?

2 What do I feel unsure about?

3 How strong is the urge to get certainty right now?

Strength of my urge for certainty




4 What is the doubt asking me to do?

5 What can help me pause for a moment?

6 A sentence that helps me be kind to myself

IMPORTANT REMINDER:

I do not always need full certainty in order to continue my day.





6.3 The Urge to Check

We identify the urge to check, go back, or seek reassurance — and choose a safer response.



What happened before the urge showed up?

1

.....

.....

.....

What do I want to check or make sure about?

2

.....

.....

.....

What am I afraid will happen if I do not check?

3

.....

.....

.....

What happens to me if I check again and again?

4



.....

.....

.....

What could be another and safer response?

5



.....

.....

.....

One small courage step

6



.....

.....

.....

What can help me now?



Breathe

☐

Wait one minute

☐

Keep going with what I was doing

☐

Talk with a supportive adult

☐

Other


☐

The urge to check feels urgent — but it can also pass.



6.4 The Ritual Calms Me for a Moment

We identify how the ritual or reassurance helps for a moment — and what the price is afterward.



What is the ritual or reassurance that I am drawn to do?

1

How do I feel just before it?

2

How does it help me for a moment?

3

What happens afterward?

4

What would I like to learn to do instead?

5

One small thing I will try this week

6

Helps for a moment

What is the price afterward

What calms me for a moment does not always help me in the long run.



6.5 I Choose a New Response

We practice a brave, safe, and fitting response instead of falling into the old automatic pattern.



2. What is my old automatic pattern?



1. What is the situation that activates me?



4. Who can support me?



3. What do I want to try instead?



6. How will I encourage myself after I try?



5. A brave sentence I will tell myself



Pause



Action sequence:



Breathe



Keep going



A new response does not have to be perfect —
only one small brave step forward.



6.6 My Small Courage Plan

We build one small and safe courage step to practice, together with support and a response that fits me.



1. The situation I want to practice

What situation or intrusive thought?



2. The small step I am trying

What is the small, realistic, and safe step that I will try?



3. What will I do instead of the ritual or checking?

What is a new and more helpful response that I choose to do?



4. Who will support me?

Who is a person I can turn to for support and encouragement?



5. What will help me keep going?

What will remind me, guide me, or help me continue my step?



6. How will I encourage myself after I try?

What will I do to praise myself and remember the brave thought?

Tools that can help me

Breathe ☐

Time ☐

A helpful sentence ☐

Supportive adult ☐

Keep doing meaningful activities ☐



A small brave step done again and again can strengthen me a lot.

