English

Cold Run Readiness

User & Administrator Guide — from A to Z

Karbala Cement Plant

https://kcp-coldrun-2026.web.app

Edition 2026-10-21

Contents

1 About the platform

2 Getting access

3 Roles & privileges

4 Your day: Dashboard and My Tasks

5 How an inspection moves

6 Creating an inspection

7 Filling in a checklist

8 Defects and repairs

9 Sign-offs and final approval

10 Reports and Excel

11 Administration: people and access

12 Administration: equipment and checklists

13 Administration: settings, reports, backup

14 One-time setup of e-mail and weekly backup

15 Help inside the platform

16 Good practice and security

17 Questions and problems

1 About the platform

Cold Run Readiness records and controls the inspection of plant equipment after maintenance, before it returns to service. Every discipline fills in its own checklist, failures become tracked defects, and each step is signed off and kept in an audit log that nobody can edit.


It works in Arabic and English, on phones, tablets and computers, and keeps working without a network connection.

> **Important** The platform documents readiness only. It never authorizes operation, never bypasses interlocks and never replaces LOTO, work permits or the formal operating authorization of the plant.

2 Getting access

For Everyone

Open **https://kcp-coldrun-2026.web.app** in Chrome, Edge or Safari. Your administrator adds you first; you then receive an e-mail to set your password.




The sign-in page

1. **With a password:** open the e-mail "Reset your password", choose a password of at least 8 characters, then sign in with your e-mail and that password.
2. **With Google:** press **Sign in with Google** and choose the same e-mail the administrator added. If the browser blocks the window, allow pop-ups for the site.
3. **Forgot your password?** Type your e-mail on the sign-in page and press **Forgot password?**.
4. Switch language at any time with the **العربية / English** button at the top.

Install the app

When you open the site, a pop-up offers to install the app. Installed, it opens full-screen from your home screen and works offline.

1. **Android / computer:** press **Install** in the pop-up.
2. **iPhone / iPad:** press the Share button in Safari, then **Add to Home Screen**.



The install pop-up on an iPhone

Tip No signal in the plant? Keep working. Your changes are kept on the device and sent automatically when the connection returns — the sync icon at the top shows while they upload.

3 Roles & privileges

What you can do depends on your role. The same limits are enforced by the security rules on the server, so they cannot be bypassed from a device.

Role	Main job in the platform
System Administrator	Everything, plus users, devices, checklists, equipment and settings.
Department Manager	Creates inspections, signs off for the department, final approval, overrides with justification, receives completion reports.
Shift Supervisor	Creates and runs inspections, assigns and verifies defects, final approval.
Mechanical / Electrical / Instrumentation / Production engineer	Fills in their own discipline's section, reports and repairs defects in their pool, signs off their discipline.
Viewer	Reads everything and exports; cannot change anything.




Settings → Roles & privileges shows the full table

4 Your day: Dashboard and My Tasks

For Everyone


The **Dashboard** shows plant readiness at a glance: inspections by status, open and overdue defects, and readiness by department. A tip card under the title gives short advice for your role.



Dashboard

My Tasks lists only what is waiting for you or your discipline: checklist sections to complete, approvals, defects in your pool and repairs to verify.

1. Press **Take it** to own a task — colleagues see it is yours.
2. Press **Return to pool** to hand it back, e.g. at the end of your shift.



My Tasks

> **Tip** The bell at the top shows your notifications: when you are added to an inspection, a defect is assigned to you, or an inspection is approved.

5 How an inspection moves


Each inspection shows its status as a coloured badge. The platform moves it forward automatically as work is done:

Status	Meaning
Maintenance Completed	Created; nothing filled in yet.
Inspection in Progress	Items are being filled in.
Failed — Corrective Action Required	At least one defect is open.
Awaiting Verification	Repairs are done and must be verified.
Awaiting Departmental Approval	All items done; disciplines must sign off.
Ready for Authorized Review	Everything signed; waiting for final approval.
Approved for Next Stage	Final approval given; results reported to management.
Rejected / Reopened	Sent back with a reason; work continues.

6 Creating an inspection

For Supervisors, managers, administrators

1. Press **New Inspection** (top of the menu).
2. Choose the **equipment** and the **maintenance type**. The matching checklist and the required sign-offs are loaded automatically.
3. Fill in the work order, dates, shift and the responsible engineers. Add extra people if needed — they are notified.
4. Press **Create inspection**. Each discipline now sees its section in My Tasks.




New inspection

Tip If no checklist matches the equipment and maintenance type, ask the administrator to link one (Checklists).


7 Filling in a checklist

For Engineers and supervisors

1. Open the inspection (from My Tasks or Inspections) and stay on the **Execute** tab.
2. Open your discipline's section. Use the quick buttons ✓ / ✕ / N/A, or tap the item to open its full sheet.
3. In the sheet: choose **Pass**, **Fail** or **N/A**; enter the reading when a unit is shown (red = outside the allowed range); add a comment and photos.
4. A **Fail** needs a description. **Raise defect / corrective action** is ticked by default: describe the corrective action and press Save — a defect opens for the responsible discipline. Critical items block approval until fixed.
5. Progress is saved automatically — you can stop and continue any time.



The Execute tab with sections and quick buttons



An item sheet: result, reason, photos and the linked defect

> **Tip** Read the guidance under each item: it explains how to check it. Add a photo to every failure — it saves time for the repair team.


If a colleague saved the same item at the same moment, you are shown their version and can keep theirs or overwrite with yours.

8 Defects and repairs


For Everyone except viewers

Each defect has a code, severity, responsible discipline (pool), target date and status: **Open → Assigned → In Progress → Repair Completed → Awaiting Verification → Verified & Closed**.

1. Find it in **My Tasks** or **Defects**. Take it, or a supervisor assigns it to someone.
2. Press **Start work**, repair, then **Mark repair completed** with a short note of what was done.
3. A supervisor, manager or administrator — **not the person who repaired it** — checks the repair: **Verified — close**, or **Verification failed — reopen**.
4. After closing, re-inspect the original checklist item so the inspection can move on.



Defects & corrective actions




A defect with its history and actions

9 Sign-offs and final approval

For Engineers (own discipline), managers, supervisors, administrators

1. Open the inspection → **Review & approvals**. The **Blocking final approval** list shows exactly what is still missing.
2. Each required discipline presses **Approve** (or **Reject** with a reason).
3. When nothing blocks, a supervisor, manager or administrator presses **Approve for next stage**.
4. The completion report goes out automatically: the chosen recipients are notified in the app and receive the Excel results by e-mail.



Review & approvals


Important **Documented override** (roles chosen in Settings): approve despite critical items only under an approved plant disposition. A written justification of at least 10 characters is required and recorded in the audit log.

An approved inspection can be **reopened** by a lead with a reason; it then goes back through the steps above.

10 Reports and Excel

For Everyone

1. Open **Reports** and choose a report: plant readiness, department, equipment, open defects, critical & overdue, corrective-action completion, inspection completion, approval history or repeated defects.
2. Set the filters (department, equipment, dates, discipline).
3. Press **Export Excel**. The file contains exactly what you see, with the report name, date and filters written at the top.



Reports & analytics


On any inspection, **Export Excel** gives one workbook with four sheets — Summary, Results, Defects and Approvals — and **Inspection report (PDF)** opens a printable report for signatures. In Arabic the sheets are right-to-left.

11 Administration: people and access

For Administrators

Add a person

1. **Users → Add user**.
2. Enter name, e-mail, role, department scope and phone. Leave the password empty.
3. Press **Save**. They receive an e-mail to set their password, or can simply use **Sign in with Google** with that e-mail.




Add user

If the e-mail already has a login (for example the person tried Google first), an **invitation** is saved instead. It appears under **Pending invitations** and turns into their account the next time they sign in. You can **Resend e-mail** or cancel it.

Change, deactivate, hand over


1. Press the pencil to change role, department or phone, or to **Send password reset**.
2. When someone leaves: **Deactivate** — they are signed out at once and cannot sign in again; their history stays.
3. **Reassign open work** returns their defects to the pool so colleagues continue.



Users & roles

Devices

Devices lists every phone, tablet and computer that signed in. **Revoke** a lost or shared device and it is signed out immediately; **Allow again** undoes it.


Cold Run Readiness
Karbala Cement Plant
New Inspection
Dashboard
My Tasks
Inspections
Defects
Equipment
Reports
Documents & SOP
Guide & Tips
ADMINISTRATION
Checklists
Users
Devices
Audit Log
Settings
Admin
System Administrator
العربية
Devices
Every phone, tablet or computer that signed in. Revoking signs it out immediately.
Search...
Admin · Linux · Chrome This device
Last seen: 2026-10-21 00:25 · v1.0.0
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/141.0.7390.37 Safari/537.36
Maha Manager · Linux · Chrome
Last seen: 2026-10-21 00:25 · v1.0.0
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/141.0.7390.37 Safari/537.36
Revoke
Admin · Linux · Chrome
Last seen: 2026-10-21 00:24 · v1.0.0
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/141.0.7390.37 Safari/537.36
Revoke


Devices

12 Administration: equipment and checklists

For Administrators

Departments and equipment


1. **Equipment** → **Add department** for each plant area.
2. **Add equipment**: unique tag, name in both languages, department, category, location and maker. The **category** decides which checklist is used.
3. Open any equipment to see its history: previous inspections, repeated defects and earlier readings.



Equipment & departments

Checklists

1. **Checklists** → **New template**, or open an existing one.
2. Choose the equipment categories, maintenance types and required departmental approvals.
3. Add sections (one discipline each) and items: mandatory, critical, measurement unit and limits, photo required, N/A needs reason, guidance and procedure reference.
4. Press **Publish new version** and describe what changed. Published versions never change, so old inspections keep their original checklist.



Checklist templates

> **Important** Starter checklists are examples. Check every item, method and limit against the approved plant procedures and equipment manuals before using them.

13 Administration: settings, reports, backup


For Administrators

System settings

Plant name (both languages), shifts, maintenance types, equipment categories, the roles allowed to make documented overrides, and default target days per defect severity.

Completion reports, e-mail and backup


1. **Who receives them:** all managers and administrators (default), or only the people you tick.
2. **Extra e-mail addresses:** people outside the platform, separated by commas.
3. **Backup e-mail:** the weekly Google Drive backup folder is shared with this address, which also gets a short e-mail after every backup.
4. **E-mail & backup service:** paste the service address once (see the next section) and press **Test**; the badge turns **Connected**.



Completion reports, e-mail and backup

Audit log

Every important action — sign-offs, overrides, user changes, settings — is recorded with who, what and when. Nobody can edit or delete it.


Cold Run Readiness
Karbala Cement Plant
New Inspection
Dashboard
My Tasks
Inspections
Defects
Equipment
Reports
Documents & SOP
Guide & Tips
ADMINISTRATION
Checklists
Users
Devices
Audit Log
Settings
Admin
System Administrator
العربية
Audit Log
Export CSV
Search...
Date
User
Action
Record
Details
2026-10-21 00:25
Admin
approval.final
CR-2026-0099
2026-10-21 00:25
Admin
settings.reports
settings
{"recipients":"managers+admins","extra":1,"backupEmail":"backup@kcp.iq"}
2026-10-21 00:25
Admin
user.create
maha@kcp.iq
{"role":"manager"}
2026-10-21 00:24
Admin
seed
seed

Audit log

14 One-time setup of e-mail and weekly backup

For The platform owner (once)


The free plan has no server, so a small Google Apps Script in the owner's Google account sends the e-mails and makes the backups. It checks every request against the platform: a valid sign-in, an active lead or administrator, an approved inspection — and it only sends to the recipients in Settings.

1. Open **script.google.com** → **New project**. Name it "KCP Cold Run service".
2. Replace the code with **Code.gs** from the folder **platform/email-backup-service**. In Project settings tick "Show appsscript.json" and replace it with the file of the same name.
3. Choose the function **setup** and press **Run**; allow the permissions it asks for. This schedules the weekly backup (Fridays, 02:00).
4. **Deploy** → **New deployment** → **Web app**; Execute as **Me**, access **Anyone**. Copy the URL ending in **/exec**.
5. In the platform: **Settings** → **E-mail & backup service** → paste the URL → **Test** → **Save**.

> **Tip** Backups are kept in Google Drive → "KCP Cold Run backups", one dated folder per week, newest 12 kept. Each collection is a JSON file; README.txt lists the record counts.

15 Help inside the platform

Guide & Tips in the menu explains every step for your role. Short tips appear at the top of the main pages; close one with ✕. To see them again, open Guide & Tips → **Show all tips again**.



Guide & Tips

16 Good practice and security

1. Use your own account. Never share passwords; on shared tablets sign out at the end of the shift.
2. Lost phone? Tell the administrator — they revoke it in Devices.
3. Before leaving an area without signal, wait for the sync icon to disappear once you are back online.
4. Record facts: readings, photos and clear descriptions. Everything is signed with your name and time.
5. Administrators: deactivate leavers the same day and review the audit log regularly.

> **Important** The platform documents readiness only. Starting equipment always follows the plant's LOTO, permit and operating-authorization procedures.

17 Questions and problems

Problem	What to do
"Your account has no profile yet"	The administrator has not added your e-mail yet. Ask them to add you with the exact e-mail you use.
"Your account is deactivated"	Contact the administrator.
"This device was signed out by the administrator"	The device was revoked. Ask the administrator to allow it again.
No password e-mail	Check spam. Use "Forgot password?" or ask the administrator to resend it.
Google window does not open	Allow pop-ups for the site in the browser, then try again.
A button is greyed out	Your role does not allow it, or something still blocks it — the inspection page lists the blockers.
Approval says the e-mail could not be sent	Management was still notified in the app. Export Excel and send it manually; ask the administrator to press Test in Settings.
Data looks old on one device	Check the connection. As a last resort: Settings → Clear local cache & sign out.



العربية

جاهزية التشغيل البارد

دليل المستخدم ومدير النظام — من الألف إلى الياء

معمل سمنت كربلاء

https://kcp-coldrun-2026.web.app

الإصدار 2026-10-21

المحتويات

1 نبذة عن المنصة

2 الدخول إلى المنصة

3 الأدوار والصلاحيات

4 يومك: لوحة المتابعة ومهامي

5 مسار الفحص

6 إنشاء فحص

7 تعبئة قائمة الفحص

8 العيوب والإصلاح

9 التواقيع والموافقة النهائية

10 التقارير وملفات Excel

11 الإدارة: الأشخاص والصلاحيات

12 الإدارة: المعدات وقوائم الفحص

13 الإدارة: الإعدادات والتقارير والنسخ الاحتياطي

14 الإعداد لمرة واحدة للبريد والنسخ الأسبوعي

15 المساعدة داخل المنصة

16 الممارسات الجيدة والأمان

17 أسئلة ومشكلات

1 نبذة عن المنصة

تسجّل منصة جاهزية التشغيل البارد فحص معدات المعمل بعد الصيانة وقبل عودتها للخدمة وتضبطه. يملأ كل اختصاص قائمة الفحص الخاصة به، وتتحول حالات الفشل إلى عيوب متابَعة، ويُوقَّع على كل خطوة ويُحفظ في سجل تدقيق لا يمكن لأحد تعديله.


تعمل المنصة بالعربية والإنجليزية، على الهواتف والأجهزة اللوحية والحواسيب، وتستمر بالعمل دون اتصال بالشبكة.

مهم المنصة توثّق الجاهزية فقط. لا تخوّل التشغيل، ولا تتجاوز أنظمة الحماية (Interlocks)، ولا تحل محل العزل والإقفال (LOTO) أو تصاريح العمل أو تخويل التشغيل الرسمي في المعمل.

2 الدخول إلى المنصة

لمن الجميع

افتح **https://kcp-coldrun-2026.web.app** في متصفح Chrome أو Edge أو Safari. يضيفك مدير النظام أولاً، ثم يصلك بريد لتعيين كلمة المرور.




صفحة الدخول

1. **بكلمة مرور:** افتح بريد "إعادة تعيين كلمة المرور"، واختر كلمة مرور لا تقل عن 8 أحرف، ثم ادخل ببريدك وكلمة المرور.
2. **بحساب Google:** اضغط **الدخول بحساب Google** واختر البريد نفسه الذي أضافه المدير. إذا منع المتصفح النافذة فاسمح بالنوافذ المنبثقة للموقع.
3. **نسيت كلمة المرور؟** اكتب بريدك في صفحة الدخول واضغط **نسيت كلمة المرور؟**.
4. بدّل اللغة في أي وقت بزر **العربية / English** في الأعلى.

تثبيت التطبيق

عند فتح الموقع تظهر نافذة تعرض تثبيت التطبيق. بعد التثبيت يفتح بملء الشاشة من الشاشة الرئيسية ويعمل دون إنترنت.

1. **أندرويد / الحاسوب:** اضغط **تثبيت** في النافذة.
2. **آيفون / آيباد:** اضغط زر المشاركة في Safari ثم **إضافة إلى الشاشة الرئيسية**.



نافذة التثبيت على الآيفون

نصيحة لا توجد تغطية في الموقع؟ تابع العمل. تُحفظ تغييراتك على الجهاز وتُرسل تلقائياً عند عودة الاتصال — تظهر أيقونة المزامنة في الأعلى أثناء الرفع.

3 الأدوار والصلاحيات

ما تستطيع فعله يعتمد على دورك. تفرض قواعد الحماية على الخادم الحدود نفسها، فلا يمكن تجاوزها من أي جهاز.

الدور	مهمته الأساسية في المنصة
مدير النظام	كل الصلاحيات، إضافة إلى المستخدمين والأجهزة وقوائم الفحص والمعدات والإعدادات.
مدير القسم	ينشئ الفحوصات، ويوقّع عن القسم، ويعطي الموافقة النهائية، ويتجاوز بمبرر، ويستلم تقارير الإنجاز.
مسؤول الوجبة	ينشئ الفحوصات ويديرها، ويسند العيوب ويتحقق منها، ويعطي الموافقة النهائية.
مهندس ميكانيك / كهرباء / سيطرة / إنتاج	يملأ قسم اختصاصه، ويسجّل العيوب ويصلحها ضمن مجموعته، ويوقّع لاختصاصه.
مطّلع	يطّلع على كل شيء ويصدّر؛ ولا يستطيع تغيير شيء.




الإعدادات ← الأدوار والصلاحيات تعرض الجدول كاملاً

4 يومك: لوحة المتابعة ومهامي

لمن الجميع


تعرض **لوحة المتابعة** جاهزية المعمل بنظرة واحدة: الفحوصات حسب الحالة، والعيوب المفتوحة والمتأخرة، والجاهزية حسب القسم. وتعرض بطاقة النصائح تحت العنوان نصيحة قصيرة لدورك.



لوحة المتابعة

تعرض **مهامي** فقط ما ينتظرك أو ينتظر اختصاصك: أقسام فحص لإكمالها، وموافقات، وعيوب في مجموعتك، وإصلاحات بانتظار التحقق.

1. اضغط **استلام** لتتولى المهمة — يرى زملاؤك أنها لك.
2. اضغط **إرجاع للمجموعة** لإعادتها، مثلاً في نهاية وجبتك.



مهامي

نصيحة يعرض الجرس في الأعلى إشعاراتك: عند إضافتك إلى فحص، أو إسناد عيب إليك، أو الموافقة على فحص.

5 مسار الفحص


يظهر لكل فحص شارة ملونة بحالته، وتنقله المنصة تلقائياً مع إنجاز العمل:

الحالة	المعنى
اكتملت الصيانة	أُنشئ ولم يُعبّأ شيء بعد.
الفحص قيد التنفيذ	تُعبّأ البنود.
مرفوض — يتطلب إجراء تصحيحي	يوجد عيب مفتوح واحد على الأقل.
بانتظار التحقق	اكتملت الإصلاحات ويجب التحقق منها.
بانتظار موافقة الأقسام	اكتملت البنود؛ وعلى الاختصاصات التوقيع.
جاهز للمراجعة المخوّلة	اكتملت التواقيع؛ بانتظار الموافقة النهائية.
معتمد للمرحلة التالية	أُعطيت الموافقة النهائية؛ وأُرسلت النتائج للإدارة.
مرفوض / أعيد فتحه	أُعيد مع ذكر السبب؛ ويستمر العمل.

6 إنشاء فحص

لمن مسؤولو الوجبات ومدراء الأقسام ومدراء النظام

1. اضغط **فحص جديد** (أعلى القائمة).
2. اختر **المعدة** و**نوع الصيانة**. تُحمَّل قائمة الفحص المناسبة والتواقيع المطلوبة تلقائياً.
3. أدخل أمر العمل والتواريخ والوجبة والمهندسين المسؤولين. أضف أشخاصاً آخرين عند الحاجة — يصلهم إشعار.
4. اضغط **إنشاء الفحص**. يرى كل اختصاص قسمه الآن في مهامي.




فحص جديد

نصيحة إذا لم تتطابق أي قائمة فحص مع المعدة ونوع الصيانة، اطلب من مدير النظام ربط قائمة (قوائم الفحص).


7 تعبئة قائمة الفحص

لمن المهندسون ومسؤولو الوجبات

1. افتح الفحص (من مهامي أو الفحوصات) وابقَ على تبويب **التنفيذ**.
2. افتح قسم اختصاصك. استخدم الأزرار السريعة ✓ / ✕ / لا ينطبق، أو اضغط على البند لفتح صفحته الكاملة.
3. في صفحة البند: اختر **مقبول** أو **مرفوض** أو **لا ينطبق**؛ أدخل القراءة عند ظهور وحدة (الأحمر = خارج الحدود)؛ وأضف ملاحظة وصوراً.
4. حالة **مرفوض** تتطلب وصفاً. خيار **تسجيل عيب / إجراء تصحيحي** مفعّل افتراضياً: صف الإجراء التصحيحي واضغط حفظ — فيُفتح عيب للاختصاص المسؤول. البنود الحرجة تمنع الموافقة حتى تُعالج.
5. يُحفظ التقدم تلقائياً — يمكنك التوقف والمتابعة في أي وقت.



تبويب التنفيذ مع الأقسام والأزرار السريعة



صفحة البند: النتيجة والسبب والصور والعيب المرتبط

نصيحة اقرأ الإرشاد تحت كل بند: يشرح طريقة الفحص. أضف صورة لكل حالة فشل — توفر الوقت على فريق الإصلاح.


إذا حفظ زميل البند نفسه في اللحظة ذاتها، تظهر لك نسخته ويمكنك الإبقاء عليها أو الكتابة فوقها بنسختك.

8 العيوب والإصلاح


لمن الجميع عدا المطّلعين

لكل عيب رمز وخطورة واختصاص مسؤول (مجموعة) وموعد مستهدف وحالة: **مفتوح ← مُسند ← قيد المعالجة ← اكتمل الإصلاح ← بانتظار التحقق ← تم التحقق والإغلاق**.

1. تجده في **مهامي** أو **العيوب**. استلمه، أو يسنده المسؤول إلى شخص.
2. اضغط **بدء العمل**، ثم أصلح، ثم **تأكيد اكتمال الإصلاح** مع ملاحظة قصيرة بما تم.
3. يتحقق مسؤول الوجبة أو مدير القسم أو مدير النظام — **وليس من أصلحه** — من الإصلاح: **تم التحقق — إغلاق** أو **فشل التحقق — إعادة فتح**.
4. بعد الإغلاق أعد فحص البند الأصلي في القائمة ليتقدم الفحص.



العيوب والإجراءات التصحيحية




عيب مع سجله والإجراءات المتاحة

9 التواقيع والموافقة النهائية

لمن المهندسون (لاختصاصهم) ومدراء الأقسام ومسؤولو الوجبات ومدراء النظام

1. افتح الفحص ← **المراجعة والموافقات**. تعرض قائمة **ما يمنع الموافقة النهائية** بالضبط ما ينقص.
2. يضغط كل اختصاص مطلوب **موافقة** (أو **رفض** مع السبب).
3. عندما لا يبقى مانع، يضغط مسؤول الوجبة أو مدير القسم أو مدير النظام **اعتماد للمرحلة التالية**.
4. يُرسل تقرير الإنجاز تلقائياً: يُبلَّغ المستلمون المحددون داخل التطبيق ويصلهم ملف النتائج (Excel) بالبريد.



المراجعة والموافقات


> **مهم** **التجاوز الموثّق** (للأدوار المحددة في الإعدادات): الموافقة رغم البنود الحرجة فقط بموجب قرار معتمد في المعمل. يلزم مبرر مكتوب لا يقل عن 10 أحرف ويُسجّل في سجل التدقيق.

يمكن للمسؤول **إعادة فتح** فحص معتمد مع ذكر السبب، فيعود ليمر بالخطوات أعلاه.

10 التقارير وملفات Excel

لمن الجميع

1. افتح **التقارير** واختر تقريراً: جاهزية المعمل، القسم، المعدات، العيوب المفتوحة، الحرجة والمتأخرة، إنجاز الإجراءات التصحيحية، إنجاز الفحوصات، سجل الموافقات، أو العيوب المتكررة.
2. حدّد التصفية (القسم، المعدة، التواريخ، الاختصاص).
3. اضغط **تصدير Excel**. يحتوي الملف ما تراه بالضبط، مع اسم التقرير والتاريخ والتصفية في أعلاه.



التقارير والتحليلات


في أي فحص يعطيك **تصدير Excel** ملفاً بأربع أوراق — الملخص والنتائج والعيوب والموافقات — ويفتح **تقرير الفحص (PDF)** تقريراً قابلاً للطباعة والتوقيع. وبالعربية تكون الأوراق من اليمين إلى اليسار.

11 الإدارة: الأشخاص والصلاحيات

لمن مدراء النظام

إضافة شخص

1. **المستخدمون** ← **إضافة مستخدم**.
2. أدخل الاسم والبريد والدور ونطاق القسم والهاتف. اترك كلمة المرور فارغة.
3. اضغط **حفظ**. يصله بريد لتعيين كلمة المرور، أو يدخل مباشرة بـ**الدخول بحساب Google** بنفس البريد.




إضافة مستخدم

إذا كان للبريد حساب دخول مسبقاً (مثلاً جرّب الشخص Google أولاً)، تُحفظ **دعوة** بدلاً من ذلك. تظهر تحت **دعوات بانتظار القبول** وتتحول إلى حسابه عند دخوله القادم. يمكنك **إعادة إرسال البريد** أو إلغاؤها.

التعديل والتعطيل وتسليم العمل


1. اضغط القلم لتغيير الدور أو القسم أو الهاتف، أو **إرسال إعادة تعيين كلمة المرور**.
2. عند مغادرة شخص: **تعطيل** — يُسجَّل خروجه فوراً ولا يستطيع الدخول مجدداً؛ ويبقى سجله.
3. **إعادة إسناد الأعمال المفتوحة** تعيد عيوبه إلى المجموعة ليتابعها زملاؤه.



المستخدمون والأدوار

الأجهزة

تعرض **الأجهزة** كل هاتف وجهاز لوحي وحاسوب سجّل الدخول. **ألغِ الصلاحية** لجهاز مفقود أو مشترك فيُسجَّل خروجه فوراً؛ و**السماح مجدداً** يلغي ذلك.


جاهزية التشغيل البارد
معمل سمنت كربلاء
فحص جديد
لوحة المتابعة
مهامي
الفحوصات
العيوب
المعدات
التقارير
الوثائق والإجراءات
الدليل والنصائح
الإدارة
قوائم الفحص
المستخدمون
الأجهزة
سجل التدقيق
الإعدادات
Admin
مدير النظام
English
الأجهزة
كل هاتف أو جهاز لوحي أو حاسوب سجّل الدخول. الإلغاء يسجّل خروجه فورًا.
بحث...
Admin · Linux · Chrome
هذا الجهاز
آخر ظهور: 2026-10-21 00:26 · v1.0.0
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/141.0.7390.37 Safari/537.36
Admin · Linux · Chrome
آخر ظهور: 2026-10-21 00:25 · v1.0.0
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/141.0.7390.37 Safari/537.36
إلغاء الصلاحية
Maha Manager · Linux · Chrome
آخر ظهور: 2026-10-21 00:25 · v1.0.0
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/141.0.7390.37 Safari/537.36
إلغاء الصلاحية
Admin · Linux · Chrome
آخر ظهور: 2026-10-21 00:24 · v1.0.0
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/141.0.7390.37 Safari/537.36
إلغاء الصلاحية

الأجهزة

12 الإدارة: المعدات وقوائم الفحص

لمن مدراء النظام

الأقسام والمعدات


1. **المعدات** ← **إضافة قسم** لكل منطقة في المعمل.
2. **إضافة معدة**: رمز فريد، والاسم باللغتين، والقسم، والفئة، والموقع والمصنّع. **الفئة** تحدد قائمة الفحص المستخدمة.
3. افتح أي معدة لرؤية سجلها: الفحوصات السابقة والعيوب المتكررة والقراءات السابقة.



المعدات والأقسام

قوائم الفحص

1. **قوائم الفحص** ← **قالب جديد**، أو افتح قالباً موجوداً.
2. اختر فئات المعدات وأنواع الصيانة وموافقات الأقسام المطلوبة.
3. أضف أقساماً (لكل قسم اختصاص واحد) وبنوداً: إلزامي، حرج، وحدة القياس وحدودها، صورة مطلوبة، سبب عند لا ينطبق، إرشاد ومرجع الإجراء.
4. اضغط **نشر إصدار جديد** واذكر ما تغيّر. الإصدارات المنشورة لا تتغير، فتحتفظ الفحوصات القديمة بقائمتها الأصلية.



قوالب قوائم الفحص

مهم القوائم النموذجية أمثلة. راجع كل بند وطريقة وحد وفق إجراءات المعمل المعتمدة وأدلة المعدات قبل استخدامها.

13 الإدارة: الإعدادات والتقارير والنسخ الاحتياطي


لمن مدراء النظام

إعدادات النظام

اسم المعمل (باللغتين)، والوجبات، وأنواع الصيانة، وفئات المعدات، والأدوار المسموح لها بالتجاوز الموثّق، والأيام المستهدفة الافتراضية حسب خطورة العيب.

تقارير الإنجاز والبريد والنسخ الاحتياطي


1. **من يستلمها:** كل مدراء الأقسام ومدراء النظام (افتراضياً)، أو فقط من تحددهم.
2. **عناوين بريد إضافية:** أشخاص من خارج المنصة، مفصولة بفواصل.
3. **بريد النسخ الاحتياطي:** يُشارك مجلد النسخ الأسبوعي على Google Drive مع هذا البريد، ويصله إشعار قصير بعد كل نسخة.
4. **خدمة البريد والنسخ الاحتياطي:** الصق عنوان الخدمة مرة واحدة (انظر القسم التالي) واضغط **اختبار**؛ تتحول الشارة إلى **متصل**.



تقارير الإنجاز والبريد والنسخ الاحتياطي

سجل التدقيق

يُسجَّل كل إجراء مهم — التواقيع والتجاوزات وتغييرات المستخدمين والإعدادات — مع من وماذا ومتى. ولا يمكن لأحد تعديله أو حذفه.


English
جاهزية التشغيل البارد
معمل سمنت كربلاء
فحص جديد
لوحة المتابعة
مهامي
الفحوصات
العيوب
المعدات
التقارير
الوثائق والإجراءات
الدليل والنصائح
الإدارة
قوائم الفحص
المستخدمون
الأجهزة
سجل التدقيق
الإعدادات
Admin
مدير النظام
سجل التدقيق
تصدير CSV
بحث...
التاريخ
المستخدم
الإجراء
السجل
التفاصيل
2026-10-21 00:25
Admin
approval.final
CR-2026-0099
2026-10-21 00:25
Admin
settings.reports
settings
{"recipients":"managers+admins","extra":1,"backupEmail":"backup@kcp.iq"}
2026-10-21 00:25
Admin
user.create
maha@kcp.iq
{"role":"manager"}
2026-10-21 00:24
Admin
seed
seed

سجل التدقيق

14 الإعداد لمرة واحدة للبريد والنسخ الأسبوعي

لمن مالك المنصة (مرة واحدة)


الخطة المجانية بلا خادم، لذا يرسل برنامج Google Apps Script صغير في حساب المالك الرسائلَ ويعمل النسخ الاحتياطية. يتحقق من كل طلب مقابل المنصة: دخول صحيح، ومسؤول أو مدير فعّال، وفحص معتمد — ولا يرسل إلا إلى المستلمين المحددين في الإعدادات.

1. افتح **script.google.com** ← **مشروع جديد**. سمّه "KCP Cold Run service".
2. استبدل الشيفرة بملف **Code.gs** من المجلد **platform/email-backup-service**. في إعدادات المشروع فعّل "Show appsscript.json" واستبدله بالملف الذي يحمل الاسم نفسه.
3. اختر الدالة **setup** واضغط **Run**؛ واسمح بالأذونات المطلوبة. هذا يجدول النسخ الأسبوعي (الجمعة، 02:00).
4. **Web app** ← **New deployment** ← **Deploy**؛ التنفيذ باسم **Me** والوصول **Anyone**. انسخ الرابط المنتهي بـ **/exec**.
5. في المنصة: **الإعدادات** ← **خدمة البريد والنسخ الاحتياطي** ← الصق الرابط ← **اختبار** ← **حفظ**.

نصيحة تُحفظ النسخ في "KCP Cold Run backups" ← Google Drive"، بمجلد مؤرخ لكل أسبوع، ويُحتفظ بآخر 12. كل مجموعة بيانات في ملف JSON، ويعرض README.txt عدد السجلات.

15 المساعدة داخل المنصة

يشرح **الدليل والنصائح** في القائمة كل خطوة حسب دورك. تظهر نصائح قصيرة أعلى الصفحات الرئيسية؛ أغلق أياً منها بـ ×. ولإظهارها مجدداً افتح الدليل والنصائح ← **إظهار كل النصائح مجدداً**.



الدليل والنصائح

16 الممارسات الجيدة والأمان

1. استخدم حسابك الخاص. لا تشارك كلمة المرور؛ وعلى الأجهزة المشتركة سجّل الخروج في نهاية الوجبة.
2. فقدت هاتفك؟ أبلغ مدير النظام — يلغي صلاحيته من الأجهزة.
3. قبل مغادرة منطقة بلا تغطية، انتظر اختفاء أيقونة المزامنة بعد عودة الاتصال.
4. سجّل الحقائق: القراءات والصور والوصف الواضح. كل شيء يُوقَّع باسمك والوقت.
5. مدراء النظام: عطّلوا حسابات المغادرين في اليوم نفسه وراجعوا سجل التدقيق بانتظام.

مهم المنصة توثّق الجاهزية فقط. تشغيل المعدات يتبع دائماً إجراءات العزل والإقفال والتصاريح وتخويل التشغيل في المعمل.

17 أسئلة ومشكلات

المشكلة	الحل
"لا يوجد ملف لحسابك بعد"	لم يُضِف مدير النظام بريدك بعد. اطلب منه إضافتك بالبريد نفسه الذي تستخدمه.
"حسابك معطّل"	تواصل مع مدير النظام.
"تم تسجيل خروج هذا الجهاز من قبل مدير النظام"	أُلغيت صلاحية الجهاز. اطلب من المدير السماح به مجدداً.
لم يصل بريد كلمة المرور	تحقق من البريد غير المرغوب. استخدم "نسيت كلمة المرور؟" أو اطلب من المدير إعادة الإرسال.
نافذة Google لا تفتح	اسمح بالنوافذ المنبثقة للموقع في المتصفح ثم حاول مجدداً.
زر غير مفعّل	دورك لا يسمح به، أو هناك ما يمنعه — تعرض صفحة الفحص الموانع.
رسالة تعذّر إرسال البريد بعد الموافقة	أُبلغت الإدارة داخل التطبيق. صدّر ملف Excel وأرسله يدوياً، واطلب من المدير الضغط على اختبار في الإعدادات.
بيانات قديمة على جهاز واحد	تحقق من الاتصال. كحل أخير: الإعدادات ← مسح البيانات المحلية وتسجيل الخروج.