

PetStore.REST ^{1.0} ^{OAS3}

<http://localhost:5000/swagger/v1/swagger.json>

Customers ^

GET	/api/Customers	▼
POST	/api/Customers	▼
GET	/api/Customers/{id}	▼
PUT	/api/Customers/{id}	▼
DELETE	/api/Customers/{id}	▼

Dogs ^

GET	/api/Dogs	▼
POST	/api/Dogs	▼
GET	/api/Dogs/{id}	▼
PUT	/api/Dogs/{id}	▼
DELETE	/api/Dogs/{id}	▼

Schemas ^

CustomerCreateDto >

CustomerDto >

GET

/api/Customers

Parameters

Cancel

Name	Description
page	page
integer(\$int32) (query)	
amount	5
integer(\$int32) (query)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5000/api/Customers?amount=5' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5000/api/Customers?amount=5
```

Server response

Code	Details
200	Response body <pre>{ "id": "8e5fd991-90a8-4ed5-8481-80b01da75c3", "name": "Easa Nerpesen", "age": 30, "petId": { "5958b0d-bd39-4ed5-bc71-8b4889ecd579", "5e960013-8b49-41c3-e11d-89d88f5c932" } }, "id": "88ecd227-74c4-4c8b-bcf3-4b385bdc9bd", "name": "Napla Nomesanen", "age": 25, "petId": { "49ad3491-89de-426a-b18a-8538f77d46de" } }</pre> Response headers <pre>content-type: application/json; charset=utf-8 date: Mon, 22 Dec 2025 22:04:01 GMT server: Restful transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	Success	No links

Media type

Content Accept header

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66efad",
  "name": "string",
  "age": 0,
  "petId": {
    "3fa85f64-5717-4562-b3fc-2c963f66efad"
  }
}
```

POST

/api/Customers

Parameters

Try it out

No parameters

Request body

application/json

Example Value | Schema

```
{  "name": "string",  "age": 0}
```

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
{  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",  "name": "string",  "age": 0,  "petIds": [    "3fa85f64-5717-4562-b3fc-2c963f66afa6"  ]}
```

PUT

/api/Customers/{id}

Parameters

Try it out

Name	Description
id * required	
string(\$oid)	id
(path)	

Request body

application/json

Example Value | Schema

```
{  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",  "name": "string",  "age": 0}
```

Responses

Code	Description	Links
200	Success	No links

GET

/api/Customers/{id}

Parameters

Try it out

Name	Description
id * required string(\$uid) (path)	id

Responses

Code	Description	Links
200	Success	No links

Media type
text/plain

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "name": "string",
  "age": 0,
  "petIds": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ]
}
```

DELETE

/api/Customers/{id}

Parameters

Try it out

Name	Description
id * required string(\$uid) (path)	id

Responses

Code	Description	Links
200	Success	No links

GET

/api/Dogs

Parameters

Try it out

Name	Description
page integer(\$int32) (query)	page
amount integer(\$int32) (query)	amount

Responses

Code	Description	Links
200	Success	No links

Media type
text/plain

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "name": "string",
  "age": 0,
  "breed": "string",
  "isTrained": true
}
```

POST

/api/Dogs

Try it out

Parameters

No parameters

Request body

application/json

Example Value | Schema

```
{  "name": "string",  "age": 0,  "breed": "string",  "isTrained": true}
```

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
{  "id": "3fa85f64-5717-4562-b3fc-2c963f66a6a6",  "name": "string",  "age": 0,  "breed": "string",  "isTrained": true}
```

GET

/api/Dogs/{id}

Try it out

Parameters

Name	Description
id required string(\$uuid) (path)	id

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
{  "id": "3fa85f64-5717-4562-b3fc-2c963f66a6a6",  "name": "string",  "age": 0,  "breed": "string",  "isTrained": true}
```

PUT

/api/Dogs/{id}

Parameters

Try it out

Name	Description
id * required string(\$uuid) (path)	id

Request body

application/json

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afae",
  "name": "string",
  "age": 0,
  "breed": "string",
  "isTrained": true
}
```

Responses

Code	Description	Links
200	Success	No links

DELETE

/api/Dogs/{id}

Parameters

Try it out

Name	Description
id * required string(\$uuid) (path)	id

Responses

Code	Description	Links
200	Success	No links