



## Usage Guideline

# **CBPRPlus- pacs.008.001.08\_FIToFICustomerCreditTra nsfer**

## CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message pacs.008.001.08. You can also consult this [information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

Version: SR2026

Status: Final

20 February 2026

|                              |            |
|------------------------------|------------|
| <b>Table of Content</b>      | <b>2</b>   |
| <b>Message Functionality</b> | <b>3</b>   |
| <b>About this document</b>   | <b>8</b>   |
| <b>Usage Guideline</b>       | <b>9</b>   |
| <b>Rule Definitions</b>      | <b>90</b>  |
| <b>Legal Notices</b>         | <b>108</b> |

# Message Functionality

## Collection Description

### CBPRPlus SR2026 (Combined) ([link](#))

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

## Usage Guideline Description

### CBPRPlus-pacs.008.001.08\_FIToFICustomerCreditTransfer ([link](#))

Principles:

#### 1A. AGENTS IDENTIFICATION -Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) – However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Instructing/ Instructed Agents" must be identified with a BICFI - Clearing System Members Identification and LEI are optional.

#### 1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. Single transactions only are allowed.

### 3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&\*='^\_{}~";<>@[\\]

< is replaced with &lt;

> is replaced with &gt;

### 4. CBPR\_Agent\_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

## Outline

In the Collection CBPRPlus SR2026 (Combined), the message CBPRPlus-pacs.008.001.08\_FIToFICustomerCreditTransfer is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

### **Business Application Header V02 (head.001.001.02)**

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

#### **a - Character Set**

Contains the character set of the text-based elements used in the Business Message.

#### **b - From**

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

#### **c - To**

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient

who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

**d - Business Message Identifier**

Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

**e - Message Definition Identifier**

Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

**f - Business Service**

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

**g - Market Practice**

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

**h - Creation Date**

Date and time when this Business Message (header) was created.

**i - Business Processing Date**

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

**j - Copy Duplicate**

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

**k - Possible Duplicate**

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary

actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level retransmission.

**l - Priority**

Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

**m - Signature**

Contains the digital signature of the Business Entity authorised to sign this Business Message.

**n - Related**

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

**o - CrossElementComplexRule : RelatedPresentWhenCopyDupl**

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

**Document - FI To FI Customer Credit Transfer V08 (pacs.008.001.08)**

The Document - FI To FI Customer Credit Transfer V08 (pacs.008.001.08) is composed of 12 elements.

**a - Group Header**

Set of characteristics shared by all individual transactions included in the message.

**b - Credit Transfer Transaction Information**

Set of elements providing information specific to the individual credit transfer(s).

**c - Supplementary Data**

Additional information that cannot be captured in the structured elements and/or any other specific block.

**d - CrossElementComplexRule : InstructedAgentRule**

If GroupHeader/InstructedAgent is present, then

CreditTransferTransactionInformation/InstructedAgent is not allowed.

**e - CrossElementComplexRule : InstructingAgentRule**

If GroupHeader/InstructingAgent is present, then

CreditTransferTransactionInformation/InstructingAgent is not allowed.

**f - CrossElementComplexRule : TotalInterbankSettlementAmountRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of

CreditTransferTransactionInformation/InterbankSettlementAmount must have the same

currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

**g - CrossElementComplexRule : TotalInterbankSettlementAmountAndSumRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

**h - CrossElementComplexRule : GroupHeaderInterbankSettlementDateRule**

If GroupHeader/InterbankSettlementDate is present, then

CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

**i - CrossElementComplexRule : TransactionInterbankSettlementDateRule**

If GroupHeader/InterbankSettlementDate is not present, then

CreditTransferTransactionInformation/InterbankSettlementDate must be present.

**j - CrossElementComplexRule : PaymentTypeInformationRule**

If GroupHeader/PaymentTypeInformation is present, then

CreditTransferTransactionInformation/PaymentTypeInformation is not allowed.

**k - CrossElementSimpleRule : NumberOfTransactionsAndCreditTransfersRule**

GroupHeader/NumberOfTransactions must equal the number of occurrences of CreditTransferTransactionInformation.

**l - Textual : SupplementaryDataRule**

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

## About this document

### Legend

| Abbreviation | Term               | Description                                                           |
|--------------|--------------------|-----------------------------------------------------------------------|
| X            | Excluded           | An optional field or element must not be populated.                   |
| I            | Ignored            | A field or element could be populated but is ignored by the receiver. |
| [x..y]       | Multiplicity       | A field or element multiplicity has changed.                          |
| FV           | Fixed Value        | A field or element must contain a given value.                        |
| T/C          | Type / Code Change | A user-defined datatype replaces an existing simple datatype.         |
| A            | Element Added      | A field or element has been added.                                    |

| Header             | Description                       |
|--------------------|-----------------------------------|
| Index              | Element reference                 |
| LvL                | Element nesting in tree hierarchy |
| Name               | Element name                      |
| XML Tag            | Element XML tag                   |
| Mult               | Element multiplicity              |
| Type / Code        | Element formatting                |
| Rest               | Restriction type                  |
| Additional details | Other restriction specifics       |

| Type/Code Notation     | Describes the Element                                 | Examples                       |
|------------------------|-------------------------------------------------------|--------------------------------|
| text{m,M}              | minimum (m) and maximum (M) length                    | text{1,35}                     |
| text{L}                | maximum (L) length, minimum length is 0               | test{10}                       |
| m <= decimal <= M      | minimum (m) and maximum (M) values                    | 0.01 <= decimal <= 9999.99     |
| fd = F, td = T         | maximum fractional (F) and total (T) number of digits | fd = 2, td = 11                |
| <<regular expression>> | regular expression pattern                            | [A-Z]{6,6}([A-Z0-9]{3,3}){0,1} |



| Index | Lv<br>l | Name                                                 | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                           |
|-------|---------|------------------------------------------------------|---------------|--------|------------------------------------------------------------------|-----------|--------------------------------------------------------------|
|       | 0       | Full Message                                         |               | [1..1] |                                                                  |           | Rules: R1, R2, R3, R4, R5                                    |
|       | 1       | Business Application Header V02<br>(head.001.001.02) | <AppHdr>      | [1..1] |                                                                  |           |                                                              |
|       | 2       | Character Set                                        | <CharSet>     | [0..1] | text                                                             |           |                                                              |
|       | 2       | From                                                 | <Fr>          | [1..1] | Choice                                                           |           |                                                              |
|       | 3       | Financial Institution Identification                 | <FIId>        | [1..1] |                                                                  |           |                                                              |
|       | 4       | Financial Institution<br>Identification              | <FinInstnId>  | [1..1] |                                                                  |           |                                                              |
|       | 5       | BICFI                                                | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1]    | Rules: R5                                                    |
|       | 5       | Clearing System Member<br>Identification             | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                              |
|       | 6       | Clearing System<br>Identification                    | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                              |
|       | 7       | Code                                                 | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                              |
|       | 6       | Member Identification                                | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+ |
|       | 5       | LEI                                                  | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                              |
|       | 2       | To                                                   | <To>          | [1..1] | Choice                                                           |           |                                                              |
|       | 3       | Financial Institution Identification                 | <FIId>        | [1..1] |                                                                  |           |                                                              |
|       | 4       | Financial Institution<br>Identification              | <FinInstnId>  | [1..1] |                                                                  |           |                                                              |
|       | 5       | BICFI                                                | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1]    | Rules: R2, R3                                                |
|       | 5       | Clearing System Member<br>Identification             | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                              |
|       | 6       | Clearing System<br>Identification                    | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                              |
|       | 7       | Code                                                 | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                              |

| Index | Lv<br>l | Name                          | XML Tag      | Mult   | Type / Code                       | Rest<br>r    | Additional details                                                                                                    |
|-------|---------|-------------------------------|--------------|--------|-----------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------|
|       | 6       | Member Identification         | <Mmbld>      | [1..1] | text{1,35}                        | T/C          | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,'\+ ]+                                                          |
|       | 5       | LEI                           | <LEI>        | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2} |              |                                                                                                                       |
|       | 2       | Business Message Identifier   | <BizMsgIdr>  | [1..1] | text{1,35}                        | T/C          | Rules: R1<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'\+ ]+                                    |
|       | 2       | Message Definition Identifier | <MsgDefIdr>  | [1..1] | text{1,35}                        | FV           | FixedValue: pacs.008.001.08                                                                                           |
|       | 2       | Business Service              | <BizSvc>     | [0..1] | text{1,35}                        | FV<br>[1..1] | FixedValue: swift.cbprplus.04                                                                                         |
|       | 2       | Market Practice               | <MktPrctc>   | [0..1] |                                   |              |                                                                                                                       |
|       | 3       | Registry                      | <Regy>       | [1..1] | text{1,350}                       |              |                                                                                                                       |
|       | 3       | Identification                | <Id>         | [1..1] | text{1,2048}                      |              |                                                                                                                       |
|       | 2       | Creation Date                 | <CreDt>      | [1..1] | dateTime                          | T/C          | Type Changed:<br>dateTime<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]                                                   |
|       | 2       | Copy Duplicate                | <CpyDplct>   | [0..1] | text                              |              | Rules: R2, R3                                                                                                         |
|       | 3       | Copy Duplicate                |              |        | CODU                              |              |                                                                                                                       |
|       | 3       | Copy                          |              |        | COPY                              |              |                                                                                                                       |
|       | 3       | Duplicate                     |              |        | DUPL                              |              |                                                                                                                       |
|       | 2       | Possible Duplicate            | <PssblDplct> | [0..1] | boolean                           |              |                                                                                                                       |
|       | 2       | Priority                      | <Prty>       | [0..1] | text                              | T/C          | Rules: R4<br>-----<br>Type Changed:<br>One of the following code values must be used:<br>HIGH (High)<br>NORM (Normal) |
|       | 3       | High                          |              |        | HIGH                              |              |                                                                                                                       |
|       | 3       | Normal                        |              |        | NORM                              |              |                                                                                                                       |
|       | 2       | Related                       | <Rltd>       | [0..*] |                                   | [0..1]       | Rules: R6                                                                                                             |
|       | 3       | Character Set                 | <CharSet>    | [0..1] | text                              |              |                                                                                                                       |
|       | 3       | From                          | <Fr>         | [1..1] | Choice                            |              |                                                                                                                       |

| Index | Lv<br>l | Name                                     | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                           |
|-------|---------|------------------------------------------|---------------|--------|------------------------------------------------------------------|-----------|--------------------------------------------------------------|
|       | 4       | Financial Institution<br>Identification  | <FIId>        | [1..1] |                                                                  |           |                                                              |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>  | [1..1] |                                                                  |           |                                                              |
|       | 6       | BICFI                                    | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1]    |                                                              |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                              |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                              |
|       | 8       | Code                                     | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                              |
|       | 7       | Member Identification                    | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,'\+ ]+ |
|       | 6       | LEI                                      | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                              |
|       | 3       | To                                       | <To>          | [1..1] | Choice                                                           |           |                                                              |
|       | 4       | Financial Institution<br>Identification  | <FIId>        | [1..1] |                                                                  |           |                                                              |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>  | [1..1] |                                                                  |           |                                                              |
|       | 6       | BICFI                                    | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1]    |                                                              |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                              |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                              |
|       | 8       | Code                                     | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                              |
|       | 7       | Member Identification                    | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,'\+ ]+ |

| Index | Lv<br>l | Name                                                       | XML Tag             | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                              |
|-------|---------|------------------------------------------------------------|---------------------|--------|-----------------------------------|-----------|-------------------------------------------------------------------------------------------------|
|       | 6       | LEI                                                        | <LEI>               | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2} |           |                                                                                                 |
|       | 3       | Business Message Identifier                                | <BizMsgIdr>         | [1..1] | text{1,35}                        | T/C       | Rules: R7<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,'\+ ]+               |
|       | 3       | Message Definition Identifier                              | <MsgDefIdr>         | [1..1] | text{1,35}                        | T/C       | Rules: R8<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,'\+ ]+               |
|       | 3       | Business Service                                           | <BizSvc>            | [0..1] | text{1,35}                        | T/C       | Rules: R9<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,'\+ ]+               |
|       | 3       | Creation Date                                              | <CreDt>             | [1..1] | dateTime                          | T/C       | Type Changed:<br>dateTime<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]                             |
|       | 3       | Copy Duplicate                                             | <CpyDplct>          | [0..1] | text                              |           |                                                                                                 |
|       | 4       | Copy Duplicate                                             |                     |        | CODU                              |           |                                                                                                 |
|       | 4       | Copy                                                       |                     |        | COPY                              |           |                                                                                                 |
|       | 4       | Duplicate                                                  |                     |        | DUPL                              |           |                                                                                                 |
|       | 3       | Priority                                                   | <Prty>              | [0..1] | text                              | T/C       | Type Changed:<br>One of the following code values must be used:<br>HIGH (High)<br>NORM (Normal) |
|       | 4       | High                                                       |                     |        | HIGH                              |           |                                                                                                 |
|       | 4       | Normal                                                     |                     |        | NORM                              |           |                                                                                                 |
|       | 1       | Document                                                   |                     | [1..1] |                                   |           |                                                                                                 |
|       | 2       | FI To FI Customer Credit Transfer<br>V08 (pacs.008.001.08) | <FIToFICstmrCdtTrf> |        |                                   |           | Rules: R10, R11, R12, R13                                                                       |
|       | 3       | Group Header                                               | <GrpHdr>            | [1..1] |                                   |           |                                                                                                 |

| Index | Lv<br>l | Name                   | XML Tag     | Mult   | Type / Code                                   | Rest<br>r | Additional details                                                                                                           |
|-------|---------|------------------------|-------------|--------|-----------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------|
|       | 4       | Message Identification | <MsgId>     | [1..1] | text{1,35}                                    | T/C       | Rules: R1<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'\+ ]+                                           |
|       | 4       | Creation Date Time     | <CreDtTm>   | [1..1] | dateTime                                      | T/C       | Type Changed:<br>dateTime<br>.*(\+ -)(([0-9]) (1[0-4])):[0-5][0-9]                                                           |
|       | 4       | Number Of Transactions | <NbOfTx>    | [1..1] | text<br>[0-9]{1,15}                           | FV        | FixedValue: 1                                                                                                                |
|       | 4       | Settlement Information | <SttlmInf>  | [1..1] |                                               |           |                                                                                                                              |
|       | 5       | Settlement Method      | <SttlmMtd>  | [1..1] | text                                          |           | Synonym:<br>N/A (in context : Settlement Method implicit in MTs<br>and derived from the presence of certain elements.)       |
|       | 6       | Instructed Agent       |             |        | INDA                                          |           |                                                                                                                              |
|       | 6       | Instructing Agent      |             |        | INGA                                          |           |                                                                                                                              |
|       | 6       | Cover Method           |             |        | COVE                                          |           |                                                                                                                              |
|       | 5       | Settlement Account     | <SttlmAcct> | [0..1] |                                               |           | Synonym:<br>53B (in context : Sender's Correspondent (option 53B<br>- account to be debited))                                |
|       | 6       | Identification         | <Id>        | [1..1] | Choice                                        |           |                                                                                                                              |
|       | 7       | IBAN                   | <IBAN>      | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |           |                                                                                                                              |
|       | 7       | Other                  | <Othr>      | [1..1] |                                               |           |                                                                                                                              |
|       | 8       | Identification         | <Id>        | [1..1] | text{1,34}                                    | T/C       | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:(\)\.,'\+ ]([0-9a-zA-Z\-\!\?:(\)\.,'\+ ])*([0-9a-zA-Z\-\!\?:(\)\.,'\+ ])?)* |
|       | 8       | Scheme Name            | <SchmeNm>   | [0..1] | Choice                                        |           |                                                                                                                              |
|       | 9       | Code                   | <Cd>        | [1..1] | text{1,4}                                     |           |                                                                                                                              |
|       | 9       | Proprietary            | <Prtry>     | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'\+ ]+                                                                 |
|       | 8       | Issuer                 | <Issr>      | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'\+ ]+                                                                 |
|       | 6       | Type                   | <Tp>        | [0..1] | Choice                                        |           |                                                                                                                              |

| Index | Lv<br>l | Name                                     | XML Tag                | Mult   | Type / Code                                                                  | Rest<br>r | Additional details                                                                               |
|-------|---------|------------------------------------------|------------------------|--------|------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------|
|       | 7       | Code                                     | <Cd>                   | [1..1] | text{1,4}                                                                    |           |                                                                                                  |
|       | 7       | Proprietary                              | <Prtry>                | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                     |
|       | 6       | Currency                                 | <Ccy>                  | [0..1] | text<br>[A-Z]{3,3}                                                           |           |                                                                                                  |
|       | 6       | Name                                     | <Nm>                   | [0..1] | text{1,70}                                                                   | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                     |
|       | 6       | Proxy                                    | <Prxy>                 | [0..1] |                                                                              |           |                                                                                                  |
|       | 7       | Type                                     | <Tp>                   | [0..1] | Choice                                                                       | [1..1]    |                                                                                                  |
|       | 8       | Code                                     | <Cd>                   | [1..1] | text{1,4}                                                                    |           |                                                                                                  |
|       | 8       | Proprietary                              | <Prtry>                | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                     |
|       | 7       | Identification                           | <Id>                   | [1..1] | text{1,2048}                                                                 | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*^=\^ \\\ }~";<>@\ \\ ]+      |
|       | 5       | Agent Instructing Reimbursement          | <InstgRmbrsmnt<br>Agt> | [0..1] |                                                                              |           | Rules: R14, R15, R16, R17, R18<br>-----<br>Synonym:<br>53a (in context : Sender's Correspondent) |
|       | 6       | Financial Institution<br>Identification  | <FinInstnId>           | [1..1] |                                                                              |           | Rules: R19                                                                                       |
|       | 7       | BICFI                                    | <BICFI>                | [0..1] | text<br>[A-Z0-9]{4,4}[A-<br>Z]{2,2}[A-Z0-<br>9]{2,2}([A-Z0-<br>9]{3,3}){0,1} |           |                                                                                                  |
|       | 7       | Clearing System<br>Member Identification | <ClrSysMmbld>          | [0..1] |                                                                              |           |                                                                                                  |
|       | 8       | Clearing System<br>Identification        | <ClrSysId>             | [0..1] | Choice                                                                       | [1..1]    |                                                                                                  |
|       | 9       | Code                                     | <Cd>                   | [1..1] | text{1,5}                                                                    |           |                                                                                                  |
|       | 8       | Member<br>Identification                 | <Mmbld>                | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                     |

| Index | Lv<br>l | Name            | XML Tag   | Mult   | Type / Code                       | Rest<br>r     | Additional details                                                                                                 |
|-------|---------|-----------------|-----------|--------|-----------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------|
|       | 7       | LEI             | <LEI>     | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2} |               |                                                                                                                    |
|       | 7       | Name            | <Nm>      | [0..1] | text{1,140}                       | T/C           | Rules: R19<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+ |
|       | 7       | Postal Address  | <PstlAdr> | [0..1] |                                   |               | Rules: R20, R19                                                                                                    |
|       | 8       | Department      | <Dept>    | [0..1] | text{1,70}                        | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Sub Department  | <SubDept> | [0..1] | text{1,70}                        | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Street Name     | <StrtNm>  | [0..1] | text{1,70}                        | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Building Number | <BldgNb>  | [0..1] | text{1,16}                        | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Building Name   | <BldgNm>  | [0..1] | text{1,35}                        | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Floor           | <Flr>     | [0..1] | text{1,70}                        | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Post Box        | <PstBx>   | [0..1] | text{1,16}                        | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Room            | <Room>    | [0..1] | text{1,70}                        | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Post Code       | <PstCd>   | [0..1] | text{1,16}                        | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |
|       | 8       | Town Name       | <TwnNm>   | [0..1] | text{1,35}                        | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^ \_{} ~";<>@\ \\ ]+                         |

| Index | Lv<br>l | Name                                       | XML Tag                    | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                            |
|-------|---------|--------------------------------------------|----------------------------|--------|-----------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------|
|       | 8       | Town Location<br>Name                      | <TwnLctnNm>                | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+!#\$%&!*^=\^ \\\}\~";<>@\ \\\]]+                                     |
|       | 8       | District Name                              | <DstrctNm>                 | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+!#\$%&!*^=\^ \\\}\~";<>@\ \\\]]+                                     |
|       | 8       | Country Sub Division                       | <CtrySubDvsn>              | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+!#\$%&!*^=\^ \\\}\~";<>@\ \\\]]+                                     |
|       | 8       | Country                                    | <Ctry>                     | [0..1] | text<br>[A-Z]{2,2}                            | [1..1]        |                                                                                                                               |
|       | 8       | Address Line                               | <AdrLine>                  | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+!#\$%&!*^=\^ \\\}\~";<>@\ \\\]]+                                     |
|       | 5       | Instructing Reimbursement<br>Agent Account | <InstgRmbrsmnt<br>AgtAcct> | [0..1] |                                               |               | Synonym:<br>53A or 53D (in context : Sender's Correspondent -<br>Party Identifier)                                            |
|       | 6       | Identification                             | <Id>                       | [1..1] | Choice                                        |               |                                                                                                                               |
|       | 7       | IBAN                                       | <IBAN>                     | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                               |
|       | 7       | Other                                      | <Othr>                     | [1..1] |                                               |               |                                                                                                                               |
|       | 8       | Identification                             | <Id>                       | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:\(\)\.,'+ ]([0-9a-zA-Z\-\!\?:\(\)\.,'+ ]*)?([0-9a-zA-Z\-\!\?:\(\)\.,'+ ])?*) |
|       | 8       | Scheme Name                                | <SchmeNm>                  | [0..1] | Choice                                        |               |                                                                                                                               |
|       | 9       | Code                                       | <Cd>                       | [1..1] | text{1,4}                                     |               |                                                                                                                               |
|       | 9       | Proprietary                                | <Prtry>                    | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                  |
|       | 8       | Issuer                                     | <Issr>                     | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                  |
|       | 6       | Type                                       | <Tp>                       | [0..1] | Choice                                        |               |                                                                                                                               |
|       | 7       | Code                                       | <Cd>                       | [1..1] | text{1,4}                                     |               |                                                                                                                               |
|       | 7       | Proprietary                                | <Prtry>                    | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                  |



| Index | Lv<br>l | Name                                     | XML Tag                | Mult   | Type / Code                                                                  | Rest<br>r | Additional details                                                                                 |
|-------|---------|------------------------------------------|------------------------|--------|------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------|
|       | 6       | Currency                                 | <Ccy>                  | [0..1] | text<br>[A-Z]{3,3}                                                           |           |                                                                                                    |
|       | 6       | Name                                     | <Nm>                   | [0..1] | text{1,70}                                                                   | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                       |
|       | 6       | Proxy                                    | <Prxy>                 | [0..1] |                                                                              |           |                                                                                                    |
|       | 7       | Type                                     | <Tp>                   | [0..1] | Choice                                                                       | [1..1]    |                                                                                                    |
|       | 8       | Code                                     | <Cd>                   | [1..1] | text{1,4}                                                                    |           |                                                                                                    |
|       | 8       | Proprietary                              | <Prtry>                | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                       |
|       | 7       | Identification                           | <Id>                   | [1..1] | text{1,2048}                                                                 | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*='^ `\'{}~";<>@\[\]]+]         |
|       | 5       | Agent Instructed Reimbursement           | <InstdRmbrsmnt<br>Agt> | [0..1] |                                                                              |           | Rules: R18, R16, R15, R14, R17<br>-----<br>Synonym:<br>54a (in context : Receiver's Correspondent) |
|       | 6       | Financial Institution<br>Identification  | <FinInstnId>           | [1..1] |                                                                              |           | Rules: R21                                                                                         |
|       | 7       | BICFI                                    | <BICFI>                | [0..1] | text<br>[A-Z0-9]{4,4}[A-<br>Z]{2,2}[A-Z0-<br>9]{2,2}([A-Z0-<br>9]{3,3}){0,1} |           |                                                                                                    |
|       | 7       | Clearing System<br>Member Identification | <ClrSysMmbld>          | [0..1] |                                                                              |           |                                                                                                    |
|       | 8       | Clearing System<br>Identification        | <ClrSysId>             | [0..1] | Choice                                                                       | [1..1]    |                                                                                                    |
|       | 9       | Code                                     | <Cd>                   | [1..1] | text{1,5}                                                                    |           |                                                                                                    |
|       | 8       | Member<br>Identification                 | <Mmbld>                | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                       |
|       | 7       | LEI                                      | <LEI>                  | [0..1] | text<br>[A-Z0-<br>9]{18,18}[0-<br>9]{2,2}                                    |           |                                                                                                    |

| Index | Lv<br>l | Name                  | XML Tag     | Mult   | Type / Code | Rest<br>r     | Additional details                                                                                                 |
|-------|---------|-----------------------|-------------|--------|-------------|---------------|--------------------------------------------------------------------------------------------------------------------|
|       | 7       | Name                  | <Nm>        | [0..1] | text{1,140} | T/C           | Rules: R21<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Postal Address        | <PstAdr>    | [0..1] |             |               | Rules: R20, R21                                                                                                    |
|       | 8       | Department            | <Dept>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Sub Department        | <SubDept>   | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Street Name           | <StrtNm>    | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Building Number       | <BldgNb>    | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Building Name         | <BldgNm>    | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Floor                 | <Flr>       | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Post Box              | <PstBx>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Room                  | <Room>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Post Code             | <PstCd>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Town Name             | <TwnNm>     | [0..1] | text{1,35}  | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 8       | Name<br>Town Location | <TwnLctnNm> | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |

| Index | Lv<br>l | Name                                      | XML Tag                    | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                                |
|-------|---------|-------------------------------------------|----------------------------|--------|-----------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------|
|       | 8       | District Name                             | <DstrctNm>                 | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^_` \{\}\}~";<>@\ \\\]]+]                                   |
|       | 8       | Country Sub Division                      | <CtrySubDvsn>              | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^_` \{\}\}~";<>@\ \\\]]+]                                   |
|       | 8       | Country                                   | <Ctry>                     | [0..1] | text<br>[A-Z]{2,2}                            | [1..1]        |                                                                                                                                   |
|       | 8       | Address Line                              | <AdrLine>                  | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*=-^_` \{\}\}~";<>@\ \\\]]+]                                   |
|       | 5       | Instructed Reimbursement<br>Agent Account | <InstdRmbrsmnt<br>AgtAcct> | [0..1] |                                               |               | Synonym:<br>54a (in context : Receiver's Correspondent - Party Identifier)                                                        |
|       | 6       | Identification                            | <Id>                       | [1..1] | Choice                                        |               |                                                                                                                                   |
|       | 7       | IBAN                                      | <IBAN>                     | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                                   |
|       | 7       | Other                                     | <Othr>                     | [1..1] |                                               |               |                                                                                                                                   |
|       | 8       | Identification                            | <Id>                       | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]*)/([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ])?)*) |
|       | 8       | Scheme Name                               | <SchmeNm>                  | [0..1] | Choice                                        |               |                                                                                                                                   |
|       | 9       | Code                                      | <Cd>                       | [1..1] | text{1,4}                                     |               |                                                                                                                                   |
|       | 9       | Proprietary                               | <Prtry>                    | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                     |
|       | 8       | Issuer                                    | <Issr>                     | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                     |
|       | 6       | Type                                      | <Tp>                       | [0..1] | Choice                                        |               |                                                                                                                                   |
|       | 7       | Code                                      | <Cd>                       | [1..1] | text{1,4}                                     |               |                                                                                                                                   |
|       | 7       | Proprietary                               | <Prtry>                    | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                     |
|       | 6       | Currency                                  | <Ccy>                      | [0..1] | text<br>[A-Z]{3,3}                            |               |                                                                                                                                   |

| Index | Lv<br>l | Name                                     | XML Tag               | Mult   | Type / Code                                                                  | Rest<br>r | Additional details                                                                                                   |
|-------|---------|------------------------------------------|-----------------------|--------|------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------|
|       | 6       | Name                                     | <Nm>                  | [0..1] | text{1,70}                                                                   | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-\\?:\(\)\.,\'+ ]+                                                        |
|       | 6       | Proxy                                    | <Prxy>                | [0..1] |                                                                              |           |                                                                                                                      |
|       | 7       | Type                                     | <Tp>                  | [0..1] | Choice                                                                       | [1..1]    |                                                                                                                      |
|       | 8       | Code                                     | <Cd>                  | [1..1] | text{1,4}                                                                    |           |                                                                                                                      |
|       | 8       | Proprietary                              | <Prtry>               | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-\\?:\(\)\.,\'+ ]+                                                        |
|       | 7       | Identification                           | <Id>                  | [1..1] | text{1,2048}                                                                 | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-\\?:\(\)\.,\'+ !#\$%&!\*^=\^ \\\ }~";<>@\ \\\]]+                        |
|       | 5       | Third Reimbursement Agent                | <ThrdRmbrsmnt<br>Agt> | [0..1] |                                                                              |           | Rules: R18, R15, R14, R17, R16<br>-----<br>Synonym:<br>55a (in context : Third Reimbursement Institution)            |
|       | 6       | Financial Institution<br>Identification  | <FinInstnId>          | [1..1] |                                                                              |           | Rules: R22                                                                                                           |
|       | 7       | BICFI                                    | <BICFI>               | [0..1] | text<br>[A-Z0-9]{4,4}[A-<br>Z]{2,2}[A-Z0-<br>9]{2,2}([A-Z0-<br>9]{3,3}){0,1} |           |                                                                                                                      |
|       | 7       | Clearing System<br>Member Identification | <ClrSysMmbld>         | [0..1] |                                                                              |           |                                                                                                                      |
|       | 8       | Clearing System<br>Identification        | <ClrSysId>            | [0..1] | Choice                                                                       | [1..1]    |                                                                                                                      |
|       | 9       | Code                                     | <Cd>                  | [1..1] | text{1,5}                                                                    |           |                                                                                                                      |
|       | 8       | Member<br>Identification                 | <Mmbld>               | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-\\?:\(\)\.,\'+ ]+                                                        |
|       | 7       | LEI                                      | <LEI>                 | [0..1] | text<br>[A-Z0-<br>9]{18,18}[0-<br>9]{2,2}                                    |           |                                                                                                                      |
|       | 7       | Name                                     | <Nm>                  | [0..1] | text{1,140}                                                                  | T/C       | Rules: R22<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-\\?:\(\)\.,\'+ !#\$%&!\*^=\^ \\\ }~";<>@\ \\\]]+ |

| Index | Lv<br>l | Name                  | XML Tag       | Mult   | Type / Code | Rest<br>r     | Additional details                                                                           |
|-------|---------|-----------------------|---------------|--------|-------------|---------------|----------------------------------------------------------------------------------------------|
|       | 7       | Postal Address        | <PstlAdr>     | [0..1] |             |               | Rules: R20, R22                                                                              |
|       | 8       | Department            | <Dept>        | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Sub Department        | <SubDept>     | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Street Name           | <StrtNm>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Building Number       | <BldgNb>      | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Building Name         | <BldgNm>      | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Floor                 | <Flr>         | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Post Box              | <PstBx>       | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Room                  | <Room>        | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Post Code             | <PstCd>       | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Town Name             | <TwnNm>       | [0..1] | text{1,35}  | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Name<br>Town Location | <TwnLctnNm>   | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | District Name         | <DstrctNm>    | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Country Sub Division  | <CtrySubDvsn> | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |

| Index | Lv<br>l | Name                                 | XML Tag                   | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                              |
|-------|---------|--------------------------------------|---------------------------|--------|-----------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------|
|       | 8       | Country                              | <Ctry>                    | [0..1] | text<br>[A-Z]{2,2}                            | [1..1]        |                                                                                                                                 |
|       | 8       | Address Line                         | <AdrLine>                 | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&\*=\^ \\\ }\~";<>@\ \\\]]+                                     |
|       | 5       | Third Reimbursement Agent<br>Account | <ThrdRmbrsmnt<br>AgtAcct> | [0..1] |                                               |               | Synonym:<br>55a (in context : Third Reimbursement Institution -<br>Party Identifier)                                            |
|       | 6       | Identification                       | <Id>                      | [1..1] | Choice                                        |               |                                                                                                                                 |
|       | 7       | IBAN                                 | <IBAN>                    | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                                 |
|       | 7       | Other                                | <Othr>                    | [1..1] |                                               |               |                                                                                                                                 |
|       | 8       | Identification                       | <Id>                      | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ])?*)) |
|       | 8       | Scheme Name                          | <SchmeNm>                 | [0..1] | Choice                                        |               |                                                                                                                                 |
|       | 9       | Code                                 | <Cd>                      | [1..1] | text{1,4}                                     |               |                                                                                                                                 |
|       | 9       | Proprietary                          | <Prtry>                   | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 8       | Issuer                               | <Issr>                    | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 6       | Type                                 | <Tp>                      | [0..1] | Choice                                        |               |                                                                                                                                 |
|       | 7       | Code                                 | <Cd>                      | [1..1] | text{1,4}                                     |               |                                                                                                                                 |
|       | 7       | Proprietary                          | <Prtry>                   | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 6       | Currency                             | <Ccy>                     | [0..1] | text<br>[A-Z]{3,3}                            |               |                                                                                                                                 |
|       | 6       | Name                                 | <Nm>                      | [0..1] | text{1,70}                                    | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 6       | Proxy                                | <Prxy>                    | [0..1] |                                               |               |                                                                                                                                 |
|       | 7       | Type                                 | <Tp>                      | [0..1] | Choice                                        | [1..1]        |                                                                                                                                 |
|       | 8       | Code                                 | <Cd>                      | [1..1] | text{1,4}                                     |               |                                                                                                                                 |

| Index | Lv<br>l | Name                                    | XML Tag       | Mult   | Type / Code                                                                 | Rest<br>r     | Additional details                                                                                                                                                         |
|-------|---------|-----------------------------------------|---------------|--------|-----------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | 8       | Proprietary                             | <Prtry>       | [1..1] | text{1,35}                                                                  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                                                                               |
|       | 7       | Identification                          | <Id>          | [1..1] | text{1,2048}                                                                | T/C           | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*='^_`\\\}\~";<>@\ \\ ]+                                                                                |
|       | 3       | Credit Transfer Transaction Information | <CdtTrfTxInf> | [1..*] |                                                                             | [1..1]        | Rules: R23, R24, R25, R26, R27                                                                                                                                             |
|       | 4       | Payment Identification                  | <PmtId>       | [1..1] |                                                                             |               |                                                                                                                                                                            |
|       | 5       | Instruction Identification              | <InstrId>     | [0..1] | text{1,35}                                                                  | [1..1]<br>T/C | Rules: R28<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                                                        |
|       | 5       | End To End Identification               | <EndToEndId>  | [1..1] | text{1,35}                                                                  | T/C           | Rules: R29<br>-----<br>Synonym:<br>Field 70 (in context : Remittance Information with code /ROC/)<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+ |
|       | 5       | Transaction Identification              | <TxId>        | [0..1] | text{1,35}                                                                  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                                                                               |
|       | 5       | UETR                                    | <UETR>        | [0..1] | text<br>[a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12} | [1..1]        |                                                                                                                                                                            |
|       | 5       | Clearing System Reference               | <ClrSysRef>   | [0..1] | text{1,35}                                                                  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                                                                               |
|       | 4       | Payment Type Information                | <PmtTpInf>    | [0..1] |                                                                             |               |                                                                                                                                                                            |
|       | 5       | Instruction Priority                    | <InstrPrty>   | [0..1] | text                                                                        |               | Rules: R4                                                                                                                                                                  |
|       | 6       | High                                    |               |        | HIGH                                                                        |               |                                                                                                                                                                            |
|       | 6       | Normal                                  |               |        | NORM                                                                        |               |                                                                                                                                                                            |
|       | 5       | Clearing Channel                        | <ClrChanl>    | [0..1] | text                                                                        |               |                                                                                                                                                                            |

| Index | Lv<br>l | Name                              | XML Tag          | Mult   | Type / Code                       | Rest<br>r     | Additional details                                                                  |
|-------|---------|-----------------------------------|------------------|--------|-----------------------------------|---------------|-------------------------------------------------------------------------------------|
|       | 6       | Real Time Gross Settlement System |                  |        | RTGS                              |               |                                                                                     |
|       | 6       | Real Time Net Settlement System   |                  |        | RTNS                              |               |                                                                                     |
|       | 6       | Mass Payment Net System           |                  |        | MPNS                              |               |                                                                                     |
|       | 6       | Book Transfer                     |                  |        | BOOK                              |               |                                                                                     |
|       | 5       | Service Level                     | <SvcLvl>         | [0..*] | Choice                            | [0..3]        | Rules: R13                                                                          |
|       | 6       | Code                              | <Cd>             | [1..1] | text{1,4}                         |               | Rules: R13                                                                          |
|       | 6       | Proprietary                       | <Prtry>          | [1..1] | text{1,35}                        | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'\+ ]+                        |
|       | 5       | Local Instrument                  | <LclInstrm>      | [0..1] | Choice                            |               |                                                                                     |
|       | 6       | Code                              | <Cd>             | [1..1] | text{1,35}                        |               |                                                                                     |
|       | 6       | Proprietary                       | <Prtry>          | [1..1] | text{1,35}                        | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'\+ ]+                        |
|       | 5       | Category Purpose                  | <CtgyPurp>       | [0..1] | Choice                            |               |                                                                                     |
|       | 6       | Code                              | <Cd>             | [1..1] | text{1,4}                         |               |                                                                                     |
|       | 6       | Proprietary                       | <Prtry>          | [1..1] | text{1,35}                        | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'\+ ]+                        |
|       | 4       | Interbank Settlement Amount       | <IntrBkSttlmAmt> | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 | T/C           | Rules: R30, R31, R32<br>-----<br>Type Changed:<br>0 <= decimal<br>td = 14<br>fd = 5 |
|       | 5       | Xml Attribute Currency            | <Ccy>            |        | text<br>[A-Z]{3,3}                |               | Rules: R31                                                                          |
|       | 4       | Interbank Settlement Date         | <IntrBkSttlmDt>  | [0..1] | date                              | [1..1]<br>T/C | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                 |
|       | 4       | Settlement Priority               | <SttlmPrty>      | [0..1] | text                              |               |                                                                                     |
|       | 5       | Urgent                            |                  |        | URGT                              |               |                                                                                     |
|       | 5       | High                              |                  |        | HIGH                              |               |                                                                                     |
|       | 5       | Normal                            |                  |        | NORM                              |               |                                                                                     |
|       | 4       | Settlement Time Indication        | <SttlmTmIndctn>  | [0..1] |                                   |               |                                                                                     |



| Index | Lv<br>l | Name                    | XML Tag      | Mult   | Type / Code                       | Rest<br>r     | Additional details                                                             |
|-------|---------|-------------------------|--------------|--------|-----------------------------------|---------------|--------------------------------------------------------------------------------|
|       | 5       | Debit Date Time         | <DbtDtTm>    | [0..1] | dateTime                          | T/C           | Type Changed:<br>dateTime<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]            |
|       | 5       | Credit Date Time        | <CdtDtTm>    | [0..1] | dateTime                          | T/C           | Type Changed:<br>dateTime<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]            |
|       | 4       | Settlement Time Request | <SttlmTmReq> | [0..1] |                                   |               |                                                                                |
|       | 5       | CLS Time                | <CLSTm>      | [0..1] | time                              | T/C           | Type Changed:<br>time<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]                |
|       | 5       | Till Time               | <TillTm>     | [0..1] | time                              | T/C           | Type Changed:<br>time<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]                |
|       | 5       | From Time               | <FrTm>       | [0..1] | time                              | T/C           | Type Changed:<br>time<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]                |
|       | 5       | Reject Time             | <RjctTm>     | [0..1] | time                              | T/C           | Type Changed:<br>time<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]                |
|       | 4       | Instructed Amount       | <InstdAmt>   | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 | [1..1]<br>T/C | Rules: R30, R32<br>-----<br>Type Changed:<br>0 <= decimal<br>td = 14<br>fd = 5 |
|       | 5       | Xml Attribute Currency  | <Ccy>        |        | text<br>[A-Z]{3,3}                |               |                                                                                |
|       | 4       | Exchange Rate           | <XchgRate>   | [0..1] | decimal<br>td = 11<br>fd = 10     |               |                                                                                |
|       | 4       | Charge Bearer           | <ChrgBr>     | [1..1] | text                              |               | Rules: R33, R32, R26                                                           |
|       | 5       | Borne By Debtor         |              |        | DEBT                              |               | Rules: R23                                                                     |
|       | 5       | Borne By Creditor       |              |        | CRED                              |               |                                                                                |
|       | 5       | Shared                  |              |        | SHAR                              |               | Rules: R34<br>-----<br>Synonym:<br>71A (in context : Details of Charges SHA)   |
|       | 4       | Charges Information     | <ChrgsInf>   | [0..*] |                                   |               | Rules: R33, R34, R32, R23, R26                                                 |

| Index | Lv<br>l | Name                                  | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                                                                                                                                                                              |
|-------|---------|---------------------------------------|---------------|--------|------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | 5       | Amount                                | <Amt>         | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5                                | T/C       | Synonym:<br>71F or 71G (in context : Sender's Charges or Receiver's Charges)<br>-----<br>Type Changed:<br>0 <= decimal<br>td = 14<br>fd = 5                                                                     |
|       | 6       | Xml Attribute Currency                | <Ccy>         |        | text<br>[A-Z]{3,3}                                               |           |                                                                                                                                                                                                                 |
|       | 5       | Agent                                 | <Agt>         | [1..1] |                                                                  |           | Rules: R14, R16, R18, R17<br>-----<br>Synonym:<br>N/A (in context : The party that has lifted charges (71F) or to which charges are due (71G) is implicit in the MT 103 and understood from the payment chain.) |
|       | 6       | Financial Institution Identification  | <FinInstnId>  | [1..1] |                                                                  |           | Rules: R12                                                                                                                                                                                                      |
|       | 7       | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |           |                                                                                                                                                                                                                 |
|       | 7       | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                                                                                                                                                                                 |
|       | 8       | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                                                                                                                                                                                 |
|       | 9       | Code                                  | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                                                                                                                                                                                 |
|       | 8       | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!\?:\(\)\.,\'+ ]+                                                                                                                                                   |
|       | 7       | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                                                                                                                                                                                 |
|       | 7       | Name                                  | <Nm>          | [0..1] | text{1,140}                                                      | T/C       | Rules: R12<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!\*='^ `\'\/\}\~";<>@\ \\\ ]+                                                                                          |
|       | 7       | Postal Address                        | <PstlAdr>     | [0..1] |                                                                  |           | Rules: R12, R20                                                                                                                                                                                                 |

| Index | Lv<br>l | Name                  | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details                                                                        |
|-------|---------|-----------------------|---------------|--------|--------------------|---------------|-------------------------------------------------------------------------------------------|
|       | 8       | Department            | <Dept>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Sub Department        | <SubDept>     | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Street Name           | <StrtNm>      | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Building Number       | <BldgNb>      | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Building Name         | <BldgNm>      | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Floor                 | <Flr>         | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Post Box              | <PstBx>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Room                  | <Room>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Post Code             | <PstCd>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Town Name             | <TwnNm>       | [0..1] | text{1,35}         | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Name<br>Town Location | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | District Name         | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Country Sub Division  | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]]+ |
|       | 8       | Country               | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} | [1..1]        |                                                                                           |

| Index | Lv<br>l | Name                                     | XML Tag         | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                                               |
|-------|---------|------------------------------------------|-----------------|--------|------------------------------------------------------------------|---------------|------------------------------------------------------------------------------------------------------------------|
|       | 8       | Address Line                             | <AdrLine>       | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                         |
|       | 4       | Previous Instructing Agent 1             | <PrvsInstgAgt1> | [0..1] |                                                                  |               | Rules: R17, R14, R16, R18                                                                                        |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>    | [1..1] |                                                                  |               | Rules: R35                                                                                                       |
|       | 6       | BICFI                                    | <BICFI>         | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |                                                                                                                  |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld>   | [0..1] |                                                                  |               |                                                                                                                  |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>      | [0..1] | Choice                                                           | [1..1]        |                                                                                                                  |
|       | 8       | Code                                     | <Cd>            | [1..1] | text{1,5}                                                        |               |                                                                                                                  |
|       | 7       | Member Identification                    | <Mmbld>         | [1..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                     |
|       | 6       | LEI                                      | <LEI>           | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                                                  |
|       | 6       | Name                                     | <Nm>            | [0..1] | text{1,140}                                                      | T/C           | Rules: R35<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+ |
|       | 6       | Postal Address                           | <PstlAdr>       | [0..1] |                                                                  |               | Rules: R20, R35                                                                                                  |
|       | 7       | Department                               | <Dept>          | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                         |
|       | 7       | Sub Department                           | <SubDept>       | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                         |
|       | 7       | Street Name                              | <StrtNm>        | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                         |

| Index | Lv<br>l | Name                                    | XML Tag                 | Mult   | Type / Code        | Rest<br>r     | Additional details                                                                           |
|-------|---------|-----------------------------------------|-------------------------|--------|--------------------|---------------|----------------------------------------------------------------------------------------------|
|       | 7       | Building Number                         | <BldgNb>                | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Building Name                           | <BldgNm>                | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Floor                                   | <Flr>                   | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Box                                | <PstBx>                 | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Room                                    | <Room>                  | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Code                               | <PstCd>                 | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Name                               | <TwnNm>                 | [0..1] | text{1,35}         | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Location Name                      | <TwnLctnNm>             | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | District Name                           | <DstrctNm>              | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country Sub Division                    | <CtrySubDvsn>           | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country                                 | <Ctry>                  | [0..1] | text<br>[A-Z]{2,2} | [1..1]        |                                                                                              |
|       | 7       | Address Line                            | <AdrLine>               | [0..7] | text{1,70}         | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 4       | Previous Instructing Agent 1<br>Account | <PrvsInstgAgt1A<br>cct> | [0..1] |                    |               |                                                                                              |
|       | 5       | Identification                          | <Id>                    | [1..1] | Choice             |               |                                                                                              |

| Index | Lv<br>l | Name                                 | XML Tag         | Mult   | Type / Code                                   | Rest<br>r | Additional details                                                                                                              |
|-------|---------|--------------------------------------|-----------------|--------|-----------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------|
|       | 6       | IBAN                                 | <IBAN>          | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |           |                                                                                                                                 |
|       | 6       | Other                                | <Othr>          | [1..1] |                                               |           |                                                                                                                                 |
|       | 7       | Identification                       | <Id>            | [1..1] | text{1,34}                                    | T/C       | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\?\:\(\)\. ,\'+ ]([0-9a-zA-Z\-\?\:\(\)\. ,\'+ ])*([0-9a-zA-Z\-\?\:\(\)\. ,\'+ ])?)* |
|       | 7       | Scheme Name                          | <SchmeNm>       | [0..1] | Choice                                        |           |                                                                                                                                 |
|       | 8       | Code                                 | <Cd>            | [1..1] | text{1,4}                                     |           |                                                                                                                                 |
|       | 8       | Proprietary                          | <Prtry>         | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\. ,\'+ ]+                                                                   |
|       | 7       | Issuer                               | <Issr>          | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\. ,\'+ ]+                                                                   |
|       | 5       | Type                                 | <Tp>            | [0..1] | Choice                                        |           |                                                                                                                                 |
|       | 6       | Code                                 | <Cd>            | [1..1] | text{1,4}                                     |           |                                                                                                                                 |
|       | 6       | Proprietary                          | <Prtry>         | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\. ,\'+ ]+                                                                   |
|       | 5       | Currency                             | <Ccy>           | [0..1] | text<br>[A-Z]{3,3}                            |           |                                                                                                                                 |
|       | 5       | Name                                 | <Nm>            | [0..1] | text{1,70}                                    | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:\(\)\. ,\'+ ]+                                                                   |
|       | 5       | Proxy                                | <Prxy>          | [0..1] |                                               |           |                                                                                                                                 |
|       | 6       | Type                                 | <Tp>            | [0..1] | Choice                                        | [1..1]    |                                                                                                                                 |
|       | 7       | Code                                 | <Cd>            | [1..1] | text{1,4}                                     |           |                                                                                                                                 |
|       | 7       | Proprietary                          | <Prtry>         | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\. ,\'+ ]+                                                                   |
|       | 6       | Identification                       | <Id>            | [1..1] | text{1,2048}                                  | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z\-\?\:\(\)\. ,\'+ !#\$%&!\*='^ \\\ }~";;<>@\ \\ ]+                                    |
|       | 4       | Previous Instructing Agent 2         | <PrvsInstgAgt2> | [0..1] |                                               |           | Rules: R14, R18, R16, R17                                                                                                       |
|       | 5       | Financial Institution Identification | <FinInstnId>    | [1..1] |                                               |           | Rules: R36                                                                                                                      |

| Index | Lv<br>l | Name                                  | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                                                                                |
|-------|---------|---------------------------------------|---------------|--------|------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------|
|       | 6       | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |           |                                                                                                                   |
|       | 6       | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                                                                                   |
|       | 7       | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                                                                                   |
|       | 8       | Code                                  | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                                                                                   |
|       | 7       | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                      |
|       | 6       | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                                                                                   |
|       | 6       | Name                                  | <Nm>          | [0..1] | text{1,140}                                                      | T/C       | Rules: R36<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+ |
|       | 6       | Postal Address                        | <PstlAdr>     | [0..1] |                                                                  |           | Rules: R36, R20                                                                                                   |
|       | 7       | Department                            | <Dept>        | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 7       | Sub Department                        | <SubDept>     | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 7       | Street Name                           | <StrtNm>      | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 7       | Building Number                       | <BldgNb>      | [0..1] | text{1,16}                                                       | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 7       | Building Name                         | <BldgNm>      | [0..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 7       | Floor                                 | <Flr>         | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |

| Index | Lv<br>l | Name                 | XML Tag                      | Mult                    | Type / Code        | Rest<br>r                                     | Additional details                                                                                                              |
|-------|---------|----------------------|------------------------------|-------------------------|--------------------|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
|       | 7       | Post Box             | <PstBx>                      | [0..1]                  | text{1,16}         | T/C                                           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 7       | Room                 | <Room>                       | [0..1]                  | text{1,70}         | T/C                                           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 7       | Post Code            | <PstCd>                      | [0..1]                  | text{1,16}         | T/C                                           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 7       | Town Name            | <TwnNm>                      | [0..1]                  | text{1,35}         | [1..1]<br>T/C                                 | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 7       | Town Location Name   | <TwnLctnNm>                  | [0..1]                  | text{1,35}         | T/C                                           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 7       | District Name        | <DstrctNm>                   | [0..1]                  | text{1,35}         | T/C                                           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 7       | Country Sub Division | <CtrySubDvsn>                | [0..1]                  | text{1,35}         | T/C                                           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 7       | Country              | <Ctry>                       | [0..1]                  | text<br>[A-Z]{2,2} | [1..1]                                        |                                                                                                                                 |
|       | 7       | Address Line         | <AdrLine>                    | [0..7]                  | text{1,70}         | [0..2]<br>T/C                                 | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]]+]                                          |
|       | 4       | Account              | Previous Instructing Agent 2 | <PrvsInstgAgt2A<br>cct> | [0..1]             |                                               |                                                                                                                                 |
|       | 5       |                      | Identification               | <Id>                    | [1..1]             | Choice                                        |                                                                                                                                 |
|       | 6       |                      | IBAN                         | <IBAN>                  | [1..1]             | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |                                                                                                                                 |
|       | 6       |                      | Other                        | <Othr>                  | [1..1]             |                                               |                                                                                                                                 |
|       | 7       | Identification       | <Id>                         | [1..1]                  | text{1,34}         | T/C                                           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!?:\(\)\.,\'+\ ]([0-9a-zA-Z\-\!?:\(\)\.,\'+\ ]*([0-9a-zA-Z\-\!?:\(\)\.,\'+\ ])?*)) |
|       | 7       | Scheme Name          | <SchmeNm>                    | [0..1]                  | Choice             |                                               |                                                                                                                                 |
|       | 8       | Code                 | <Cd>                         | [1..1]                  | text{1,4}          |                                               |                                                                                                                                 |



| Index | Lv<br>l | Name                                     | XML Tag         | Mult   | Type / Code                                                    | Rest<br>r | Additional details                                                                            |
|-------|---------|------------------------------------------|-----------------|--------|----------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------|
|       | 8       | Proprietary                              | <Prtry>         | [1..1] | text{1,35}                                                     | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                  |
|       | 7       | Issuer                                   | <Issr>          | [0..1] | text{1,35}                                                     | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                  |
|       | 5       | Type                                     | <Tp>            | [0..1] | Choice                                                         |           |                                                                                               |
|       | 6       | Code                                     | <Cd>            | [1..1] | text{1,4}                                                      |           |                                                                                               |
|       | 6       | Proprietary                              | <Prtry>         | [1..1] | text{1,35}                                                     | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                  |
|       | 5       | Currency                                 | <Ccy>           | [0..1] | text<br>[A-Z]{3,3}                                             |           |                                                                                               |
|       | 5       | Name                                     | <Nm>            | [0..1] | text{1,70}                                                     | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                  |
|       | 5       | Proxy                                    | <Prxy>          | [0..1] |                                                                |           |                                                                                               |
|       | 6       | Type                                     | <Tp>            | [0..1] | Choice                                                         | [1..1]    |                                                                                               |
|       | 7       | Code                                     | <Cd>            | [1..1] | text{1,4}                                                      |           |                                                                                               |
|       | 7       | Proprietary                              | <Prtry>         | [1..1] | text{1,35}                                                     | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                  |
|       | 6       | Identification                           | <Id>            | [1..1] | text{1,2048}                                                   | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&\*^=\^ `\'\/\}\~";<>@\ \\ ]+ |
|       | 4       | Previous Instructing Agent 3             | <PrvsInstgAgt3> | [0..1] |                                                                |           | Rules: R17, R18, R14, R16                                                                     |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>    | [1..1] |                                                                |           | Rules: R37                                                                                    |
|       | 6       | BICFI                                    | <BICFI>         | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1} |           |                                                                                               |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld>   | [0..1] |                                                                |           |                                                                                               |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>      | [0..1] | Choice                                                         | [1..1]    |                                                                                               |
|       | 8       | Code                                     | <Cd>            | [1..1] | text{1,5}                                                      |           |                                                                                               |

| Index | Lv<br>l | Name                  | XML Tag   | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                                             |
|-------|---------|-----------------------|-----------|--------|-----------------------------------|-----------|----------------------------------------------------------------------------------------------------------------|
|       | 7       | Member Identification | <Mmbld>   | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ ]+                                                     |
|       | 6       | LEI                   | <LEI>     | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2} |           |                                                                                                                |
|       | 6       | Name                  | <Nm>      | [0..1] | text{1,140}                       | T/C       | Rules: R37<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+ |
|       | 6       | Postal Address        | <PstlAdr> | [0..1] |                                   |           | Rules: R20, R37                                                                                                |
|       | 7       | Department            | <Dept>    | [0..1] | text{1,70}                        | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Sub Department        | <SubDept> | [0..1] | text{1,70}                        | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Street Name           | <StrtNm>  | [0..1] | text{1,70}                        | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Building Number       | <BldgNb>  | [0..1] | text{1,16}                        | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Building Name         | <BldgNm>  | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Floor                 | <Flr>     | [0..1] | text{1,70}                        | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Post Box              | <PstBx>   | [0..1] | text{1,16}                        | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Room                  | <Room>    | [0..1] | text{1,70}                        | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |
|       | 7       | Post Code             | <PstCd>   | [0..1] | text{1,16}                        | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+                         |

| Index | Lv<br>l | Name                                    | XML Tag                 | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                            |
|-------|---------|-----------------------------------------|-------------------------|--------|-----------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------|
|       | 7       | Town Name                               | <TwnNm>                 | [0..1] | text{1,35}                                    | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+                                      |
|       | 7       | Town Location Name                      | <TwnLctnNm>             | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+                                      |
|       | 7       | District Name                           | <DstrctNm>              | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+                                      |
|       | 7       | Country Sub Division                    | <CtrySubDvsn>           | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+                                      |
|       | 7       | Country                                 | <Ctry>                  | [0..1] | text<br>[A-Z]{2,2}                            | [1..1]        |                                                                                                                               |
|       | 7       | Address Line                            | <AdrLine>               | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+                                      |
|       | 4       | Previous Instructing Agent 3<br>Account | <PrvsInstgAgt3A<br>cct> | [0..1] |                                               |               |                                                                                                                               |
|       | 5       | Identification                          | <Id>                    | [1..1] | Choice                                        |               |                                                                                                                               |
|       | 6       | IBAN                                    | <IBAN>                  | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                               |
|       | 6       | Other                                   | <Othr>                  | [1..1] |                                               |               |                                                                                                                               |
|       | 7       | Identification                          | <Id>                    | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:(\)\.,\'+ ]([0-9a-zA-Z\-\!\?:(\)\.,\'+ ]*)/([0-9a-zA-Z\-\!\?:(\)\.,\'+ ])?)* |
|       | 7       | Scheme Name                             | <SchmeNm>               | [0..1] | Choice                                        |               |                                                                                                                               |
|       | 8       | Code                                    | <Cd>                    | [1..1] | text{1,4}                                     |               |                                                                                                                               |
|       | 8       | Proprietary                             | <Prtry>                 | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                                                                  |
|       | 7       | Issuer                                  | <Issr>                  | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                                                                  |
|       | 5       | Type                                    | <Tp>                    | [0..1] | Choice                                        |               |                                                                                                                               |
|       | 6       | Code                                    | <Cd>                    | [1..1] | text{1,4}                                     |               |                                                                                                                               |

| Index | Lv<br>l | Name                                     | XML Tag       | Mult   | Type / Code                                                                  | Rest<br>r | Additional details                                                                     |
|-------|---------|------------------------------------------|---------------|--------|------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------|
|       | 6       | Proprietary                              | <Prtry>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                            |
|       | 5       | Currency                                 | <Ccy>         | [0..1] | text<br>[A-Z]{3,3}                                                           |           |                                                                                        |
|       | 5       | Name                                     | <Nm>          | [0..1] | text{1,70}                                                                   | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                            |
|       | 5       | Proxy                                    | <Prxy>        | [0..1] |                                                                              |           |                                                                                        |
|       | 6       | Type                                     | <Tp>          | [0..1] | Choice                                                                       | [1..1]    |                                                                                        |
|       | 7       | Code                                     | <Cd>          | [1..1] | text{1,4}                                                                    |           |                                                                                        |
|       | 7       | Proprietary                              | <Prtry>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                            |
|       | 6       | Identification                           | <Id>          | [1..1] | text{1,2048}                                                                 | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`\'/ }~";<>@\[\]]+ |
|       | 4       | Instructing Agent                        | <InstgAgt>    | [0..1] |                                                                              | [1..1]    |                                                                                        |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>  | [1..1] |                                                                              |           |                                                                                        |
|       | 6       | BICFI                                    | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-<br>Z]{2,2}[A-Z0-<br>9]{2,2}([A-Z0-<br>9]{3,3}){0,1} | [1..1]    | Rules: R5                                                                              |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld> | [0..1] |                                                                              |           |                                                                                        |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>    | [0..1] | Choice                                                                       | [1..1]    |                                                                                        |
|       | 8       | Code                                     | <Cd>          | [1..1] | text{1,5}                                                                    |           |                                                                                        |
|       | 7       | Member Identification                    | <Mmbld>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                            |
|       | 6       | LEI                                      | <LEI>         | [0..1] | text<br>[A-Z0-<br>9]{18,18}[0-<br>9]{2,2}                                    |           |                                                                                        |
|       | 4       | Instructed Agent                         | <InstdAgt>    | [0..1] |                                                                              | [1..1]    |                                                                                        |

| Index | Lv<br>l | Name                                  | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                            |
|-------|---------|---------------------------------------|---------------|--------|------------------------------------------------------------------|-----------|---------------------------------------------------------------|
|       | 5       | Financial Institution Identification  | <FinInstnId>  | [1..1] |                                                                  |           |                                                               |
|       | 6       | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1]    | Rules: R2, R3                                                 |
|       | 6       | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                               |
|       | 7       | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                               |
|       | 8       | Code                                  | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                               |
|       | 7       | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!\?:\(\)\.,'\+ ]+ |
|       | 6       | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                               |
|       | 4       | Intermediary Agent 1                  | <IntrmyAgt1>  | [0..1] |                                                                  |           | Rules: R14, R18, R16, R17                                     |
|       | 5       | Financial Institution Identification  | <FinInstnId>  | [1..1] |                                                                  |           | Rules: R38                                                    |
|       | 6       | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |           |                                                               |
|       | 6       | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                               |
|       | 7       | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                               |
|       | 8       | Code                                  | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                               |
|       | 7       | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!\?:\(\)\.,'\+ ]+ |
|       | 6       | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                               |

| Index | Lv<br>l | Name               | XML Tag     | Mult   | Type / Code | Rest<br>r     | Additional details                                                                                                  |
|-------|---------|--------------------|-------------|--------|-------------|---------------|---------------------------------------------------------------------------------------------------------------------|
|       | 6       | Name               | <Nm>        | [0..1] | text{1,140} | T/C           | Rules: R38<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 6       | Postal Address     | <PstlAdr>   | [0..1] |             |               | Rules: R38, R20                                                                                                     |
|       | 7       | Department         | <Dept>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Sub Department     | <SubDept>   | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Street Name        | <StrtNm>    | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Building Number    | <BldgNb>    | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Building Name      | <BldgNm>    | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Floor              | <Flr>       | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Post Box           | <PstBx>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Room               | <Room>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Post Code          | <PstCd>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Town Name          | <TwnNm>     | [0..1] | text{1,35}  | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 7       | Town Location Name | <TwnLctnNm> | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+                         |

| Index | Lv<br>l | Name                         | XML Tag          | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                        |
|-------|---------|------------------------------|------------------|--------|-----------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------|
|       | 7       | District Name                | <DstrctNm>       | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'+!#\$%&!\*='^_` \{\ \}~";<>@\ \\\]]+                               |
|       | 7       | Country Sub Division         | <CtrySubDvsn>    | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'+!#\$%&!\*='^_` \{\ \}~";<>@\ \\\]]+                               |
|       | 7       | Country                      | <Ctry>           | [0..1] | text<br>[A-Z]{2,2}                            | [1..1]        |                                                                                                                           |
|       | 7       | Address Line                 | <AdrLine>        | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,'+!#\$%&!\*='^_` \{\ \}~";<>@\ \\\]]+                               |
|       | 4       | Intermediary Agent 1 Account | <IntrmyAgt1Acct> | [0..1] |                                               |               |                                                                                                                           |
|       | 5       | Identification               | <Id>             | [1..1] | Choice                                        |               |                                                                                                                           |
|       | 6       | IBAN                         | <IBAN>           | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                           |
|       | 6       | Other                        | <Othr>           | [1..1] |                                               |               |                                                                                                                           |
|       | 7       | Identification               | <Id>             | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:(\)\.,'+ ]([0-9a-zA-Z\-\!\?:(\)\.,'+ ])*([0-9a-zA-Z\-\!\?:(\)\.,'+ ])?*) |
|       | 7       | Scheme Name                  | <SchmeNm>        | [0..1] | Choice                                        |               |                                                                                                                           |
|       | 8       | Code                         | <Cd>             | [1..1] | text{1,4}                                     |               |                                                                                                                           |
|       | 8       | Proprietary                  | <Prtry>          | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'+ ]+                                                               |
|       | 7       | Issuer                       | <Issr>           | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'+ ]+                                                               |
|       | 5       | Type                         | <Tp>             | [0..1] | Choice                                        |               |                                                                                                                           |
|       | 6       | Code                         | <Cd>             | [1..1] | text{1,4}                                     |               |                                                                                                                           |
|       | 6       | Proprietary                  | <Prtry>          | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,'+ ]+                                                               |
|       | 5       | Currency                     | <Ccy>            | [0..1] | text<br>[A-Z]{3,3}                            |               |                                                                                                                           |

| Index | Lv<br>l | Name                                     | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                                                                                |
|-------|---------|------------------------------------------|---------------|--------|------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------|
|       | 5       | Name                                     | <Nm>          | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                      |
|       | 5       | Proxy                                    | <Prxy>        | [0..1] |                                                                  |           |                                                                                                                   |
|       | 6       | Type                                     | <Tp>          | [0..1] | Choice                                                           | [1..1]    |                                                                                                                   |
|       | 7       | Code                                     | <Cd>          | [1..1] | text{1,4}                                                        |           |                                                                                                                   |
|       | 7       | Proprietary                              | <Prtry>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                      |
|       | 6       | Identification                           | <Id>          | [1..1] | text{1,2048}                                                     | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*='^ `\\ }~";<>@\ \\ ]+                        |
|       | 4       | Intermediary Agent 2                     | <IntrmyAgt2>  | [0..1] |                                                                  |           | Rules: R16, R17, R18, R14                                                                                         |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>  | [1..1] |                                                                  |           | Rules: R39                                                                                                        |
|       | 6       | BICFI                                    | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |           |                                                                                                                   |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                                                                                   |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                                                                                   |
|       | 8       | Code                                     | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                                                                                   |
|       | 7       | Member Identification                    | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                      |
|       | 6       | LEI                                      | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                                                                                   |
|       | 6       | Name                                     | <Nm>          | [0..1] | text{1,140}                                                      | T/C       | Rules: R39<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*='^ `\\ }~";<>@\ \\ ]+ |
|       | 6       | Postal Address                           | <PstlAdr>     | [0..1] |                                                                  |           | Rules: R20, R39                                                                                                   |



| Index | Lv<br>l | Name                 | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details                                                                           |
|-------|---------|----------------------|---------------|--------|--------------------|---------------|----------------------------------------------------------------------------------------------|
|       | 7       | Department           | <Dept>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Sub Department       | <SubDept>     | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Street Name          | <StrtNm>      | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Building Number      | <BldgNb>      | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Building Name        | <BldgNm>      | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Floor                | <Flr>         | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Box             | <PstBx>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Room                 | <Room>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Code            | <PstCd>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Name            | <TwnNm>       | [0..1] | text{1,35}         | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Location Name   | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | District Name        | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country Sub Division | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country              | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} | [1..1]        |                                                                                              |

| Index | Lv<br>l | Name                         | XML Tag          | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                              |
|-------|---------|------------------------------|------------------|--------|-----------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------|
|       | 7       | Address Line                 | <AdrLine>        | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*^=\^ \\\}\~";<>@\ \\\]+                                     |
|       | 4       | Intermediary Agent 2 Account | <IntrmyAgt2Acct> | [0..1] |                                               |               |                                                                                                                                 |
|       | 5       | Identification               | <Id>             | [1..1] | Choice                                        |               |                                                                                                                                 |
|       | 6       | IBAN                         | <IBAN>           | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                                 |
|       | 6       | Other                        | <Othr>           | [1..1] |                                               |               |                                                                                                                                 |
|       | 7       | Identification               | <Id>             | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]*([0-9a-zA-Z\-\!\?:\(\)\.,'\+ ])?*)) |
|       | 7       | Scheme Name                  | <SchmeNm>        | [0..1] | Choice                                        |               |                                                                                                                                 |
|       | 8       | Code                         | <Cd>             | [1..1] | text{1,4}                                     |               |                                                                                                                                 |
|       | 8       | Proprietary                  | <Prtry>          | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 7       | Issuer                       | <Issr>           | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 5       | Type                         | <Tp>             | [0..1] | Choice                                        |               |                                                                                                                                 |
|       | 6       | Code                         | <Cd>             | [1..1] | text{1,4}                                     |               |                                                                                                                                 |
|       | 6       | Proprietary                  | <Prtry>          | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 5       | Currency                     | <Ccy>            | [0..1] | text<br>[A-Z]{3,3}                            |               |                                                                                                                                 |
|       | 5       | Name                         | <Nm>             | [0..1] | text{1,70}                                    | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |
|       | 5       | Proxy                        | <Prxy>           | [0..1] |                                               |               |                                                                                                                                 |
|       | 6       | Type                         | <Tp>             | [0..1] | Choice                                        | [1..1]        |                                                                                                                                 |
|       | 7       | Code                         | <Cd>             | [1..1] | text{1,4}                                     |               |                                                                                                                                 |
|       | 7       | Proprietary                  | <Prtry>          | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ ]+                                                                   |

| Index | Lv<br>l | Name                                     | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                                                                               |
|-------|---------|------------------------------------------|---------------|--------|------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------|
|       | 6       | Identification                           | <Id>          | [1..1] | text{1,2048}                                                     | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                        |
|       | 4       | Intermediary Agent 3                     | <IntrmyAgt3>  | [0..1] |                                                                  |           | Rules: R16, R17, R18, R14                                                                                        |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>  | [1..1] |                                                                  |           | Rules: R40                                                                                                       |
|       | 6       | BICFI                                    | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |           |                                                                                                                  |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld> | [0..1] |                                                                  |           |                                                                                                                  |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>    | [0..1] | Choice                                                           | [1..1]    |                                                                                                                  |
|       | 8       | Code                                     | <Cd>          | [1..1] | text{1,5}                                                        |           |                                                                                                                  |
|       | 7       | Member Identification                    | <Mmbld>       | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                     |
|       | 6       | LEI                                      | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                                                                                  |
|       | 6       | Name                                     | <Nm>          | [0..1] | text{1,140}                                                      | T/C       | Rules: R40<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+ |
|       | 6       | Postal Address                           | <PstlAdr>     | [0..1] |                                                                  |           | Rules: R40, R20                                                                                                  |
|       | 7       | Department                               | <Dept>        | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                         |
|       | 7       | Sub Department                           | <SubDept>     | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                         |
|       | 7       | Street Name                              | <StrtNm>      | [0..1] | text{1,70}                                                       | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\]+                         |

| Index | Lv<br>l | Name                         | XML Tag          | Mult   | Type / Code        | Rest<br>r     | Additional details                                                                         |
|-------|---------|------------------------------|------------------|--------|--------------------|---------------|--------------------------------------------------------------------------------------------|
|       | 7       | Building Number              | <BldgNb>         | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Building Name                | <BldgNm>         | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Floor                        | <Flr>            | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Box                     | <PstBx>          | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Room                         | <Room>           | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Code                    | <PstCd>          | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Name                    | <TwnNm>          | [0..1] | text{1,35}         | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Location Name           | <TwnLctnNm>      | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | District Name                | <DstrctNm>       | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country Sub Division         | <CtrySubDvsn>    | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country                      | <Ctry>           | [0..1] | text<br>[A-Z]{2,2} | [1..1]        |                                                                                            |
|       | 7       | Address Line                 | <AdrLine>        | [0..7] | text{1,70}         | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 4       | Intermediary Agent 3 Account | <IntrmyAgt3Acct> | [0..1] |                    |               |                                                                                            |
|       | 5       | Identification               | <Id>             | [1..1] | Choice             |               |                                                                                            |

| Index | Lv<br>l | Name            | XML Tag     | Mult   | Type / Code                                   | Rest<br>r | Additional details                                                                                                           |
|-------|---------|-----------------|-------------|--------|-----------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------|
|       | 6       | IBAN            | <IBAN>      | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |           |                                                                                                                              |
|       | 6       | Other           | <Othr>      | [1..1] |                                               |           |                                                                                                                              |
|       | 7       | Identification  | <Id>        | [1..1] | text{1,34}                                    | T/C       | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\?\:\(\)\.\,'+ ]([0-9a-zA-Z\-\?\:\(\)\.\,'+ ])*([0-9a-zA-Z\-\?\:\(\)\.\,'+ ])?)* |
|       | 7       | Scheme Name     | <SchmeNm>   | [0..1] | Choice                                        |           |                                                                                                                              |
|       | 8       | Code            | <Cd>        | [1..1] | text{1,4}                                     |           |                                                                                                                              |
|       | 8       | Proprietary     | <Prtry>     | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.\,'+ ]+                                                                 |
|       | 7       | Issuer          | <Issr>      | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.\,'+ ]+                                                                 |
|       | 5       | Type            | <Tp>        | [0..1] | Choice                                        |           |                                                                                                                              |
|       | 6       | Code            | <Cd>        | [1..1] | text{1,4}                                     |           |                                                                                                                              |
|       | 6       | Proprietary     | <Prtry>     | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.\,'+ ]+                                                                 |
|       | 5       | Currency        | <Ccy>       | [0..1] | text<br>[A-Z]{3,3}                            |           |                                                                                                                              |
|       | 5       | Name            | <Nm>        | [0..1] | text{1,70}                                    | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:\(\)\.\,'+ ]+                                                                 |
|       | 5       | Proxy           | <Prxy>      | [0..1] |                                               |           |                                                                                                                              |
|       | 6       | Type            | <Tp>        | [0..1] | Choice                                        | [1..1]    |                                                                                                                              |
|       | 7       | Code            | <Cd>        | [1..1] | text{1,4}                                     |           |                                                                                                                              |
|       | 7       | Proprietary     | <Prtry>     | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.\,'+ ]+                                                                 |
|       | 6       | Identification  | <Id>        | [1..1] | text{1,2048}                                  | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z\-\?\:\(\)\.\,'+ ]!#\$%&!\*='^ \\\ }~";<>@\ \\ ]+                                  |
|       | 4       | Ultimate Debtor | <UltmtDbtr> | [0..1] |                                               |           | Rules: R41, R42, R43, R44                                                                                                    |

| Index | Lv<br>l | Name               | XML Tag     | Mult   | Type / Code | Rest<br>r     | Additional details                                                                                                  |
|-------|---------|--------------------|-------------|--------|-------------|---------------|---------------------------------------------------------------------------------------------------------------------|
|       | 5       | Name               | <Nm>        | [0..1] | text{1,140} | T/C           | Rules: R44<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 5       | Postal Address     | <PstlAdr>   | [0..1] |             |               | Rules: R20, R44                                                                                                     |
|       | 6       | Department         | <Dept>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Sub Department     | <SubDept>   | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Street Name        | <StrtNm>    | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Building Number    | <BldgNb>    | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Building Name      | <BldgNm>    | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Floor              | <Flr>       | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Post Box           | <PstBx>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Room               | <Room>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Post Code          | <PstCd>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Town Name          | <TwnNm>     | [0..1] | text{1,35}  | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |
|       | 6       | Town Location Name | <TwnLctnNm> | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+                         |

| Index | Lv<br>l | Name                        | XML Tag           | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                         |
|-------|---------|-----------------------------|-------------------|--------|------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------|
|       | 6       | District Name               | <DstrctNm>        | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*!=^ \\\ }~";<>@\ \\\ ]+ |
|       | 6       | Country Sub Division        | <CtrySubDvsn>     | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*!=^ \\\ }~";<>@\ \\\ ]+ |
|       | 6       | Country                     | <Ctry>            | [0..1] | text<br>[A-Z]{2,2}                                               | [1..1]        |                                                                                            |
|       | 6       | Address Line                | <AdrLine>         | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*!=^ \\\ }~";<>@\ \\\ ]+ |
|       | 5       | Identification              | <Id>              | [0..1] | Choice                                                           |               |                                                                                            |
|       | 6       | Organisation Identification | <OrgId>           | [1..1] |                                                                  |               |                                                                                            |
|       | 7       | Any BIC                     | <AnyBIC>          | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |                                                                                            |
|       | 7       | LEI                         | <LEI>             | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                            |
|       | 7       | Other                       | <Othr>            | [0..*] |                                                                  | [0..2]        |                                                                                            |
|       | 8       | Identification              | <Id>              | [1..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                               |
|       | 8       | Scheme Name                 | <SchmeNm>         | [0..1] | Choice                                                           | [1..1]        |                                                                                            |
|       | 9       | Code                        | <Cd>              | [1..1] | text{1,4}                                                        |               |                                                                                            |
|       | 8       | Issuer                      | <Issr>            | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                               |
|       | 6       | Private Identification      | <PrvtId>          | [1..1] |                                                                  |               |                                                                                            |
|       | 7       | Date And Place Of Birth     | <DtAndPlcOfBirth> | [0..1] |                                                                  |               |                                                                                            |
|       | 8       | Birth Date                  | <BirthDt>         | [1..1] | date                                                             | T/C           | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 8       | Province Of Birth           | <PrvcOfBirth>     | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*!=^ \\\ }~";<>@\ \\\ ]+ |

| Index | Lv<br>l | Name                 | XML Tag       | Mult   | Type / Code        | Rest<br>r | Additional details                                                                                                     |
|-------|---------|----------------------|---------------|--------|--------------------|-----------|------------------------------------------------------------------------------------------------------------------------|
|       | 8       | City Of Birth        | <CityOfBirth> | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ `\'\/\}\~";<>@\ \\\]]+]                         |
|       | 8       | Country Of Birth     | <CtryOfBirth> | [1..1] | text<br>[A-Z]{2,2} |           |                                                                                                                        |
|       | 7       | Other                | <Othr>        | [0..*] |                    | [0..2]    |                                                                                                                        |
|       | 8       | Identification       | <Id>          | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                                                           |
|       | 8       | Scheme Name          | <SchmeNm>     | [0..1] | Choice             | [1..1]    |                                                                                                                        |
|       | 9       | Code                 | <Cd>          | [1..1] | text{1,4}          |           |                                                                                                                        |
|       | 8       | Issuer               | <Issr>        | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                                                           |
|       | 5       | Country Of Residence | <CtryOfRes>   | [0..1] | text<br>[A-Z]{2,2} |           |                                                                                                                        |
|       | 4       | Initiating Party     | <InitgPty>    | [0..1] |                    |           | Rules: R45                                                                                                             |
|       | 5       | Name                 | <Nm>          | [0..1] | text{1,140}        | T/C       | Rules: R45<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ `\'\/\}\~";<>@\ \\\]]+] |
|       | 5       | Postal Address       | <PstlAdr>     | [0..1] |                    |           | Rules: R20, R45                                                                                                        |
|       | 6       | Department           | <Dept>        | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ `\'\/\}\~";<>@\ \\\]]+]                         |
|       | 6       | Sub Department       | <SubDept>     | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ `\'\/\}\~";<>@\ \\\]]+]                         |
|       | 6       | Street Name          | <StrtNm>      | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ `\'\/\}\~";<>@\ \\\]]+]                         |
|       | 6       | Building Number      | <BldgNb>      | [0..1] | text{1,16}         | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ `\'\/\}\~";<>@\ \\\]]+]                         |
|       | 6       | Building Name        | <BldgNm>      | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ `\'\/\}\~";<>@\ \\\]]+]                         |



| Index | Lv<br>l | Name                        | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                        |
|-------|---------|-----------------------------|---------------|--------|------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|
|       | 6       | Floor                       | <Flr>         | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | Post Box                    | <PstBx>       | [0..1] | text{1,16}                                                       | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | Room                        | <Room>        | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | Post Code                   | <PstCd>       | [0..1] | text{1,16}                                                       | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | Town Name                   | <TwnNm>       | [0..1] | text{1,35}                                                       | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | Town Location Name          | <TwnLctnNm>   | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | District Name               | <DstrctNm>    | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | Country Sub Division        | <CtrySubDvsn> | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 6       | Country                     | <Ctry>        | [0..1] | text<br>[A-Z]{2,2}                                               | [1..1]        |                                                                                           |
|       | 6       | Address Line                | <AdrLine>     | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ `\'~";<>@\ \\\]+ |
|       | 5       | Identification              | <Id>          | [0..1] | Choice                                                           |               |                                                                                           |
|       | 6       | Organisation Identification | <OrgId>       | [1..1] |                                                                  |               |                                                                                           |
|       | 7       | Any BIC                     | <AnyBIC>      | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |                                                                                           |
|       | 7       | LEI                         | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                           |

| Index | Lv<br>l | Name                       | XML Tag               | Mult   | Type / Code        | Rest<br>r | Additional details                                                                         |
|-------|---------|----------------------------|-----------------------|--------|--------------------|-----------|--------------------------------------------------------------------------------------------|
|       | 7       | Other                      | <Othr>                | [0..*] |                    | [0..2]    |                                                                                            |
|       | 8       | Identification             | <Id>                  | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 8       | Scheme Name                | <SchmeNm>             | [0..1] | Choice             | [1..1]    |                                                                                            |
|       | 9       | Code                       | <Cd>                  | [1..1] | text{1,4}          |           |                                                                                            |
|       | 8       | Issuer                     | <Issr>                | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 6       | Private Identification     | <PrvtId>              | [1..1] |                    |           |                                                                                            |
|       | 7       | Date And Place Of<br>Birth | <DtAndPlcOfBirt<br>h> | [0..1] |                    |           |                                                                                            |
|       | 8       | Birth Date                 | <BirthDt>             | [1..1] | date               | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 8       | Province Of Birth          | <PrvcOfBirth>         | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*^=\^ \\\ }~";<>@\ \\ ]+ |
|       | 8       | City Of Birth              | <CityOfBirth>         | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*^=\^ \\\ }~";<>@\ \\ ]+ |
|       | 8       | Country Of Birth           | <CtryOfBirth>         | [1..1] | text<br>[A-Z]{2,2} |           |                                                                                            |
|       | 7       | Other                      | <Othr>                | [0..*] |                    | [0..2]    |                                                                                            |
|       | 8       | Identification             | <Id>                  | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 8       | Scheme Name                | <SchmeNm>             | [0..1] | Choice             | [1..1]    |                                                                                            |
|       | 9       | Code                       | <Cd>                  | [1..1] | text{1,4}          |           |                                                                                            |
|       | 8       | Issuer                     | <Issr>                | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 5       | Country Of Residence       | <CtryOfRes>           | [0..1] | text<br>[A-Z]{2,2} |           |                                                                                            |
|       | 4       | Debtor                     | <Dbtr>                | [1..1] |                    |           | Rules: R46, R47, R48, R49, R50, R51                                                        |

| Index | Lv<br>l | Name               | XML Tag     | Mult   | Type / Code | Rest<br>r     | Additional details                                                                                                      |
|-------|---------|--------------------|-------------|--------|-------------|---------------|-------------------------------------------------------------------------------------------------------------------------|
|       | 5       | Name               | <Nm>        | [0..1] | text{1,140} | T/C           | Rules: R48, R50<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+ |
|       | 5       | Postal Address     | <PstlAdr>   | [0..1] |             |               | Rules: R20, R48                                                                                                         |
|       | 6       | Department         | <Dept>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Sub Department     | <SubDept>   | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Street Name        | <StrtNm>    | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Building Number    | <BldgNb>    | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Building Name      | <BldgNm>    | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Floor              | <Flr>       | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Post Box           | <PstBx>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Room               | <Room>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Post Code          | <PstCd>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Town Name          | <TwnNm>     | [0..1] | text{1,35}  | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |
|       | 6       | Town Location Name | <TwnLctnNm> | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\ }~";<>@\ \\\ ]+                              |

| Index | Lv<br>l | Name                        | XML Tag           | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                         |
|-------|---------|-----------------------------|-------------------|--------|------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------|
|       | 6       | District Name               | <DstrctNm>        | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\]]+ |
|       | 6       | Country Sub Division        | <CtrySubDvsn>     | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\]]+ |
|       | 6       | Country                     | <Ctry>            | [0..1] | text<br>[A-Z]{2,2}                                               | [1..1]        |                                                                                            |
|       | 6       | Address Line                | <AdrLine>         | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\]]+ |
|       | 5       | Identification              | <Id>              | [0..1] | Choice                                                           |               |                                                                                            |
|       | 6       | Organisation Identification | <OrgId>           | [1..1] |                                                                  |               |                                                                                            |
|       | 7       | Any BIC                     | <AnyBIC>          | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               | Rules: R50                                                                                 |
|       | 7       | LEI                         | <LEI>             | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                            |
|       | 7       | Other                       | <Othr>            | [0..*] |                                                                  | [0..2]        |                                                                                            |
|       | 8       | Identification              | <Id>              | [1..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                               |
|       | 8       | Scheme Name                 | <SchmeNm>         | [0..1] | Choice                                                           | [1..1]        |                                                                                            |
|       | 9       | Code                        | <Cd>              | [1..1] | text{1,4}                                                        |               |                                                                                            |
|       | 8       | Issuer                      | <Issr>            | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ ]+                               |
|       | 6       | Private Identification      | <PrvtId>          | [1..1] |                                                                  |               |                                                                                            |
|       | 7       | Date And Place Of Birth     | <DtAndPlcOfBirth> | [0..1] |                                                                  |               |                                                                                            |
|       | 8       | Birth Date                  | <BirthDt>         | [1..1] | date                                                             | T/C           | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 8       | Province Of Birth           | <PrvcOfBirth>     | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\]]+ |

| Index | Lv<br>l | Name                 | XML Tag       | Mult   | Type / Code                                   | Rest<br>r | Additional details                                                                                                              |
|-------|---------|----------------------|---------------|--------|-----------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------|
|       | 8       | City Of Birth        | <CityOfBirth> | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'{}~";<>@\ \\]]+`                                     |
|       | 8       | Country Of Birth     | <CtryOfBirth> | [1..1] | text<br>[A-Z]{2,2}                            |           |                                                                                                                                 |
|       | 7       | Other                | <Othr>        | [0..*] |                                               | [0..2]    |                                                                                                                                 |
|       | 8       | Identification       | <Id>          | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ ]+                                                                   |
|       | 8       | Scheme Name          | <SchmeNm>     | [0..1] | Choice                                        | [1..1]    |                                                                                                                                 |
|       | 9       | Code                 | <Cd>          | [1..1] | text{1,4}                                     |           |                                                                                                                                 |
|       | 8       | Issuer               | <Issr>        | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ ]+                                                                   |
|       | 5       | Country Of Residence | <CtryOfRes>   | [0..1] | text<br>[A-Z]{2,2}                            |           |                                                                                                                                 |
|       | 4       | Debtor Account       | <DbtrAcct>    | [0..1] |                                               |           |                                                                                                                                 |
|       | 5       | Identification       | <Id>          | [1..1] | Choice                                        |           |                                                                                                                                 |
|       | 6       | IBAN                 | <IBAN>        | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |           |                                                                                                                                 |
|       | 6       | Other                | <Othr>        | [1..1] |                                               |           |                                                                                                                                 |
|       | 7       | Identification       | <Id>          | [1..1] | text{1,34}                                    | T/C       | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!?:\(\)\. ,\'+ ]([0-9a-zA-Z\-\!?:\(\)\. ,\'+ ])*([0-9a-zA-Z\-\!?:\(\)\. ,\'+ ])?)* |
|       | 7       | Scheme Name          | <SchmeNm>     | [0..1] | Choice                                        |           |                                                                                                                                 |
|       | 8       | Code                 | <Cd>          | [1..1] | text{1,4}                                     |           |                                                                                                                                 |
|       | 8       | Proprietary          | <Prtry>       | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ ]+                                                                   |
|       | 7       | Issuer               | <Issr>        | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ ]+                                                                   |
|       | 5       | Type                 | <Tp>          | [0..1] | Choice                                        |           |                                                                                                                                 |
|       | 6       | Code                 | <Cd>          | [1..1] | text{1,4}                                     |           |                                                                                                                                 |

| Index | Lv<br>l | Name                                     | XML Tag       | Mult   | Type / Code                                                                  | Rest<br>r | Additional details                                                                        |
|-------|---------|------------------------------------------|---------------|--------|------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------|
|       | 6       | Proprietary                              | <Prtry>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                               |
|       | 5       | Currency                                 | <Ccy>         | [0..1] | text<br>[A-Z]{3,3}                                                           |           |                                                                                           |
|       | 5       | Name                                     | <Nm>          | [0..1] | text{1,70}                                                                   | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                               |
|       | 5       | Proxy                                    | <Prxy>        | [0..1] |                                                                              |           |                                                                                           |
|       | 6       | Type                                     | <Tp>          | [0..1] | Choice                                                                       | [1..1]    |                                                                                           |
|       | 7       | Code                                     | <Cd>          | [1..1] | text{1,4}                                                                    |           |                                                                                           |
|       | 7       | Proprietary                              | <Prtry>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                               |
|       | 6       | Identification                           | <Id>          | [1..1] | text{1,2048}                                                                 | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!\*='^_`{ }~"-;<>@\[\]]+] |
|       | 4       | Debtor Agent                             | <DbtrAgt>     | [1..1] |                                                                              |           | Rules: R16, R17, R18, R14                                                                 |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>  | [1..1] |                                                                              |           | Rules: R52                                                                                |
|       | 6       | BICFI                                    | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-<br>Z]{2,2}[A-Z0-<br>9]{2,2}([A-Z0-<br>9]{3,3}){0,1} |           |                                                                                           |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld> | [0..1] |                                                                              |           |                                                                                           |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>    | [0..1] | Choice                                                                       | [1..1]    |                                                                                           |
|       | 8       | Code                                     | <Cd>          | [1..1] | text{1,5}                                                                    |           |                                                                                           |
|       | 7       | Member Identification                    | <Mmbld>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                               |
|       | 6       | LEI                                      | <LEI>         | [0..1] | text<br>[A-Z0-<br>9]{18,18}[0-<br>9]{2,2}                                    |           |                                                                                           |

| Index | Lv<br>l | Name               | XML Tag     | Mult   | Type / Code | Rest<br>r     | Additional details                                                                                                  |
|-------|---------|--------------------|-------------|--------|-------------|---------------|---------------------------------------------------------------------------------------------------------------------|
|       | 6       | Name               | <Nm>        | [0..1] | text{1,140} | T/C           | Rules: R52<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+ |
|       | 6       | Postal Address     | <PstAdr>    | [0..1] |             |               | Rules: R20, R52                                                                                                     |
|       | 7       | Department         | <Dept>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Sub Department     | <SubDept>   | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Street Name        | <StrtNm>    | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Building Number    | <BldgNb>    | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Building Name      | <BldgNm>    | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Floor              | <Flr>       | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Post Box           | <PstBx>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Room               | <Room>      | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Post Code          | <PstCd>     | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Town Name          | <TwnNm>     | [0..1] | text{1,35}  | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |
|       | 7       | Town Location Name | <TwnLctnNm> | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \_{} ~";<>@\ \\ ]+                         |

| Index | Lv<br>l | Name                 | XML Tag       | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                                     |
|-------|---------|----------------------|---------------|--------|-----------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------|
|       | 7       | District Name        | <DstrctNm>    | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^_`\'{}~";<>@\ \\]+                                               |
|       | 7       | Country Sub Division | <CtrySubDvsn> | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^_`\'{}~";<>@\ \\]+                                               |
|       | 7       | Country              | <Ctry>        | [0..1] | text<br>[A-Z]{2,2}                            | [1..1]        |                                                                                                                                        |
|       | 7       | Address Line         | <AdrLine>     | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=^_`\'{}~";<>@\ \\]+                                               |
|       | 4       | Debtor Agent Account | <DbtrAgtAcct> | [0..1] |                                               |               |                                                                                                                                        |
|       | 5       | Identification       | <Id>          | [1..1] | Choice                                        |               |                                                                                                                                        |
|       | 6       | IBAN                 | <IBAN>        | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                                        |
|       | 6       | Other                | <Othr>        | [1..1] |                                               |               |                                                                                                                                        |
|       | 7       | Identification       | <Id>          | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:\(\)\.,\'+\! ]([0-9a-zA-Z\-\!\?:\(\)\.,\'+\! ]*)/([0-9a-zA-Z\-\!\?:\(\)\.,\'+\! ])?)* |
|       | 7       | Scheme Name          | <SchmeNm>     | [0..1] | Choice                                        |               |                                                                                                                                        |
|       | 8       | Code                 | <Cd>          | [1..1] | text{1,4}                                     |               |                                                                                                                                        |
|       | 8       | Proprietary          | <Prtry>       | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\! ]+                                                                        |
|       | 7       | Issuer               | <Issr>        | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\! ]+                                                                        |
|       | 5       | Type                 | <Tp>          | [0..1] | Choice                                        |               |                                                                                                                                        |
|       | 6       | Code                 | <Cd>          | [1..1] | text{1,4}                                     |               |                                                                                                                                        |
|       | 6       | Proprietary          | <Prtry>       | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\! ]+                                                                        |
|       | 5       | Currency             | <Ccy>         | [0..1] | text<br>[A-Z]{3,3}                            |               |                                                                                                                                        |



| Index | Lv<br>l | Name                                     | XML Tag       | Mult   | Type / Code                                                                  | Rest<br>r | Additional details                                                                                                |
|-------|---------|------------------------------------------|---------------|--------|------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------|
|       | 5       | Name                                     | <Nm>          | [0..1] | text{1,70}                                                                   | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                      |
|       | 5       | Proxy                                    | <Prxy>        | [0..1] |                                                                              |           |                                                                                                                   |
|       | 6       | Type                                     | <Tp>          | [0..1] | Choice                                                                       | [1..1]    |                                                                                                                   |
|       | 7       | Code                                     | <Cd>          | [1..1] | text{1,4}                                                                    |           |                                                                                                                   |
|       | 7       | Proprietary                              | <Prtry>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                      |
|       | 6       | Identification                           | <Id>          | [1..1] | text{1,2048}                                                                 | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*='^ `\\ }~";<>@\ \\ ]+                        |
|       | 4       | Creditor Agent                           | <CdtrAgt>     | [1..1] |                                                                              |           | Rules: R16, R17, R18, R14                                                                                         |
|       | 5       | Financial Institution<br>Identification  | <FinInstnId>  | [1..1] |                                                                              |           | Rules: R53                                                                                                        |
|       | 6       | BICFI                                    | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-<br>Z]{2,2}[A-Z0-<br>9]{2,2}([A-Z0-<br>9]{3,3}){0,1} |           |                                                                                                                   |
|       | 6       | Clearing System Member<br>Identification | <ClrSysMmbld> | [0..1] |                                                                              |           |                                                                                                                   |
|       | 7       | Clearing System<br>Identification        | <ClrSysId>    | [0..1] | Choice                                                                       | [1..1]    |                                                                                                                   |
|       | 8       | Code                                     | <Cd>          | [1..1] | text{1,5}                                                                    |           |                                                                                                                   |
|       | 7       | Member Identification                    | <Mmbld>       | [1..1] | text{1,35}                                                                   | T/C       | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                      |
|       | 6       | LEI                                      | <LEI>         | [0..1] | text<br>[A-Z0-<br>9]{18,18}[0-<br>9]{2,2}                                    |           |                                                                                                                   |
|       | 6       | Name                                     | <Nm>          | [0..1] | text{1,140}                                                                  | T/C       | Rules: R53<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*='^ `\\ }~";<>@\ \\ ]+ |
|       | 6       | Postal Address                           | <PstlAdr>     | [0..1] |                                                                              |           | Rules: R53, R20                                                                                                   |

| Index | Lv<br>l | Name                 | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details                                                                           |
|-------|---------|----------------------|---------------|--------|--------------------|---------------|----------------------------------------------------------------------------------------------|
|       | 7       | Department           | <Dept>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Sub Department       | <SubDept>     | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Street Name          | <StrtNm>      | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Building Number      | <BldgNb>      | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Building Name        | <BldgNm>      | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Floor                | <Flr>         | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Box             | <PstBx>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Room                 | <Room>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Post Code            | <PstCd>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Name            | <TwnNm>       | [0..1] | text{1,35}         | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Town Location Name   | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | District Name        | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country Sub Division | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Country              | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} | [1..1]        |                                                                                              |

| Index | Lv<br>l | Name                   | XML Tag       | Mult   | Type / Code                                   | Rest<br>r     | Additional details                                                                                                           |
|-------|---------|------------------------|---------------|--------|-----------------------------------------------|---------------|------------------------------------------------------------------------------------------------------------------------------|
|       | 7       | Address Line           | <AdrLine>     | [0..7] | text{1,70}                                    | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ !#\$%&!\*='^ \\\ }~";<>@\ \\\ ]+                                   |
|       | 4       | Creditor Agent Account | <CdtrAgtAcct> | [0..1] |                                               |               |                                                                                                                              |
|       | 5       | Identification         | <Id>          | [1..1] | Choice                                        |               |                                                                                                                              |
|       | 6       | IBAN                   | <IBAN>        | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |               |                                                                                                                              |
|       | 6       | Other                  | <Othr>        | [1..1] |                                               |               |                                                                                                                              |
|       | 7       | Identification         | <Id>          | [1..1] | text{1,34}                                    | T/C           | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\!\?:\(\)\.,'+ ]([0-9a-zA-Z\-\!\?:\(\)\.,'+ ]*(/[0-9a-zA-Z\-\!\?:\(\)\.,'+ ])?)* |
|       | 7       | Scheme Name            | <SchmeNm>     | [0..1] | Choice                                        |               |                                                                                                                              |
|       | 8       | Code                   | <Cd>          | [1..1] | text{1,4}                                     |               |                                                                                                                              |
|       | 8       | Proprietary            | <Prtry>       | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                 |
|       | 7       | Issuer                 | <Issr>        | [0..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                 |
|       | 5       | Type                   | <Tp>          | [0..1] | Choice                                        |               |                                                                                                                              |
|       | 6       | Code                   | <Cd>          | [1..1] | text{1,4}                                     |               |                                                                                                                              |
|       | 6       | Proprietary            | <Prtry>       | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                 |
|       | 5       | Currency               | <Ccy>         | [0..1] | text<br>[A-Z]{3,3}                            |               |                                                                                                                              |
|       | 5       | Name                   | <Nm>          | [0..1] | text{1,70}                                    | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                 |
|       | 5       | Proxy                  | <Prxy>        | [0..1] |                                               |               |                                                                                                                              |
|       | 6       | Type                   | <Tp>          | [0..1] | Choice                                        | [1..1]        |                                                                                                                              |
|       | 7       | Code                   | <Cd>          | [1..1] | text{1,4}                                     |               |                                                                                                                              |
|       | 7       | Proprietary            | <Prtry>       | [1..1] | text{1,35}                                    | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'+ ]+                                                                 |

| Index | Lv<br>l | Name            | XML Tag   | Mult   | Type / Code  | Rest<br>r     | Additional details                                                                                                    |
|-------|---------|-----------------|-----------|--------|--------------|---------------|-----------------------------------------------------------------------------------------------------------------------|
|       | 6       | Identification  | <Id>      | [1..1] | text{1,2048} | T/C           | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                             |
|       | 4       | Creditor        | <Cdtr>    | [1..1] |              |               | Rules: R54, R55, R56, R57, R58, R59                                                                                   |
|       | 5       | Name            | <Nm>      | [0..1] | text{1,140}  | T/C           | Rules: R55, R56<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+] |
|       | 5       | Postal Address  | <PstlAdr> | [0..1] |              |               | Rules: R56, R20                                                                                                       |
|       | 6       | Department      | <Dept>    | [0..1] | text{1,70}   | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Sub Department  | <SubDept> | [0..1] | text{1,70}   | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Street Name     | <StrtNm>  | [0..1] | text{1,70}   | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Building Number | <BldgNb>  | [0..1] | text{1,16}   | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Building Name   | <BldgNm>  | [0..1] | text{1,35}   | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Floor           | <Flr>     | [0..1] | text{1,70}   | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Post Box        | <PstBx>   | [0..1] | text{1,16}   | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Room            | <Room>    | [0..1] | text{1,70}   | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Post Code       | <PstCd>   | [0..1] | text{1,16}   | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |
|       | 6       | Town Name       | <TwnNm>   | [0..1] | text{1,35}   | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\]]+]                              |

| Index | Lv<br>l | Name                        | XML Tag               | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                            |
|-------|---------|-----------------------------|-----------------------|--------|------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------|
|       | 6       | Town Location Name          | <TwnLctnNm>           | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]]+] |
|       | 6       | District Name               | <DstrctNm>            | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]]+] |
|       | 6       | Country Sub Division        | <CtrySubDvsn>         | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]]+] |
|       | 6       | Country                     | <Ctry>                | [0..1] | text<br>[A-Z]{2,2}                                               | [1..1]        |                                                                                               |
|       | 6       | Address Line                | <AdrLine>             | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\}\~";<>@\ \\\]]+] |
|       | 5       | Identification              | <Id>                  | [0..1] | Choice                                                           |               |                                                                                               |
|       | 6       | Organisation Identification | <OrgId>               | [1..1] |                                                                  |               |                                                                                               |
|       | 7       | Any BIC                     | <AnyBIC>              | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               | Rules: R55                                                                                    |
|       | 7       | LEI                         | <LEI>                 | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                               |
|       | 7       | Other                       | <Othr>                | [0..*] |                                                                  | [0..2]        |                                                                                               |
|       | 8       | Identification              | <Id>                  | [1..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ ]+                                 |
|       | 8       | Scheme Name                 | <SchmeNm>             | [0..1] | Choice                                                           | [1..1]        |                                                                                               |
|       | 9       | Code                        | <Cd>                  | [1..1] | text{1,4}                                                        |               |                                                                                               |
|       | 8       | Issuer                      | <Issr>                | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ ]+                                 |
|       | 6       | Private Identification      | <PrvtId>              | [1..1] |                                                                  |               |                                                                                               |
|       | 7       | Birth<br>Date And Place Of  | <DtAndPlcOfBirt<br>h> | [0..1] |                                                                  |               |                                                                                               |
|       | 8       | Birth Date                  | <BirthDt>             | [1..1] | date                                                             | T/C           | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                           |

| Index | Lv<br>l | Name                 | XML Tag       | Mult   | Type / Code                                   | Rest<br>r | Additional details                                                                                                        |
|-------|---------|----------------------|---------------|--------|-----------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------|
|       | 8       | Province Of Birth    | <PrvcOfBirth> | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`\'{}~";<>@\ \\]]+]                                    |
|       | 8       | City Of Birth        | <CityOfBirth> | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^_`\'{}~";<>@\ \\]]+]                                    |
|       | 8       | Country Of Birth     | <CtryOfBirth> | [1..1] | text<br>[A-Z]{2,2}                            |           |                                                                                                                           |
|       | 7       | Other                | <Othr>        | [0..*] |                                               | [0..2]    |                                                                                                                           |
|       | 8       | Identification       | <Id>          | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                                                               |
|       | 8       | Scheme Name          | <SchmeNm>     | [0..1] | Choice                                        | [1..1]    |                                                                                                                           |
|       | 9       | Code                 | <Cd>          | [1..1] | text{1,4}                                     |           |                                                                                                                           |
|       | 8       | Issuer               | <Issr>        | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                                                               |
|       | 5       | Country Of Residence | <CtryOfRes>   | [0..1] | text<br>[A-Z]{2,2}                            |           |                                                                                                                           |
|       | 4       | Creditor Account     | <CdtrAcct>    | [0..1] |                                               |           |                                                                                                                           |
|       | 5       | Identification       | <Id>          | [1..1] | Choice                                        |           |                                                                                                                           |
|       | 6       | IBAN                 | <IBAN>        | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |           |                                                                                                                           |
|       | 6       | Other                | <Othr>        | [1..1] |                                               |           |                                                                                                                           |
|       | 7       | Identification       | <Id>          | [1..1] | text{1,34}                                    | T/C       | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z/\-!?:\(\)\.,'+ ]([0-9a-zA-Z/\-!?:\(\)\.,'+ ])*([0-9a-zA-Z/\-!?:\(\)\.,'+ ])?)* |
|       | 7       | Scheme Name          | <SchmeNm>     | [0..1] | Choice                                        |           |                                                                                                                           |
|       | 8       | Code                 | <Cd>          | [1..1] | text{1,4}                                     |           |                                                                                                                           |
|       | 8       | Proprietary          | <Prtry>       | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                                                               |
|       | 7       | Issuer               | <Issr>        | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                                                               |
|       | 5       | Type                 | <Tp>          | [0..1] | Choice                                        |           |                                                                                                                           |

| Index | Lv<br>l | Name              | XML Tag     | Mult   | Type / Code        | Rest<br>r | Additional details                                                                                               |
|-------|---------|-------------------|-------------|--------|--------------------|-----------|------------------------------------------------------------------------------------------------------------------|
|       | 6       | Code              | <Cd>        | [1..1] | text{1,4}          |           |                                                                                                                  |
|       | 6       | Proprietary       | <Prtry>     | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                                                      |
|       | 5       | Currency          | <Ccy>       | [0..1] | text<br>[A-Z]{3,3} |           |                                                                                                                  |
|       | 5       | Name              | <Nm>        | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                                                      |
|       | 5       | Proxy             | <Prxy>      | [0..1] |                    |           |                                                                                                                  |
|       | 6       | Type              | <Tp>        | [0..1] | Choice             | [1..1]    |                                                                                                                  |
|       | 7       | Code              | <Cd>        | [1..1] | text{1,4}          |           |                                                                                                                  |
|       | 7       | Proprietary       | <Prtry>     | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ ]+                                                      |
|       | 6       | Identification    | <Id>        | [1..1] | text{1,2048}       | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                        |
|       | 4       | Ultimate Creditor | <UltmtCdtr> | [0..1] |                    |           | Rules: R60, R61, R62                                                                                             |
|       | 5       | Name              | <Nm>        | [0..1] | text{1,140}        | T/C       | Rules: R60<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+ |
|       | 5       | Postal Address    | <PstlAdr>   | [0..1] |                    |           | Rules: R60, R20                                                                                                  |
|       | 6       | Department        | <Dept>      | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 6       | Sub Department    | <SubDept>   | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 6       | Street Name       | <StrtNm>    | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 6       | Building Number   | <BldgNb>    | [0..1] | text{1,16}         | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |
|       | 6       | Building Name     | <BldgNm>    | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+                         |

| Index | Lv<br>l | Name                        | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                        |
|-------|---------|-----------------------------|---------------|--------|------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|
|       | 6       | Floor                       | <Flr>         | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | Post Box                    | <PstBx>       | [0..1] | text{1,16}                                                       | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | Room                        | <Room>        | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | Post Code                   | <PstCd>       | [0..1] | text{1,16}                                                       | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | Town Name                   | <TwnNm>       | [0..1] | text{1,35}                                                       | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | Town Location Name          | <TwnLctnNm>   | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | District Name               | <DstrctNm>    | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | Country Sub Division        | <CtrySubDvsn> | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 6       | Country                     | <Ctry>        | [0..1] | text<br>[A-Z]{2,2}                                               | [1..1]        |                                                                                           |
|       | 6       | Address Line                | <AdrLine>     | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&\!*^=^ `\'~";<>@\ \\\]+ |
|       | 5       | Identification              | <Id>          | [0..1] | Choice                                                           |               |                                                                                           |
|       | 6       | Organisation Identification | <OrgId>       | [1..1] |                                                                  |               |                                                                                           |
|       | 7       | Any BIC                     | <AnyBIC>      | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |                                                                                           |
|       | 7       | LEI                         | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                           |



| Index | Lv<br>l | Name                           | XML Tag               | Mult   | Type / Code        | Rest<br>r | Additional details                                                                         |
|-------|---------|--------------------------------|-----------------------|--------|--------------------|-----------|--------------------------------------------------------------------------------------------|
|       | 7       | Other                          | <Othr>                | [0..*] |                    | [0..2]    |                                                                                            |
|       | 8       | Identification                 | <Id>                  | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 8       | Scheme Name                    | <SchmeNm>             | [0..1] | Choice             | [1..1]    |                                                                                            |
|       | 9       | Code                           | <Cd>                  | [1..1] | text{1,4}          |           |                                                                                            |
|       | 8       | Issuer                         | <Issr>                | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 6       | Private Identification         | <PrvtId>              | [1..1] |                    |           |                                                                                            |
|       | 7       | Date And Place Of<br>Birth     | <DtAndPlcOfBirt<br>h> | [0..1] |                    |           |                                                                                            |
|       | 8       | Birth Date                     | <BirthDt>             | [1..1] | date               | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 8       | Province Of Birth              | <PrvcOfBirth>         | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*^=\^ \\\ }~";<>@\ \\ ]+ |
|       | 8       | City Of Birth                  | <CityOfBirth>         | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*^=\^ \\\ }~";<>@\ \\ ]+ |
|       | 8       | Country Of Birth               | <CtryOfBirth>         | [1..1] | text<br>[A-Z]{2,2} |           |                                                                                            |
|       | 7       | Other                          | <Othr>                | [0..*] |                    | [0..2]    |                                                                                            |
|       | 8       | Identification                 | <Id>                  | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 8       | Scheme Name                    | <SchmeNm>             | [0..1] | Choice             | [1..1]    |                                                                                            |
|       | 9       | Code                           | <Cd>                  | [1..1] | text{1,4}          |           |                                                                                            |
|       | 8       | Issuer                         | <Issr>                | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                               |
|       | 5       | Country Of Residence           | <CtryOfRes>           | [0..1] | text<br>[A-Z]{2,2} |           |                                                                                            |
|       | 4       | Instruction For Creditor Agent | <InstrForCdtrAgt<br>> | [0..*] |                    | [0..2]    |                                                                                            |
|       | 5       | Code                           | <Cd>                  | [0..1] | text               |           | Rules: R25                                                                                 |
|       | 6       | Pay Creditor By<br>Cheque      |                       |        | CHQB               |           | Rules: R11                                                                                 |

| Index | Lv<br>l | Name                       | XML Tag          | Mult        | Type / Code        | Rest<br>r | Additional details                                            |
|-------|---------|----------------------------|------------------|-------------|--------------------|-----------|---------------------------------------------------------------|
|       | 6       | Hold Cash For Creditor     |                  |             | HOLD               |           | Rules: R11                                                    |
|       | 6       | Phone Beneficiary          |                  |             | PHOB               |           | Rules: R10                                                    |
|       | 6       | Telecom                    |                  |             | TELB               |           | Rules: R10                                                    |
|       | 5       | Instruction Information    | <InstrInf>       | [0..1]      | text{1,140}        | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.\,'+ ]+ |
|       | 4       | Instruction For Next Agent | <InstrForNxtAgt> | [0..*]      |                    | [0..6]    |                                                               |
|       | 5       | Instruction Information    | <InstrInf>       | [0..1]      | text{1,140}        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.\,'+ ]+  |
|       | 4       | Purpose                    | <Purp>           | [0..1]      | Choice             |           |                                                               |
|       | 5       | Code                       | <Cd>             | [1..1]      | text{1,4}          |           |                                                               |
|       | 5       | Proprietary                | <Prtry>          | [1..1]      | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.\,'+ ]+  |
|       | 4       | Regulatory Reporting       | <RgltryRptg>     | [0..1<br>0] |                    |           |                                                               |
|       | 5       | Debit Credit Reporting     | <DbtCdtRptgInd>  | [0..1]      | text               |           |                                                               |
|       | 6       | Indicator                  |                  |             |                    |           |                                                               |
|       | 6       | Credit                     |                  |             | CRED               |           |                                                               |
|       | 6       | Debit                      |                  |             | DEBT               |           |                                                               |
|       | 6       | Both                       |                  |             | BOTH               |           |                                                               |
|       | 5       | Authority                  | <Authrty>        | [0..1]      |                    |           |                                                               |
|       | 6       | Name                       | <Nm>             | [0..1]      | text{1,140}        | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.\,'+ ]+ |
|       | 6       | Country                    | <Ctry>           | [0..1]      | text<br>[A-Z]{2,2} |           |                                                               |
|       | 5       | Details                    | <Dtls>           | [0..*]      |                    |           |                                                               |
|       | 6       | Type                       | <Tp>             | [0..1]      | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.\,'+ ]+  |
|       | 6       | Date                       | <Dt>             | [0..1]      | date               | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}           |
|       | 6       | Country                    | <Ctry>           | [0..1]      | text<br>[A-Z]{2,2} |           |                                                               |

| Index | Lv<br>l | Name                                          | XML Tag       | Mult        | Type / Code                       | Rest<br>r     | Additional details                                                                                                                                                                      |
|-------|---------|-----------------------------------------------|---------------|-------------|-----------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | 6       | Code                                          | <Cd>          | [0..1]      | text{1,10}                        | T/C           | Type Changed:<br>text{1,10}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                                                                                            |
|       | 6       | Amount                                        | <Amt>         | [0..1]      | 0 <= decimal<br>td = 18<br>fd = 5 | T/C           | Type Changed:<br>0 <= decimal<br>td = 14<br>fd = 5                                                                                                                                      |
|       | 7       | Xml Attribute Currency                        | <Ccy>         |             | text<br>[A-Z]{3,3}                |               |                                                                                                                                                                                         |
|       | 6       | Information                                   | <Inf>         | [0..*]      | text{1,35}                        | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ ]+                                                                                                                            |
|       | 4       | Related Remittance<br>Information             | <RltdRmtInf>  | [0..1<br>0] |                                   | [0..1]        | Rules: R27                                                                                                                                                                              |
|       | 5       | Remittance Identification                     | <RmtId>       | [0..1]      | text{1,35}                        | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'\/\}\~";<>@\ \\\]]+]                                                                                          |
|       | 5       | Remittance Location Details                   | <RmtLctnDtls> | [0..*]      |                                   | [0..2]        |                                                                                                                                                                                         |
|       | 6       | Method                                        | <Mtd>         | [1..1]      | text                              |               |                                                                                                                                                                                         |
|       | 7       | Fax                                           |               |             | FAXI                              |               |                                                                                                                                                                                         |
|       | 7       | Electronic Data                               |               |             | EDIC                              |               |                                                                                                                                                                                         |
|       | 7       | Interchange<br>Uniform Resource<br>Identifier |               |             | URID                              |               |                                                                                                                                                                                         |
|       | 7       | E Mail                                        |               |             | EMAL                              |               |                                                                                                                                                                                         |
|       | 7       | SMS                                           |               |             | SMSM                              |               |                                                                                                                                                                                         |
|       | 6       | Electronic Address                            | <ElctrncAdr>  | [0..1]      | text{1,2048}                      | T/C           | Type Changed:<br>text{1,2048}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'\/\}\~";<>@\ \\\]]+]                                                                                        |
|       | 4       | Remittance Information                        | <RmtInf>      | [0..1]      |                                   |               | Rules: R27                                                                                                                                                                              |
|       | 5       | Unstructured                                  | <Ustrd>       | [0..*]      | text{1,140}                       | [0..1]<br>T/C | Rules: R24<br>-----<br>Synonym:<br>70 (in context : Remittance Information)<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'\/\}\~";<>@\ \\\]]+] |
|       | 5       | Structured                                    | <Strd>        | [0..*]      |                                   |               | Rules: R24, R63                                                                                                                                                                         |

| Index | Lv<br>l | Name                                           | XML Tag      | Mult   | Type / Code | Rest<br>r | Additional details                                                                      |
|-------|---------|------------------------------------------------|--------------|--------|-------------|-----------|-----------------------------------------------------------------------------------------|
|       | 6       | Referred Document<br>Information               | <RfrdDocInf> | [0..*] |             |           |                                                                                         |
|       | 7       | Type                                           | <Tp>         | [0..1] |             |           |                                                                                         |
|       | 8       | Code Or Proprietary                            | <CdOrPrtry>  | [1..1] | Choice      |           |                                                                                         |
|       | 9       | Code                                           | <Cd>         | [1..1] | text        |           |                                                                                         |
|       | 10      | Metered<br>Service Invoice                     |              |        | MSIN        |           |                                                                                         |
|       | 10      | Credit Note<br>Related To Financial Adjustment |              |        | CNFA        |           |                                                                                         |
|       | 10      | Debit Note<br>Related To Financial Adjustment  |              |        | DNFA        |           |                                                                                         |
|       | 10      | Commercial<br>Invoice                          |              |        | CINV        |           |                                                                                         |
|       | 10      | Credit Note                                    |              |        | CREN        |           |                                                                                         |
|       | 10      | Debit Note                                     |              |        | DEBN        |           |                                                                                         |
|       | 10      | Hire Invoice                                   |              |        | HIRI        |           |                                                                                         |
|       | 10      | Self Billed<br>Invoice                         |              |        | SBIN        |           |                                                                                         |
|       | 10      | Commercial<br>Contract                         |              |        | CMCN        |           |                                                                                         |
|       | 10      | Statement Of<br>Account                        |              |        | SOAC        |           |                                                                                         |
|       | 10      | Dispatch<br>Advice                             |              |        | DISP        |           |                                                                                         |
|       | 10      | Bill Of Lading                                 |              |        | BOLD        |           |                                                                                         |
|       | 10      | Voucher                                        |              |        | VCHR        |           |                                                                                         |
|       | 10      | Account<br>Receivable Open Item                |              |        | AROI        |           |                                                                                         |
|       | 10      | Trade<br>Services Utility Transaction          |              |        | TSUT        |           |                                                                                         |
|       | 10      | Purchase<br>Order                              |              |        | PUOR        |           |                                                                                         |
|       | 9       | Proprietary                                    | <Prtry>      | [1..1] | text{1,35}  | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\]+ |
|       | 8       | Issuer                                         | <Issr>       | [0..1] | text{1,35}  | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\]+ |

| Index | Lv<br>l | Name                       | XML Tag        | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                       |
|-------|---------|----------------------------|----------------|--------|-----------------------------------|-----------|------------------------------------------------------------------------------------------|
|       | 7       | Number                     | <Nb>           | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.,\'+ !#\$%&!\*=\^ \\\}\~";<>@\ \\]+ |
|       | 7       | Related Date               | <RltdDt>       | [0..1] | date                              | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                      |
|       | 7       | Line Details               | <LineDtls>     | [0..*] |                                   |           |                                                                                          |
|       | 8       | Identification             | <Id>           | [1..*] |                                   |           |                                                                                          |
|       | 9       | Type                       | <Tp>           | [0..1] |                                   |           |                                                                                          |
|       | 10      | Code Or<br>Proprietary     | <CdOrPrtry>    | [1..1] | Choice                            |           |                                                                                          |
|       | 11      | Code                       | <Cd>           | [1..1] | text{1,4}                         |           |                                                                                          |
|       | 11      | Proprietary                | <Prtry>        | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.,\'+ !#\$%&!\*=\^ \\\}\~";<>@\ \\]+ |
|       | 10      | Issuer                     | <Issr>         | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.,\'+ !#\$%&!\*=\^ \\\}\~";<>@\ \\]+ |
|       | 9       | Number                     | <Nb>           | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.,\'+ !#\$%&!\*=\^ \\\}\~";<>@\ \\]+ |
|       | 9       | Related Date               | <RltdDt>       | [0..1] | date                              | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                      |
|       | 8       | Description                | <Desc>         | [0..1] | text{1,2048}                      | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.,\'+ !#\$%&!\*=\^ \\\}\~";<>@\ \\]+ |
|       | 8       | Amount                     | <Amt>          | [0..1] |                                   |           |                                                                                          |
|       | 9       | Amount<br>Due Payable      | <DuePyblAmt>   | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                          |
|       | 10      | Currency<br>Xml Attribute  | <Ccy>          |        | text<br>[A-Z]{3,3}                |           |                                                                                          |
|       | 9       | Amount<br>Discount Applied | <DscntApldAmt> | [0..*] |                                   |           |                                                                                          |
|       | 10      | Type                       | <Tp>           | [0..1] | Choice                            |           |                                                                                          |
|       | 11      | Code                       | <Cd>           | [1..1] | text{1,4}                         |           |                                                                                          |

| Index | Lv<br>l | Name                            | XML Tag             | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                        |
|-------|---------|---------------------------------|---------------------|--------|-----------------------------------|-----------|-------------------------------------------------------------------------------------------|
|       | 11      | Proprietary                     | <Prtry>             | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\- ?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\ ]+ |
|       | 10      | Amount                          | <Amt>               | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 11      | Currency<br>Xml Attribute       | <Ccy>               |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 9       | Credit Note<br>Amount           | <CdtNoteAmt>        | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 10      | Currency<br>Xml Attribute       | <Ccy>               |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 9       | Tax Amount                      | <TaxAmt>            | [0..*] |                                   |           |                                                                                           |
|       | 10      | Type                            | <Tp>                | [0..1] | Choice                            |           |                                                                                           |
|       | 11      | Code                            | <Cd>                | [1..1] | text{1,4}                         |           |                                                                                           |
|       | 11      | Proprietary                     | <Prtry>             | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\- ?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\ ]+ |
|       | 10      | Amount                          | <Amt>               | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 11      | Currency<br>Xml Attribute       | <Ccy>               |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 9       | Adjustment<br>Amount And Reason | <AdjstmntAmtAndRsn> | [0..*] |                                   |           |                                                                                           |
|       | 10      | Amount                          | <Amt>               | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 11      | Currency<br>Xml Attribute       | <Ccy>               |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 10      | Credit Debit<br>Indicator       | <CdtDbtInd>         | [0..1] | text                              |           |                                                                                           |
|       | 11      | Credit                          |                     |        | CRDT                              |           |                                                                                           |
|       | 11      | Debit                           |                     |        | DBIT                              |           |                                                                                           |
|       | 10      | Reason                          | <Rsn>               | [0..1] | text{1,4}                         | T/C       | Type Changed:<br>text{1,4}<br>[0-9a-zA-Z/\- ?:\(\)\.,\'+ !#\$%&!\*!=^ `\'{}~";<>@\ \\ ]+  |

| Index | Lv<br>l | Name                     | XML Tag        | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                        |
|-------|---------|--------------------------|----------------|--------|-----------------------------------|-----------|-------------------------------------------------------------------------------------------|
|       | 10      | Additional Information   | <AddtlInf>     | [0..1] | text{1,140}                       | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+ |
|       | 9       | Remitted Amount          | <RmtdAmt>      | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 10      | Currency Xml Attribute   | <Ccy>          |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 6       | Referred Document Amount | <RfrdDocAmt>   | [0..1] |                                   |           |                                                                                           |
|       | 7       | Due Payable Amount       | <DuePyblAmt>   | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 8       | Currency Xml Attribute   | <Ccy>          |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 7       | Discount Applied Amount  | <DscntApldAmt> | [0..*] |                                   |           |                                                                                           |
|       | 8       | Type                     | <Tp>           | [0..1] | Choice                            |           |                                                                                           |
|       | 9       | Code                     | <Cd>           | [1..1] | text{1,4}                         |           |                                                                                           |
|       | 9       | Proprietary              | <Prtry>        | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+  |
|       | 8       | Amount                   | <Amt>          | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 9       | Currency Xml Attribute   | <Ccy>          |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 7       | Credit Note Amount       | <CdtNoteAmt>   | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                           |
|       | 8       | Currency Xml Attribute   | <Ccy>          |        | text<br>[A-Z]{3,3}                |           |                                                                                           |
|       | 7       | Tax Amount               | <TaxAmt>       | [0..*] |                                   |           |                                                                                           |
|       | 8       | Type                     | <Tp>           | [0..1] | Choice                            |           |                                                                                           |
|       | 9       | Code                     | <Cd>           | [1..1] | text{1,4}                         |           |                                                                                           |
|       | 9       | Proprietary              | <Prtry>        | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+  |

| Index | Lv<br>l | Name                               | XML Tag             | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                         |
|-------|---------|------------------------------------|---------------------|--------|-----------------------------------|-----------|--------------------------------------------------------------------------------------------|
|       | 8       | Amount                             | <Amt>               | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                            |
|       | 9       | Currency<br>Xml Attribute          | <Ccy>               |        | text<br>[A-Z]{3,3}                |           |                                                                                            |
|       | 7       | Adjustment Amount<br>And Reason    | <AdjstmntAmtAndRsn> | [0..*] |                                   |           |                                                                                            |
|       | 8       | Amount                             | <Amt>               | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                            |
|       | 9       | Currency<br>Xml Attribute          | <Ccy>               |        | text<br>[A-Z]{3,3}                |           |                                                                                            |
|       | 8       | Credit Debit<br>Indicator          | <CdtDbtInd>         | [0..1] | text                              |           |                                                                                            |
|       | 9       | Credit                             |                     |        | CRDT                              |           |                                                                                            |
|       | 9       | Debit                              |                     |        | DBIT                              |           |                                                                                            |
|       | 8       | Reason                             | <Rsn>               | [0..1] | text{1,4}                         | T/C       | Type Changed:<br>text{1,4}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+   |
|       | 8       | Additional<br>Information          | <AddtlInf>          | [0..1] | text{1,140}                       | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\.,'\+ !#\$%&!\*!=^ `\'~";<>@\ \\\]]+ |
|       | 7       | Remitted Amount                    | <RmtdAmt>           | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                            |
|       | 8       | Currency<br>Xml Attribute          | <Ccy>               |        | text<br>[A-Z]{3,3}                |           |                                                                                            |
|       | 6       | Creditor Reference<br>Information  | <CdtrRefInf>        | [0..1] |                                   |           |                                                                                            |
|       | 7       | Type                               | <Tp>                | [0..1] |                                   |           |                                                                                            |
|       | 8       | Code Or Proprietary                | <CdOrPrtry>         | [1..1] | Choice                            |           |                                                                                            |
|       | 9       | Code                               | <Cd>                | [1..1] | text                              |           |                                                                                            |
|       | 10      | Remittance<br>Advice Message       |                     |        | RADM                              |           |                                                                                            |
|       | 10      | Related<br>Payment Instruction     |                     |        | RPIN                              |           |                                                                                            |
|       | 10      | Foreign<br>Exchange Deal Reference |                     |        | FXDR                              |           |                                                                                            |



| Index | Lv<br>l | Name                                  | XML Tag   | Mult   | Type / Code | Rest<br>r     | Additional details                                                                       |
|-------|---------|---------------------------------------|-----------|--------|-------------|---------------|------------------------------------------------------------------------------------------|
|       | 10      | Dispatch<br>Advice                    |           |        | DISP        |               |                                                                                          |
|       | 10      | Purchase<br>Order                     |           |        | PUOR        |               |                                                                                          |
|       | 10      | Structured<br>Communication Reference |           |        | SCOR        |               |                                                                                          |
|       | 9       | Proprietary                           | <Prtry>   | [1..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 8       | Issuer                                | <Issr>    | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 7       | Reference                             | <Ref>     | [0..1] | text{1,35}  | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 6       | Invoicer                              | <Invcr>   | [0..1] |             |               |                                                                                          |
|       | 7       | Name                                  | <Nm>      | [0..1] | text{1,140} | T/C           | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+ |
|       | 7       | Postal Address                        | <PstlAdr> | [0..1] |             |               | Rules: R20                                                                               |
|       | 8       | Department                            | <Dept>    | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 8       | Sub Department                        | <SubDept> | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 8       | Street Name                           | <StrtNm>  | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 8       | Building Number                       | <BldgNb>  | [0..1] | text{1,16}  | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 8       | Building Name                         | <BldgNm>  | [0..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |
|       | 8       | Floor                                 | <Flr>     | [0..1] | text{1,70}  | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+ !#\$%&!*^=\^ \\\}\~";<>@\ \\]+  |

| Index | Lv<br>l | Name                           | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                        |
|-------|---------|--------------------------------|---------------|--------|------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|
|       | 8       | Post Box                       | <PstBx>       | [0..1] | text{1,16}                                                       | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Room                           | <Room>        | [0..1] | text{1,70}                                                       | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Post Code                      | <PstCd>       | [0..1] | text{1,16}                                                       | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Town Name                      | <TwnNm>       | [0..1] | text{1,35}                                                       | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Name<br>Town Location          | <TwnLctnNm>   | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | District Name                  | <DstrctNm>    | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Country Sub Division           | <CtrySubDvsn> | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Country                        | <Ctry>        | [0..1] | text<br>[A-Z]{2,2}                                               | [1..1]        |                                                                                           |
|       | 8       | Address Line                   | <AdrLine>     | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 7       | Identification                 | <Id>          | [0..1] | Choice                                                           |               |                                                                                           |
|       | 8       | Identification<br>Organisation | <OrgId>       | [1..1] |                                                                  |               |                                                                                           |
|       | 9       | Any BIC                        | <AnyBIC>      | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |                                                                                           |
|       | 9       | LEI                            | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                           |
|       | 9       | Other                          | <Othr>        | [0..*] |                                                                  | [0..2]        |                                                                                           |

| Index | Lv<br>l | Name                       | XML Tag           | Mult   | Type / Code        | Rest<br>r | Additional details                                                                         |
|-------|---------|----------------------------|-------------------|--------|--------------------|-----------|--------------------------------------------------------------------------------------------|
|       | 10      | Identification             | <Id>              | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+  |
|       | 10      | Scheme Name                | <SchmeNm>         | [0..1] | Choice             | [1..1]    |                                                                                            |
|       | 11      | Code                       | <Cd>              | [1..1] | text{1,4}          |           |                                                                                            |
|       | 10      | Issuer                     | <Issr>            | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+  |
|       | 8       | Private Identification     | <PrvtId>          | [1..1] |                    |           |                                                                                            |
|       | 9       | Date And Place<br>Of Birth | <DtAndPlcOfBirth> | [0..1] |                    |           |                                                                                            |
|       | 10      | Birth Date                 | <BirthDt>         | [1..1] | date               | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 10      | Province Of<br>Birth       | <PrvcOfBirth>     | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+  |
|       | 10      | City Of Birth              | <CityOfBirth>     | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+  |
|       | 10      | Country Of<br>Birth        | <CtryOfBirth>     | [1..1] | text<br>[A-Z]{2,2} |           |                                                                                            |
|       | 9       | Other                      | <Othr>            | [0..*] |                    | [0..2]    |                                                                                            |
|       | 10      | Identification             | <Id>              | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+  |
|       | 10      | Scheme Name                | <SchmeNm>         | [0..1] | Choice             | [1..1]    |                                                                                            |
|       | 11      | Code                       | <Cd>              | [1..1] | text{1,4}          |           |                                                                                            |
|       | 10      | Issuer                     | <Issr>            | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+  |
|       | 7       | Country Of Residence       | <CtryOfRes>       | [0..1] | text<br>[A-Z]{2,2} |           |                                                                                            |
|       | 6       | Invoicee                   | <Invcee>          | [0..1] |                    |           |                                                                                            |
|       | 7       | Name                       | <Nm>              | [0..1] | text{1,140}        | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!?:\(\)\.,\'+ !#\$%&!*^=\^ \\\ }~";<>@\ \\ ]+ |
|       | 7       | Postal Address             | <PstlAdr>         | [0..1] |                    |           | Rules: R20                                                                                 |

| Index | Lv<br>l | Name                  | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details                                                                           |
|-------|---------|-----------------------|---------------|--------|--------------------|---------------|----------------------------------------------------------------------------------------------|
|       | 8       | Department            | <Dept>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Sub Department        | <SubDept>     | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Street Name           | <StrtNm>      | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Building Number       | <BldgNb>      | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Building Name         | <BldgNm>      | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Floor                 | <Flr>         | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Post Box              | <PstBx>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Room                  | <Room>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Post Code             | <PstCd>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Town Name             | <TwnNm>       | [0..1] | text{1,35}         | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Name<br>Town Location | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | District Name         | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Country Sub Division  | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%&!\*=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 8       | Country               | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} | [1..1]        |                                                                                              |

| Index | Lv<br>l | Name                           | XML Tag           | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                         |
|-------|---------|--------------------------------|-------------------|--------|------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------|
|       | 8       | Address Line                   | <AdrLine>         | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+ |
|       | 7       | Identification                 | <Id>              | [0..1] | Choice                                                           |               |                                                                                            |
|       | 8       | Identification<br>Organisation | <OrgId>           | [1..1] |                                                                  |               |                                                                                            |
|       | 9       | Any BIC                        | <AnyBIC>          | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |                                                                                            |
|       | 9       | LEI                            | <LEI>             | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                            |
|       | 9       | Other                          | <Othr>            | [0..*] |                                                                  | [0..2]        |                                                                                            |
|       | 10      | Identification                 | <Id>              | [1..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+ |
|       | 10      | Scheme Name                    | <SchmeNm>         | [0..1] | Choice                                                           | [1..1]        |                                                                                            |
|       | 11      | Code                           | <Cd>              | [1..1] | text{1,4}                                                        |               |                                                                                            |
|       | 10      | Issuer                         | <Issr>            | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+ |
|       | 8       | Private Identification         | <PrvtId>          | [1..1] |                                                                  |               |                                                                                            |
|       | 9       | Of Birth<br>Date And Place     | <DtAndPlcOfBirth> | [0..1] |                                                                  |               |                                                                                            |
|       | 10      | Birth Date                     | <BirthDt>         | [1..1] | date                                                             | T/C           | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 10      | Birth<br>Province Of           | <PrvcOfBirth>     | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+ |
|       | 10      | City Of Birth                  | <CityOfBirth>     | [1..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&\!*^=\^ \\\}\~";<>@\ \\\]+ |
|       | 10      | Birth<br>Country Of            | <CtryOfBirth>     | [1..1] | text<br>[A-Z]{2,2}                                               |               |                                                                                            |
|       | 9       | Other                          | <Othr>            | [0..*] |                                                                  | [0..2]        |                                                                                            |

| Index | Lv<br>l | Name                           | XML Tag     | Mult   | Type / Code        | Rest<br>r | Additional details                                                                            |
|-------|---------|--------------------------------|-------------|--------|--------------------|-----------|-----------------------------------------------------------------------------------------------|
|       | 10      | Identification                 | <Id>        | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 10      | Scheme Name                    | <SchmeNm>   | [0..1] | Choice             | [1..1]    |                                                                                               |
|       | 11      | Code                           | <Cd>        | [1..1] | text{1,4}          |           |                                                                                               |
|       | 10      | Issuer                         | <Issr>      | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 7       | Country Of Residence           | <CtryOfRes> | [0..1] | text<br>[A-Z]{2,2} |           |                                                                                               |
|       | 6       | Tax Remittance                 | <TaxRmt>    | [0..1] |                    |           |                                                                                               |
|       | 7       | Creditor                       | <Cdtr>      | [0..1] |                    |           |                                                                                               |
|       | 8       | Tax Identification             | <TaxId>     | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 8       | Identification<br>Registration | <RegnId>    | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 8       | Tax Type                       | <TaxTp>     | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 7       | Debtor                         | <Dbtr>      | [0..1] |                    |           |                                                                                               |
|       | 8       | Tax Identification             | <TaxId>     | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 8       | Identification<br>Registration | <RegnId>    | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 8       | Tax Type                       | <TaxTp>     | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 8       | Authorisation                  | <Authstn>   | [0..1] |                    |           |                                                                                               |
|       | 9       | Title                          | <Titl>      | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+  |
|       | 9       | Name                           | <Nm>        | [0..1] | text{1,140}        | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*^=\^ \\\ }~";<>@\ \\\ ]+ |
|       | 7       | Ultimate Debtor                | <UltmtDbtr> | [0..1] |                    |           |                                                                                               |

| Index | Lv<br>l | Name                           | XML Tag               | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                          |
|-------|---------|--------------------------------|-----------------------|--------|-----------------------------------|-----------|---------------------------------------------------------------------------------------------|
|       | 8       | Tax Identification             | <TaxId>               | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+]  |
|       | 8       | Identification<br>Registration | <RegnId>              | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+]  |
|       | 8       | Tax Type                       | <TaxTp>               | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+]  |
|       | 8       | Authorisation                  | <Authstn>             | [0..1] |                                   |           |                                                                                             |
|       | 9       | Title                          | <Titl>                | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+]  |
|       | 9       | Name                           | <Nm>                  | [0..1] | text{1,140}                       | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+] |
|       | 7       | Administration Zone            | <AdmstnZone>          | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+]  |
|       | 7       | Reference Number               | <RefNb>               | [0..1] | text{1,140}                       | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+] |
|       | 7       | Method                         | <Mtd>                 | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\]]+]  |
|       | 7       | Amount<br>Total Taxable Base   | <TtlTaxblBaseA<br>mt> | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                             |
|       | 8       | Currency<br>Xml Attribute      | <Ccy>                 |        | text<br>[A-Z]{3,3}                |           |                                                                                             |
|       | 7       | Total Tax Amount               | <TtlTaxAmt>           | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                             |
|       | 8       | Currency<br>Xml Attribute      | <Ccy>                 |        | text<br>[A-Z]{3,3}                |           |                                                                                             |
|       | 7       | Date                           | <Dt>                  | [0..1] | date                              | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                         |

| Index | Lv<br>l | Name                          | XML Tag    | Mult   | Type / Code                  | Rest<br>r | Additional details                                                                         |
|-------|---------|-------------------------------|------------|--------|------------------------------|-----------|--------------------------------------------------------------------------------------------|
|       | 7       | Sequence Number               | <SeqNb>    | [0..1] | decimal<br>td = 18<br>fd = 0 |           |                                                                                            |
|       | 7       | Record                        | <Rcrd>     | [0..*] |                              |           |                                                                                            |
|       | 8       | Type                          | <Tp>       | [0..1] | text{1,35}                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\}\~";<>@\ \\\]]+ |
|       | 8       | Category                      | <Ctgy>     | [0..1] | text{1,35}                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\}\~";<>@\ \\\]]+ |
|       | 8       | Category Details              | <CtgyDtls> | [0..1] | text{1,35}                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\}\~";<>@\ \\\]]+ |
|       | 8       | Debtor Status                 | <DbtrSts>  | [0..1] | text{1,35}                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\}\~";<>@\ \\\]]+ |
|       | 8       | Identification<br>Certificate | <CertId>   | [0..1] | text{1,35}                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\}\~";<>@\ \\\]]+ |
|       | 8       | Forms Code                    | <FrmsCd>   | [0..1] | text{1,35}                   | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+ !#\$%&\!*^=^ \\\}\~";<>@\ \\\]]+ |
|       | 8       | Period                        | <Prd>      | [0..1] |                              |           |                                                                                            |
|       | 9       | Year                          | <Yr>       | [0..1] | date                         | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 9       | Type                          | <Tp>       | [0..1] | text                         |           |                                                                                            |
|       | 10      | First Month                   |            |        | MM01                         |           |                                                                                            |
|       | 10      | Second<br>Month               |            |        | MM02                         |           |                                                                                            |
|       | 10      | Third Month                   |            |        | MM03                         |           |                                                                                            |
|       | 10      | Fourth Month                  |            |        | MM04                         |           |                                                                                            |
|       | 10      | Fifth Month                   |            |        | MM05                         |           |                                                                                            |
|       | 10      | Sixth Month                   |            |        | MM06                         |           |                                                                                            |
|       | 10      | Seventh<br>Month              |            |        | MM07                         |           |                                                                                            |
|       | 10      | Eighth Month                  |            |        | MM08                         |           |                                                                                            |
|       | 10      | Ninth Month                   |            |        | MM09                         |           |                                                                                            |



| Index | Lv<br>l | Name          | XML Tag       | Mult                                     | Type / Code                              | Rest<br>r | Additional details                                  |
|-------|---------|---------------|---------------|------------------------------------------|------------------------------------------|-----------|-----------------------------------------------------|
|       | 10      | Tenth Month   |               |                                          | MM10                                     |           |                                                     |
|       | 10      | Eleventh      |               |                                          | MM11                                     |           |                                                     |
|       | 10      | Month         |               |                                          |                                          |           |                                                     |
|       | 10      | Twelfth       |               |                                          | MM12                                     |           |                                                     |
|       | 10      | Month         |               |                                          |                                          |           |                                                     |
|       | 10      | First Quarter |               |                                          | QTR1                                     |           |                                                     |
|       | 10      | Second        |               |                                          | QTR2                                     |           |                                                     |
|       | 10      | Quarter       |               |                                          |                                          |           |                                                     |
|       | 10      | Third Quarter |               |                                          | QTR3                                     |           |                                                     |
|       | 10      | Fourth        |               |                                          | QTR4                                     |           |                                                     |
|       | 10      | Quarter       |               |                                          |                                          |           |                                                     |
|       | 10      | First Half    |               |                                          | HLF1                                     |           |                                                     |
|       | 10      | Second Half   |               |                                          | HLF2                                     |           |                                                     |
|       | 9       | From To Date  | <FrToDt>      | [0..1]                                   |                                          |           |                                                     |
|       | 10      | From Date     | <FrDt>        | [1..1]                                   | date                                     | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2} |
|       | 10      | To Date       | <ToDt>        | [1..1]                                   | date                                     | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2} |
|       | 8       | Tax Amount    | <TaxAmt>      | [0..1]                                   |                                          |           |                                                     |
|       | 9       | Rate          | <Rate>        | [0..1]                                   | decimal<br>td = 11<br>fd = 10            |           |                                                     |
|       | 9       | Amount        | Taxable Base  | <TaxblBaseAmt>                           | [0..1] 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                     |
|       | 10      | Currency      | Xml Attribute | <Ccy>                                    | text<br>[A-Z]{3,3}                       |           |                                                     |
|       | 9       | Total Amount  | <TtlAmt>      | [0..1] 0 <= decimal<br>td = 18<br>fd = 5 |                                          |           |                                                     |
|       | 10      | Currency      | Xml Attribute | <Ccy>                                    | text<br>[A-Z]{3,3}                       |           |                                                     |
|       | 9       | Details       | <DtIs>        | [0..*]                                   |                                          |           |                                                     |
|       | 10      | Period        | <Prd>         | [0..1]                                   |                                          |           |                                                     |

| Index | Lv<br>l | Name              | XML Tag | Mult   | Type / Code | Rest<br>r | Additional details                                  |
|-------|---------|-------------------|---------|--------|-------------|-----------|-----------------------------------------------------|
|       | 11      | Year              | <Yr>    | [0..1] | date        | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2} |
|       | 11      | Type              | <Tp>    | [0..1] | text        |           |                                                     |
|       | 12      | First<br>Month    |         |        | MM01        |           |                                                     |
|       | 12      | Second<br>Month   |         |        | MM02        |           |                                                     |
|       | 12      | Third<br>Month    |         |        | MM03        |           |                                                     |
|       | 12      | Fourth<br>Month   |         |        | MM04        |           |                                                     |
|       | 12      | Fifth<br>Month    |         |        | MM05        |           |                                                     |
|       | 12      | Sixth<br>Month    |         |        | MM06        |           |                                                     |
|       | 12      | Seventh<br>Month  |         |        | MM07        |           |                                                     |
|       | 12      | Eighth<br>Month   |         |        | MM08        |           |                                                     |
|       | 12      | Ninth<br>Month    |         |        | MM09        |           |                                                     |
|       | 12      | Tenth<br>Month    |         |        | MM10        |           |                                                     |
|       | 12      | Eleventh Month    |         |        | MM11        |           |                                                     |
|       | 12      | Twelfth<br>Month  |         |        | MM12        |           |                                                     |
|       | 12      | First<br>Quarter  |         |        | QTR1        |           |                                                     |
|       | 12      | Second<br>Quarter |         |        | QTR2        |           |                                                     |
|       | 12      | Third<br>Quarter  |         |        | QTR3        |           |                                                     |
|       | 12      | Fourth<br>Quarter |         |        | QTR4        |           |                                                     |
|       | 12      | First<br>Half     |         |        | HLF1        |           |                                                     |

| Index | Lv<br>l | Name                   | XML Tag      | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                      |
|-------|---------|------------------------|--------------|--------|-----------------------------------|-----------|-----------------------------------------------------------------------------------------|
|       | 12      | Second Half            |              |        | HLF2                              |           |                                                                                         |
|       | 11      | From To Date           | <FrToDt>     | [0..1] |                                   |           |                                                                                         |
|       | 12      | From Date              | <FrDt>       | [1..1] | date                              | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                     |
|       | 12      | To Date                | <ToDt>       | [1..1] | date                              | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                     |
|       | 10      | Amount                 | <Amt>        | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                         |
|       | 11      | Currency Xml Attribute | <Ccy>        |        | text<br>[A-Z]{3,3}                |           |                                                                                         |
|       | 8       | Additional Information | <AddtlInf>   | [0..1] | text{1,140}                       | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]+ |
|       | 6       | Garnishment Remittance | <GrnshmtRmt> | [0..1] |                                   |           |                                                                                         |
|       | 7       | Type                   | <Tp>         | [1..1] |                                   |           |                                                                                         |
|       | 8       | Code Or Proprietary    | <CdOrPrtry>  | [1..1] | Choice                            |           |                                                                                         |
|       | 9       | Code                   | <Cd>         | [1..1] | text{1,4}                         |           |                                                                                         |
|       | 9       | Proprietary            | <Prtry>      | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]+  |
|       | 8       | Issuer                 | <Issr>       | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]+  |
|       | 7       | Garnishee              | <Grnshee>    | [0..1] |                                   |           |                                                                                         |
|       | 8       | Name                   | <Nm>         | [0..1] | text{1,140}                       | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]+ |
|       | 8       | Postal Address         | <PstlAdr>    | [0..1] |                                   |           | Rules: R20                                                                              |
|       | 9       | Department             | <Dept>       | [0..1] | text{1,70}                        | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]+  |
|       | 9       | Sub Department         | <SubDept>    | [0..1] | text{1,70}                        | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!\*!=^ `\'~";<>@\ \\\]+  |

| Index | Lv<br>l | Name                    | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details                                                                        |
|-------|---------|-------------------------|---------------|--------|--------------------|---------------|-------------------------------------------------------------------------------------------|
|       | 9       | Street Name             | <StrtNm>      | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Building Number         | <BldgNb>      | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Building Name           | <BldgNm>      | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Floor                   | <Flr>         | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Post Box                | <PstBx>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Room                    | <Room>        | [0..1] | text{1,70}         | T/C           | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Post Code               | <PstCd>       | [0..1] | text{1,16}         | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Town Name               | <TwnNm>       | [0..1] | text{1,35}         | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Name<br>Town Location   | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | District Name           | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Division<br>Country Sub | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Country                 | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} | [1..1]        |                                                                                           |
|       | 9       | Address Line            | <AdrLine>     | [0..7] | text{1,70}         | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!\?:\(\)\.,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Identification          | <Id>          | [0..1] | Choice             |               |                                                                                           |

| Index | Lv<br>l | Name                           | XML Tag               | Mult   | Type / Code                                                      | Rest<br>r | Additional details                                                                    |
|-------|---------|--------------------------------|-----------------------|--------|------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|
|       | 9       | Organisation<br>Identification | <OrgId>               | [1..1] |                                                                  |           |                                                                                       |
|       | 10      | Any BIC                        | <AnyBIC>              | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |           |                                                                                       |
|       | 10      | LEI                            | <LEI>                 | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |           |                                                                                       |
|       | 10      | Other                          | <Othr>                | [0..*] |                                                                  | [0..2]    |                                                                                       |
|       | 11      | Identification                 | <Id>                  | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\_`\'{}~";<>@\ \\]+ |
|       | 11      | Scheme<br>Name                 | <SchmeNm>             | [0..1] | Choice                                                           | [1..1]    |                                                                                       |
|       | 12      | Code                           | <Cd>                  | [1..1] | text{1,4}                                                        |           |                                                                                       |
|       | 11      | Issuer                         | <Issr>                | [0..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\_`\'{}~";<>@\ \\]+ |
|       | 9       | Private<br>Identification      | <PrvtId>              | [1..1] |                                                                  |           |                                                                                       |
|       | 10      | Date And Place<br>Of Birth     | <DtAndPlcOfBirt<br>h> | [0..1] |                                                                  |           |                                                                                       |
|       | 11      | Birth Date                     | <BirthDt>             | [1..1] | date                                                             | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                   |
|       | 11      | Province Of<br>Birth           | <PrvcOfBirth>         | [0..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\_`\'{}~";<>@\ \\]+ |
|       | 11      | City Of Birth                  | <CityOfBirth>         | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\_`\'{}~";<>@\ \\]+ |
|       | 11      | Country Of<br>Birth            | <CtryOfBirth>         | [1..1] | text<br>[A-Z]{2,2}                                               |           |                                                                                       |
|       | 10      | Other                          | <Othr>                | [0..*] |                                                                  | [0..2]    |                                                                                       |
|       | 11      | Identification                 | <Id>                  | [1..1] | text{1,35}                                                       | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\_`\'{}~";<>@\ \\]+ |

| Index | Lv<br>l | Name                         | XML Tag             | Mult   | Type / Code        | Rest<br>r | Additional details                                                                    |
|-------|---------|------------------------------|---------------------|--------|--------------------|-----------|---------------------------------------------------------------------------------------|
|       | 11      | Scheme<br>Name               | <SchmeNm>           | [0..1] | Choice             | [1..1]    |                                                                                       |
|       | 12      | Code                         | <Cd>                | [1..1] | text{1,4}          |           |                                                                                       |
|       | 11      | Issuer                       | <Issr>              | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 8       | Country Of<br>Residence      | <CtryOfRes>         | [0..1] | text<br>[A-Z]{2,2} |           |                                                                                       |
|       | 7       | Garnishment<br>Administrator | <GrnshmtAdmstr<br>> | [0..1] |                    |           |                                                                                       |
|       | 8       | Name                         | <Nm>                | [0..1] | text{1,140}        | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+ |
|       | 8       | Postal Address               | <PstlAdr>           | [0..1] |                    |           | Rules: R20                                                                            |
|       | 9       | Department                   | <Dept>              | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 9       | Sub Department               | <SubDept>           | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 9       | Street Name                  | <StrtNm>            | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 9       | Building Number              | <BldgNb>            | [0..1] | text{1,16}         | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 9       | Building Name                | <BldgNm>            | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 9       | Floor                        | <Flr>               | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 9       | Post Box                     | <PstBx>             | [0..1] | text{1,16}         | T/C       | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |
|       | 9       | Room                         | <Room>              | [0..1] | text{1,70}         | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\.,\'+\!#\$%&\!*=^`\'~";<>@\ \\]+  |

| Index | Lv<br>l | Name                           | XML Tag       | Mult   | Type / Code                                                      | Rest<br>r     | Additional details                                                                        |
|-------|---------|--------------------------------|---------------|--------|------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|
|       | 9       | Post Code                      | <PstCd>       | [0..1] | text{1,16}                                                       | T/C           | Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Town Name                      | <TwnNm>       | [0..1] | text{1,35}                                                       | [1..1]<br>T/C | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Name<br>Town Location          | <TwnLctnNm>   | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | District Name                  | <DstrctNm>    | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Division<br>Country Sub        | <CtrySubDvsn> | [0..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 9       | Country                        | <Ctry>        | [0..1] | text<br>[A-Z]{2,2}                                               | [1..1]        |                                                                                           |
|       | 9       | Address Line                   | <AdrLine>     | [0..7] | text{1,70}                                                       | [0..2]<br>T/C | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 8       | Identification                 | <Id>          | [0..1] | Choice                                                           |               |                                                                                           |
|       | 9       | Identification<br>Organisation | <OrgId>       | [1..1] |                                                                  |               |                                                                                           |
|       | 10      | Any BIC                        | <AnyBIC>      | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |                                                                                           |
|       | 10      | LEI                            | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |                                                                                           |
|       | 10      | Other                          | <Othr>        | [0..*] |                                                                  | [0..2]        |                                                                                           |
|       | 11      | Identification                 | <Id>          | [1..1] | text{1,35}                                                       | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!?:\(\)\. ,\'+ !#\$%&!\*=-^ `\'~";<>@\ \\\]]+ |
|       | 11      | Name<br>Scheme                 | <SchmeNm>     | [0..1] | Choice                                                           | [1..1]        |                                                                                           |
|       | 12      | Code                           | <Cd>          | [1..1] | text{1,4}                                                        |               |                                                                                           |

| Index | Lv<br>l | Name                       | XML Tag               | Mult   | Type / Code                       | Rest<br>r | Additional details                                                                         |
|-------|---------|----------------------------|-----------------------|--------|-----------------------------------|-----------|--------------------------------------------------------------------------------------------|
|       | 11      | Issuer                     | <Issr>                | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]+  |
|       | 9       | Private<br>Identification  | <PrvtId>              | [1..1] |                                   |           |                                                                                            |
|       | 10      | Date And Place<br>Of Birth | <DtAndPlcOfBirt<br>h> | [0..1] |                                   |           |                                                                                            |
|       | 11      | Birth Date                 | <BirthDt>             | [1..1] | date                              | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 11      | Province Of<br>Birth       | <PrvcOfBirth>         | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]+  |
|       | 11      | City Of Birth              | <CityOfBirth>         | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]+  |
|       | 11      | Country Of<br>Birth        | <CtryOfBirth>         | [1..1] | text<br>[A-Z]{2,2}                |           |                                                                                            |
|       | 10      | Other                      | <Othr>                | [0..*] |                                   | [0..2]    |                                                                                            |
|       | 11      | Identification             | <Id>                  | [1..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]+  |
|       | 11      | Scheme<br>Name             | <SchmeNm>             | [0..1] | Choice                            | [1..1]    |                                                                                            |
|       | 12      | Code                       | <Cd>                  | [1..1] | text{1,4}                         |           |                                                                                            |
|       | 11      | Issuer                     | <Issr>                | [0..1] | text{1,35}                        | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]+  |
|       | 8       | Country Of<br>Residence    | <CtryOfRes>           | [0..1] | text<br>[A-Z]{2,2}                |           |                                                                                            |
|       | 7       | Reference Number           | <RefNb>               | [0..1] | text{1,140}                       | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\!\?:\(\)\. ,\'+ !#\$%& \!*=^ `\'~";<>@\ \\\]+ |
|       | 7       | Date                       | <Dt>                  | [0..1] | date                              | T/C       | Type Changed:<br>date<br>[0-9]{4}-[0-9]{2}-[0-9]{2}                                        |
|       | 7       | Remitted Amount            | <RmtdAmt>             | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 |           |                                                                                            |



| Index | Lvl | Name                                  | XML Tag                 | Mult   | Type / Code        | Rest r | Additional details                                                                               |
|-------|-----|---------------------------------------|-------------------------|--------|--------------------|--------|--------------------------------------------------------------------------------------------------|
|       | 8   | Currency                              | Xml Attribute<br><Ccy>  |        | text<br>[A-Z]{3,3} |        |                                                                                                  |
|       | 7   | Family Medical<br>Insurance Indicator | <FmlyMdclInsrnc<br>Ind> | [0..1] | boolean            |        |                                                                                                  |
|       | 7   | Employee Termination<br>Indicator     | <MplyeeTermntnl<br>nd>  | [0..1] | boolean            |        |                                                                                                  |
|       | 6   | Additional Remittance<br>Information  | <AddtlRmtInf>           | [0..3] | text{1,140}        | T/C    | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z/\-!\?:\(\)\.!,\'+ !#\$%&!\*=-^ `\'\/\}\~";<>@\ \\\]]+ |

## Rule Definitions

| Index | Name                                                | Description                                                                                     | Formal Rule Definition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------|-----------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R1    | Rule<br>"CBPR_BusinessMessageIdentifier_FormalRule" | The Business Message Identifier must match the Message Identification in the Group Header.      | For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/GroupHeader/MessageIdentification] value                                                                                                                                                                                                                                                                        |
| R2    | Rule<br>"CBPR_To_InstructedAgent_BIC_1_FormaIRule"  | BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU | For each [Full Message], if every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU', then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI] |
| R3    | Rule<br>"CBPR_To_InstructedAgent_BIC_2_FormaIRule"  | BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.                      | For each [Full Message], if the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent, then every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]                                          |

|    |                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R4 | Rule<br>"CBPR_Priority_Instruction_Priority_FormalRule"        | If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.                                                                                                                                                                                                                                                                                                                                                                                                 | For each [Full Message], if at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present, then every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] |
| R5 | Rule<br>"CBPR_From_Instructioning_Agent_BIC_FormaIRule"        | BAH "From" BIC must match "Instructing Agent" BIC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value                                                                                                                                                                                          |
| R6 | Rule<br>"CBPR_Related_Business_Application_Header_TextualRule" | If used, the Related BAH must transport the exact same information as in the BAH of the related message.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| R7 | Rule<br>"CBPR_Business_Message_Identifier_TextualRule"         | <p>The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.</p> <p>Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|     |                                                           |                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                        |
|-----|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R8  | Rule<br>"CBPR_Message_Definition_Identifier_TextualRule"  | The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance. |                                                                                                                                                                                                                                                                                                                                                                                        |
| R9  | Rule<br>"CBPR_Related_BAH_Business_Service_TextualRule"   | If related BAH is present, it should transport the element Business Service.                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                        |
| R10 | Rule<br>"CBPR_Instruction_for_Creditor_Agent2_FormalRule" | The code "TELB" is not allowed if the code "PHOB" is present.                                                                                                                                                            | For each [Full Message/Document/FIToFICustomerCreditTransferV08], [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/Telecom] cannot be present when at least one occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/PhoneBeneficiary] is present                |
| R11 | Rule<br>"CBPR_Instruction_for_Creditor_Agent1_FormalRule" | The code "HOLD" is not allowed if the code "CHQB" is present.                                                                                                                                                            | For each [Full Message/Document/FIToFICustomerCreditTransferV08], [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/HoldCashForCreditor] cannot be present when at least one occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/PayCreditorByCheque] is present |

|     |                                                     |                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R12 | Rule<br>"CBPR_Agent_Name_Postal_Address_FormalRule" | Name and Address must always be present together.                                                                                                                                                    | For each [Full Message/Document/FIToFICustomerCreditTransferV08], for each [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present<br>and for each [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present |
| R13 | Rule<br>"CBPR_GPI_ServiceLevel_Code_FormalRule"     | The GPI ServiceLevel Code in pacs.008 must be 'G001'.                                                                                                                                                | For each [Full Message/Document/FIToFICustomerCreditTransferV08], if<br>at least one occurrence of the following element(s) [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel] is (are) present<br>, then<br>the value of every occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Code] must not comply with the following XML pattern :<br>'(G002 G003 G004 G005 G006 G007 G009)'                                                                                                                                                                                                                                                                                                                                                           |
| R14 | Rule<br>"CBPR_Agent_Option_3_TextualRule"           | Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|     |                                                                |                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R15 | Rule<br>"CBPR_Agent_Point<br>To_Point_On_SWIFT<br>TextualRule" | If the transaction is exchanged on the SWIFT network (i.e. if the sender and receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, e.g. LEI.                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| R16 | Rule<br>"CBPR_Agent_Option<br>1_TextualRule"                   | BICFI, complemented optionally with a LEI (preferred option)                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| R17 | Rule<br>"CBPR_Agent_National_only_TextualRule"                 | Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| R18 | Rule<br>"CBPR_Agent_Option<br>_2_TextualRule"                  | (Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| R19 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule"    | Name and Address must always be present together.                                                                                                                                                                                 | For each [Full Message/Document/FIToFICustomerCreditTransferV08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification], for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present |
| R20 | Rule<br>"CBPR_Duplication_P<br>ostal_Address_Textua<br>lRule"  | Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|     |                                                             |                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----|-------------------------------------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R21 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/G<br>roupHeader/SettlementInformation/InstructedReimburse<br>mentAgent/FinancialInstitutionIdentification],<br>for each [FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and for each [FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present |
| R22 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/G<br>roupHeader/SettlementInformation/ThirdReimbursementA<br>gent/FinancialInstitutionIdentification],<br>for each [FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and for each [FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present      |

|     |                                                                         |                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R23 | Rule<br>"CBPR_DEBT_Forma<br>lRule"                                      | If "Charge Bearer/DEBT" is present, then only one occurrence of "Charge Information" is allowed. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation], if<br>at least one occurrence of the following element(s)<br>[CreditTransferTransactionInformation/ChargeBearer/Born<br>eByDebtor] is (are) present<br>, then<br>for each [CreditTransferTransactionInformation], there<br>must be maximum '1' occurrences of<br>[CreditTransferTransactionInformation/ChargesInformatio<br>n]                                                                                               |
| R24 | Rule<br>"CBPR_Remittance<br>Mutually_Exclusive_F<br>ormalRule"          | Either Structured or Unstructured Remittance can be present.                                     | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation], the following<br>elements are mutually exclusive:<br>[CreditTransferTransactionInformation/RemittanceInforma<br>tion/Unstructured] ,<br>[CreditTransferTransactionInformation/RemittanceInforma<br>tion/Structured] and all may be absent                                                                                                                                                                                    |
| R25 | Rule<br>"CBPR_Instruction_Fo<br>r_Creditor_Presence_<br>Code_FormaRule" | Each code can only be used once for element Instruction For Creditor Agent.                      | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation], if<br>at least one occurrence of the following element(s)<br>[CreditTransferTransactionInformation/InstructionForCredi<br>torAgent/Code] is (are) present<br>, then<br>every occurrence of<br>[CreditTransferTransactionInformation/InstructionForCredi<br>torAgent/Code] must have the same value than between<br>'1' and '1' occurrences of<br>[CreditTransferTransactionInformation/InstructionForCredi<br>torAgent/Code] |





|     |                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                               |
|-----|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R30 | Rule<br>"CBPR_DEBT_Rule_1<br>_TextualRule"                      | <p>If Instructed amount and Interbank Settlement amount are expressed in the same currency:</p> <p>If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge information is optional (both Agent and currency always need to be provided).</p> <p>This rule only applies when Interbank Settlement Amount and Instructed amount are expressed in the same currency.</p> |                                                                                                                                                                                                                                                                               |
| R31 | Rule<br>"CBPR_Interbank_Set<br>tlement_Currency_For<br>malRule" | The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.                                                                                                                                                                                                                                                                                                                                                                                                                                                       | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InterbankSettlementAmount], every occurrence of [InterbankSettlementAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT' |
| R32 | Rule<br>"CBPR_DEBT_Rule_2<br>_TextualRule"                      | <p>If Instructed amount and Interbank Settlement amount are not expressed in the same currency:</p> <p>If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount WHEN converted in the same currency) and in that case zero amount is not allowed.</p> <p>Otherwise Charge information is optional (both Agent and currency always need to be provided).</p>                                                                           |                                                                                                                                                                                                                                                                               |

|     |                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R33 | Rule<br>"CBPR_DEBT_Rule_1<br>_TextualRule"          | <p>If Instructed amount and Interbank Settlement amount are expressed in the same currency:</p> <p>If Charge Bearer/DEBT is used then Charge Information is only mandatory in case of prepaid charges (that is if Interbank Settlement Amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge Information is optional (both Agent and currency always need to be provided).</p> <p>This rule only applies when Interbank Settlement Amount and Instructed Amount are expressed in the same currency.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| R34 | Rule<br>"CBPR_SHAR_TextualRule"                     | If deduct taken then Charge Information is mandatory. It is optional for initiator (not taking deduct).                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| R35 | Rule<br>"CBPR_Agent_Name_Postal_Address_FormalRule" | Name and Address must always be present together.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification],</p> <p>for each [FinancialInstitutionIdentification], if</p> <p>at least one occurrence of the following element(s)</p> <p>[FinancialInstitutionIdentification/Name] is (are) present</p> <p>then</p> <p>at least one occurrence of the following element(s)</p> <p>[FinancialInstitutionIdentification/PostalAddress] must be present</p> <p>and for each [FinancialInstitutionIdentification], if</p> <p>at least one occurrence of the following element(s)</p> <p>[FinancialInstitutionIdentification/PostalAddress] is (are) present</p> <p>then</p> <p>at least one occurrence of the following element(s)</p> <p>[FinancialInstitutionIdentification/Name] must be present</p> |

|     |                                                             |                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----|-------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R36 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/PreviousInstructingA<br>gent2/FinancialInstitutionIdentification],<br>if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present |
| R37 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/PreviousInstructingA<br>gent3/FinancialInstitutionIdentification],<br>if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present |

|     |                                                             |                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----|-------------------------------------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R38 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/IntermediaryAgent1/F<br>inancialInstitutionIdentification],<br>for each [FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and for each [FinancialInstitutionIdentification], if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present |
| R39 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/IntermediaryAgent2/F<br>inancialInstitutionIdentification],<br>if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present                                                                                               |

|     |                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R40 | Rule<br>"CBPR_Agent_Name_Postal_Address_FormalRule"                   | Name and Address must always be present together.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification],<br>if<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present<br>and if<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then<br>at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present |
| R41 | Rule<br>"CBPR_UltimateDebtor_Option_3_Jurisdictions_only_TextualRule" | For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations – e.g. EEA)<br><br>Countries impacted by the Jurisdictional rule:<br>Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.<br><br>Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| R42 | Rule<br>"CBPR_Ultimate_Debtor_Option_1_TextualRule"                   | Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available]]                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|     |                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                        |
|-----|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R43 | Rule<br>"CBPR_Ultimate_Debt<br>or_Option_2_TextualR<br>ule"           | Name AND [(Structured Postal Address) OR (Hybrid<br>Postal Address) with minimum Town Name & Country- it<br>is recommended to add Post code when available] AND<br>(Identification: Private or Organisation)                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                        |
| R44 | Rule<br>"CBPR_Party_Name_<br>Postal_Address_Form<br>alRule"           | If Postal Address is present then Name is mandatory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/UltimateDebtor], if<br>at least one occurrence of the following element(s)<br>[UltimateDebtor/PostalAddress] is (are) present<br>, then<br>at least one occurrence of the following element(s)<br>[UltimateDebtor/Name] must be present    |
| R45 | Rule<br>"CBPR_Party_Name_<br>Postal_Address_Form<br>alRule"           | If Postal Address is present then Name is mandatory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/InitiatingParty], if<br>at least one occurrence of the following element(s)<br>[InitiatingParty/PostalAddress] is (are) present<br>, then<br>at least one occurrence of the following element(s)<br>[InitiatingParty/Name] must be present |
| R46 | Rule<br>"CBPR_Debtor_Optio<br>n_3_Jurisdictions_onl<br>y_TextualRule" | For Jurisdictional transactions, Debtor/ Name is<br>mandatory with either Debtor Account OR Debtor<br>Identification (that is within a country or for regions under<br>same legislations – e.g. EEA)<br><br>Countries impacted by the Jurisdictional rule:<br>Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia,<br>Ireland, Greece, Spain, France, Croatia, Italy, Cyprus,<br>Latvia, Lithuania, Luxembourg, Hungary, Malta,<br>Netherlands, Austria, Poland, Portugal, Romania,<br>Slovenia, Slovakia, Finland, Sweden - Iceland,<br>Liechtenstein, Norway.<br><br>Note: The jurisdictional rules apply only when all agents in<br>the payment chain underly the same jurisdiction. |                                                                                                                                                                                                                                                                                                                                                        |
| R47 | Rule<br>"CBPR_Debtor_BIC_<br>Presence_TextualRul<br>e"                | If Any BIC is present, then (Name and Postal Address) is<br>NOT allowed (other elements remain optional) - However,<br>in case of conflicting information, AnyBIC will always take<br>precedence.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                        |

|     |                                                     |                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                      |
|-----|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R48 | Rule<br>"CBPR_Party_Name_Postal_Address_FormalRule" | If Postal Address is present then Name is mandatory.                                                                                                                                                                                                                                          | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor], if at least one occurrence of the following element(s) [Debtor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [Debtor/Name] must be present |
| R49 | Rule<br>"CBPR_Debtor_Option_1_TextualRule"          | Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                      |
| R50 | Rule<br>"CBPR_Party_Name_Any_BIC_FormalRule"        | If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.                                                                                                                                                                                          | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor], at least one occurrence of [Debtor/Name] must be present when [Debtor/Identification/OrganisationIdentification/AnyBIC] is absent                                                      |
| R51 | Rule<br>"CBPR_Debtor_Option_2_TextualRule"          | Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)] AND (Account Number OR Identification: Private or Organisation) |                                                                                                                                                                                                                                                                                                      |



|     |                                                             |                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R52 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together.                                                                                                                                        | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/DebtorAgent/Financia<br>lInstitutionIdentification],<br>if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present   |
| R53 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_Form<br>alRule" | Name and Address must always be present together.                                                                                                                                        | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/CreditorAgent/Financi<br>alInstitutionIdentification],<br>if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] is (are) present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] must be<br>present<br>and if<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/PostalAddress] is (are)<br>present<br>then<br>at least one occurrence of the following element(s)<br>[FinancialInstitutionIdentification/Name] must be present |
| R54 | Rule<br>"CBPR_Creditor_BIC_<br>Presence_TextualRul<br>e"    | If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|     |                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                            |
|-----|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R55 | Rule<br>"CBPR_Party_Name_Any_BIC_FormalRule"                    | If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Creditor], at least one occurrence of [Creditor/Name] must be present when [Creditor/Identification/OrganisationIdentification/AnyBIC] is absent                                                      |
| R56 | Rule<br>"CBPR_Party_Name_Postal_Address_FormalRule"             | If Postal Address is present then Name is mandatory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Creditor], if at least one occurrence of the following element(s) [Creditor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [Creditor/Name] must be present |
| R57 | Rule<br>"CBPR_Creditor_Option_1_TextualRule"                    | Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                            |
| R58 | Rule<br>"CBPR_Creditor_Option_3_Jurisdictions_Only_TextualRule" | <p>For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations – e.g. EEA)</p> <p>Countries impacted by the Jurisdictional rule:<br/>Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.</p> <p>Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.</p> |                                                                                                                                                                                                                                                                                                            |
| R59 | Rule<br>"CBPR_Creditor_Option_2_TextualRule"                    | Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)]) AND (Account Number OR Identification: Private or Organisation)                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                            |

|     |                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                     |
|-----|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R60 | Rule<br>"CBPR_Party_Name_Postal_Address_Form alRule"                    | If Postal Address is present then Name is mandatory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateCreditor], if at least one occurrence of the following element(s) [UltimateCreditor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [UltimateCreditor/Name] must be present |
| R61 | Rule<br>"CBPR_UltimateCreditor_Option_2_Jurisdictions_only_TextualRule" | For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations – e.g. EEA)<br><br>Countries impacted by the Jurisdictional rule:<br>Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden- Iceland, Liechtenstein, Norway.<br><br>Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction. |                                                                                                                                                                                                                                                                                                                                     |
| R62 | Rule<br>"CBPR_Ultimate_Creditor_Option_1_TextualRule"                   | Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)]. Other elements are optional, eg Identification: Private or Organisation)                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                     |
| R63 | Rule<br>"CBPR_Structured_RemittanceInformation_TextualRule"             | Structured can be repeated, however the total business data for all occurrences (excluding tags) must not exceed 9,000 characters.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                     |

## Legal Notices

### Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

### Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

### Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR.

Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.