



Usage Guideline

CBPRPlus- camt.029.001.09_ResolutionOfInvestigation

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message camt.029.001.09. You can also consult this [information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

Version: SR2026

Status: Final

20 February 2026

Table of Content	2
Message Functionality	3
About this document	8
Usage Guideline	9
Rule Definitions	24
Legal Notices	31

Message Functionality

Collection Description

CBPRPlus SR2026 (Combined) ([link](#))

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Usage Guideline Description

CBPRPlus-camt.029.001.09_ResolutionOfInvestigation ([link](#))

Principles:

1. AGENTS IDENTIFICATION - Textual Rules:

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) – However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Assigner" and "Assignee" must be identified with a BICFI - other elements are optional.

2. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='^_{}~";<>@[\\]

< is replaced with <

> is replaced with >

E-mail address/Proxy fields are extended to support the following additional characters:

!#\$%&*='^_{}~";<>@[\\]

3. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, eg LEI

Outline

In the Collection CBPRPlus SR2026 (Combined), the message CBPRPlus-camt.029.001.09_ResolutionOfInvestigation is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

Business Application Header V02 (head.001.001.02)

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

a - Character Set

Contains the character set of the text-based elements used in the Business Message.

b - From

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

c - To

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

d - Business Message Identifier

Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

e - Message Definition Identifier

Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

f - Business Service

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

g - Market Practice

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

h - Creation Date

Date and time when this Business Message (header) was created.

i - Business Processing Date

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

j - Copy Duplicate

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

k - Possible Duplicate

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level retransmission.

l - Priority

Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

m - Signature

Contains the digital signature of the Business Entity authorised to sign this Business Message.

n - Related

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

o - CrossElementComplexRule : RelatedPresentWhenCopyDupl

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Document - Resolution Of Investigation V09 (camt.029.001.09)

The Document - Resolution Of Investigation V09 (camt.029.001.09) is composed of 15 elements.

a - Assignment

Identifies the assignment of an investigation case from an assigner to an assignee.

Usage: The assigner must be the sender of this confirmation and the assignee must be the receiver.

b - Resolved Case

Identifies a resolved case.

c - Status

Indicates the status of the investigation.

d - Cancellation Details

Specifies the details of the underlying transactions being cancelled.

e - Modification Details

Specifies the details of the underlying transaction being modified.

f - Claim Non Receipt Details

Specifies the details of the underlying transaction for which a claim non receipt has been initiated.

g - Statement Details

Details on the underlying statement entry.

h - Correction Transaction

References a transaction initiated to fix the case under investigation.

i - Resolution Related Information

Reference to fix the case under investigation as part of the resolution.

j - Supplementary Data

Additional information that cannot be captured in the structured elements and/or any other specific block.

k - CrossElementComplexRule : PartialOrRejectedCancellationRule

If Status/Confirmation is present and equal to PECR or RJCR then CancellationDetails must

be present.

l - CrossElementComplexRule : MessageOrGroupResolvedCaseRule

ResolvedCase may be present at either ResolvedCase, OriginalGroupInformationAndStatus, OriginalPaymentInformationAndStatus or TransactionInformationAndStatus level.

m - CrossElementComplexRule : MessageOrPaymentInformationResolvedCaseRule

ResolvedCase may be present at either ResolvedCase, OriginalGroupInformationAndStatus, OriginalPaymentInformationAndStatus or TransactionInformationAndStatus level.

n - CrossElementComplexRule : MessageOrInitiationTransactionResolvedCaseRule

ResolvedCase may be present at either ResolvedCase, OriginalGroupInformationAndStatus, OriginalPaymentInformationAndStatus or TransactionInformationAndStatus level.

o - CrossElementComplexRule : MessageOrInterbankTransactionResolvedCaseRule

ResolvedCase may be present at either ResolvedCase, OriginalGroupInformationAndStatus, OriginalPaymentInformationAndStatus or TransactionInformationAndStatus level.

About this document

Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	0	Full Message		[1..1]			Rules: R1, R2
	1	Business Application Header V02 (head.001.001.02)	<AppHdr>	[1..1]			
	2	Character Set	<CharSet>	[0..1]	text		
	2	From	<Fr>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R1, R2
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	To	<To>	[1..1]	Choice		
	3	Financial Institution Identification	<FIId>	[1..1]			
	4	Financial Institution Identification	<FinInstnId>	[1..1]			
	5	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R1, R2
	5	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	6	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	7	Code	<Cd>	[1..1]	text{1,5}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:(\)\.,'\+]+
	5	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	2	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R3 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-?:(\)\.,'\+]+
	2	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	FV	FixedValue: camt.029.001.09
	2	Business Service	<BizSvc>	[0..1]	text{1,35}	FV [1..1]	FixedValue: swift.cbprplus.04
	2	Market Practice	<MktPrctc>	[0..1]			
	3	Registry	<Regy>	[1..1]	text{1,350}		
	3	Identification	<Id>	[1..1]	text{1,2048}		
	2	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	2	Copy Duplicate	<CpyDplct>	[0..1]	text		Rules: R1, R2
	3	Copy Duplicate			CODU		
	3	Copy			COPY		
	3	Duplicate			DUPL		
	2	Possible Duplicate	<PssblDplct>	[0..1]	boolean		
	2	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	3	High			HIGH		
	3	Normal			NORM		
	2	Related	<Rltd>	[0..*]		[0..1]	Rules: R4
	3	Character Set	<CharSet>	[0..1]	text		
	3	From	<Fr>	[1..1]	Choice		
	4	Financial Institution Identification	<FIId>	[1..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	To	<To>	[1..1]	Choice		
	4	Financial Institution Identification	<FIId>	[1..1]			
	5	Financial Institution Identification	<FinInstnId>	[1..1]			
	6	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	
	6	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	7	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	8	Code	<Cd>	[1..1]	text{1,5}		
	7	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	6	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	3	Business Message Identifier	<BizMsgIdr>	[1..1]	text{1,35}	T/C	Rules: R5 ----- Type Changed: text{1,35} [0-9a-zA-Z\^-\?:\(\)\.,'\+]+
	3	Message Definition Identifier	<MsgDefIdr>	[1..1]	text{1,35}	T/C	Rules: R6 ----- Type Changed: text{1,35} [0-9a-zA-Z\^-\?:\(\)\.,'\+]+
	3	Business Service	<BizSvc>	[0..1]	text{1,35}	T/C	Rules: R7 ----- Type Changed: text{1,35} [0-9a-zA-Z\^-\?:\(\)\.,'\+]+
	3	Creation Date	<CreDt>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	3	Copy Duplicate	<CpyDplct>	[0..1]	text		
	4	Copy Duplicate			CODU		
	4	Copy			COPY		
	4	Duplicate			DUPL		
	3	Priority	<Prty>	[0..1]	text	T/C	Type Changed: One of the following code values must be used: HIGH (High) NORM (Normal)
	4	High			HIGH		
	4	Normal			NORM		
	1	Document		[1..1]			
	2	Resolution Of Investigation V09 (camt.029.001.09)	<RsltnOfInvstgtn >				Rules: R8
	3	Assignment	<Assgnmt>	[1..1]			
	4	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\^-\?:\(\)\.,'\+]+
	4	Assigner	<Assgnr>	[1..1]	Choice		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Agent	<Agt>	[1..1]			
	6	Financial Institution Identification	<FinInstnId>	[1..1]			
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R1, R2
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:\(\)\.\,'+]+
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Assignee	<Assgne>	[1..1]	Choice		
	5	Agent	<Agt>	[1..1]			
	6	Financial Institution Identification	<FinInstnId>	[1..1]			
	7	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	[1..1]	Rules: R1, R2
	7	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	8	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	9	Code	<Cd>	[1..1]	text{1,5}		
	8	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-?:\(\)\.\,'+]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	7	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	4	Creation Date Time	<CreDtTm>	[1..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	3	Status	<Sts>	[1..1]	Choice		
	4	Confirmation	<Conf>	[1..1]	text{1,4}	T/C	Rules: R8 ----- Type Changed: One of the following code values must be used: CNCL (Cancelled) PDCR (Pending) RJCR (Rejected)
	5	Cancelled			CNCL		
	5	Pending			PDCR		
	5	Rejected			RJCR		
	3	Cancellation Details	<CxlDtls>	[0..*]		[1..1]	
	4	Transaction Information And Status	<TxInfAndSts>	[0..*]		[1..1]	
	5	Cancellation Status Identification	<CxlStsId>	[0..1]	text{1,35}	[1..1] T/C	Rules: R9 ----- Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	5	Resolved Case	<RslvdCase>	[0..1]		[1..1]	
	6	Identification	<Id>	[1..1]	text{1,35}	T/C	Rules: R10 ----- Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	6	Creator	<Cretr>	[1..1]	Choice		
	7	Party	<Pty>	[1..1]			Rules: R11, R12, R13
	8	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R11, R12 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*=-^_` \{\ \}~";<>@\[\]\]]+
	8	Postal Address	<PstlAdr>	[0..1]			Rules: R12, R14

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	9	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	9	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*^ _`~";<>@\ \\\]]+
	8	Identification	<Id>	[0..1]	Choice		
	9	Identification Organisation	<OrgId>	[1..1]			
	10	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R11
	10	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	10	Other	<Othr>	[0..*]		[0..2]	
	11	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	11	Name Scheme	<SchmeNm>	[0..1]	Choice	[1..1]	
	12	Code	<Cd>	[1..1]	text{1,4}		
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+]+
	9	Identification Private	<PrvtId>	[1..1]			
	10	Of Birth Date And Place	<DtAndPlcOfBirth>	[0..1]			
	11	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	11	Birth Province Of	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*^ _`~";<>@\ \\\]]+
	11	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:(\)\.,\'+ !#\$%&!*^ _`~";<>@\ \\\]]+
	11	Birth Country Of	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Other	<Othr>	[0..*]		[0..2]	
	11	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	11	Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	12	Code	<Cd>	[1..1]	text{1,4}		
	11	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	8	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	7	Agent	<Agt>	[1..1]			Rules: R15, R16, R17, R18
	8	Financial Institution Identification	<FinInstnId>	[1..1]			Rules: R19
	9	BICFI	<BICFI>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		
	9	Clearing System Member Identification	<ClrSysMmbld>	[0..1]			
	10	Clearing System Identification	<ClrSysId>	[0..1]	Choice	[1..1]	
	11	Code	<Cd>	[1..1]	text{1,5}		
	10	Member Identification	<Mmbld>	[1..1]	text{1,35}	T/C	Type Changed: text{1,28} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	9	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	9	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R19 ----- Type Changed: text{1,140} [0-9a-zA-Z/\-!?:\(\)\.,'\+ !#\$%&!*='^ `\\ }~";<>@\ \\]+
	9	Postal Address	<PstlAdr>	[0..1]			Rules: R14, R19

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Department Sub	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Number Building	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Name Town Location	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Division Country Sub	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\. ,\'+ !#\$%&!*=\^ \\\ }~";<>@\ \\\]+
	10	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z/\-!?:\(\)\.,'+!#\$%&!*^=\^`\'~";<>@\ \\]+
	5	Original Group Information	<OrgnlGrpInf>	[0..1]		[1..1]	
	6	Identification Original Message	<OrgnlMsgId>	[1..1]	text{1,35}	T/C	Rules: R20, R21 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Identification Original Message Name	<OrgnlMsgNmId >	[1..1]	text{1,35}	T/C	Rules: R22 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	6	Time Original Creation Date	<OrgnlCreDtTm>	[0..1]	dateTime	T/C	Type Changed: dateTime .*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
	5	Identification Original Instruction	<OrgnlInstrId>	[0..1]	text{1,35}	T/C	Rules: R23, R24 ----- Type Changed: text{1,16} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Identification Original End To End	<OrgnlEndToEnd Id>	[0..1]	text{1,35}	T/C	Rules: R25 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Identification Original Transaction	<OrgnlTxId>	[0..1]	text{1,35}	T/C	Rules: R26 ----- Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Reference Original Clearing System	<OrgnlClrSysRef >	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'+]+
	5	Original UETR	<OrgnlUETR>	[0..1]	text [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}	[1..1]	Rules: R27

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	5	Cancellation Status Reason Information	<CxlStsRsnInf>	[0..*]		[0..1]	Rules: R28, R29
	6	Originator	<Orgtr>	[0..1]			Rules: R30, R31, R32
	7	Name	<Nm>	[0..1]	text{1,140}	T/C	Rules: R31, R32 ----- Type Changed: text{1,140} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	7	Postal Address	<PstlAdr>	[0..1]			Rules: R14, R31
	8	Department	<Dept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Sub Department	<SubDept>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Street Name	<StrtNm>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Building Number	<BldgNb>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Building Name	<BldgNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Floor	<Flr>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Post Box	<PstBx>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Room	<Room>	[0..1]	text{1,70}	T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Post Code	<PstCd>	[0..1]	text{1,16}	T/C	Type Changed: text{1,16} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+
	8	Town Name	<TwnNm>	[0..1]	text{1,35}	[1..1] T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\:\(\)\.,\'+ !#\$%&!*=\^ `\'~";<>@\ \\\]]+

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'{}~";<>@\ \\]]+]
	8	District Name	<DstrctNm>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'{}~";<>@\ \\]]+]
	8	Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'{}~";<>@\ \\]]+]
	8	Country	<Ctry>	[0..1]	text [A-Z]{2,2}	[1..1]	
	8	Address Line	<AdrLine>	[0..7]	text{1,70}	[0..2] T/C	Type Changed: text{1,70} [0-9a-zA-Z\-\!\?:\(\)\.,\'+\!#\$%&\!*=\^_`\'{}~";<>@\ \\]]+]
	7	Identification	<Id>	[0..1]	Choice		
	8	Organisation	<OrgId>	[1..1]			
	9	Any BIC	<AnyBIC>	[0..1]	text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}		Rules: R32
	9	LEI	<LEI>	[0..1]	text [A-Z0-9]{18,18}[0-9]{2,2}		
	9	Other	<Othr>	[0..*]		[0..2]	
	10	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	10	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	11	Code	<Cd>	[1..1]	text{1,4}		
	10	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z\-\!\?:\(\)\.,\'+]+
	8	Private Identification	<PrvtId>	[1..1]			
	9	Date And Place Of Birth	<DtAndPlcOfBirt h>	[0..1]			

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	10	Birth Date	<BirthDt>	[1..1]	date	T/C	Type Changed: date [0-9]{4}-[0-9]{2}-[0-9]{2}
	10	Birth Province Of	<PrvcOfBirth>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	10	City Of Birth	<CityOfBirth>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	10	Birth Country Of	<CtryOfBirth>	[1..1]	text [A-Z]{2,2}		
	9	Other	<Othr>	[0..*]		[0..2]	
	10	Identification	<Id>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	10	Scheme Name	<SchmeNm>	[0..1]	Choice	[1..1]	
	11	Code	<Cd>	[1..1]	text{1,4}		
	10	Issuer	<Issr>	[0..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\-!?:\(\)\.,'\+]+
	7	Country Of Residence	<CtryOfRes>	[0..1]	text [A-Z]{2,2}		
	6	Reason	<Rsn>	[0..1]	Choice		Rules: R8
	7	Code	<Cd>	[1..1]	text{1,4}	T/C	Rules: R28, R29 ----- Type Changed: One of the following code values must be used: NOOR (NoOriginalTransactionReceived) NOAS (NoAnswerFromCustomer) ARDT (AlreadyReturned) CUST (CustomerDecision) AGNT (AgentDecision) LEGL (LegalDecision) AC04 (ClosedAccountNumber) AM04 (InsufficientFunds) PTNA (PassedToTheNextAgent) RQDA (RequestingDebitAuthority) INDM (Indemnity)
	8	No Original Transaction Received			NOOR		

Index	Lv l	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	No Answer From Customer			NOAS		
	8	Already Returned			ARDT		
	8	Customer Decision			CUST		
	8	Agent Decision			AGNT		
	8	Legal Decision			LEGL		
	8	Closed Account Number			AC04		
	8	Insufficient Funds			AM04		
	8	Passed To The Next Agent			PTNA		
	8	Requesting Debit Authority			RQDA		
	8	Indemnity			INDM		
	6	Additional Information	<AddtlInf>	[0..*]	text{1,105}	[0..2] T/C	Rules: R28, R29 ----- Type Changed: text{1,105} [0-9a-zA-Z/\-!?:\(\)\.,\'+]+

Rule Definitions

Index	Name	Description	Formal Rule Definition
R1	Rule "CBPR_From_To_Assigner_Assignee_BIC_1_FormalRule"	BAH "From" BIC must match "Assigner" BIC, except where BAH CopyDuplicate = COPY or = CODU BAH "To" BIC must match "Assignee" BIC, except where BAH CopyDuplicate = COPY or = CODU	For each [Full Message], if for each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU' , then every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/ResolutionOfInvestigationV09/Assignment/Assigner/Agent/FinancialInstitutionIdentification/BICFI] and every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/ResolutionOfInvestigationV09/Assignment/Assignee/Agent/FinancialInstitutionIdentification/BICFI]

R2	Rule "CBPR_From_To_Assigner_Assignee_BIC_2_FormalRule"	BAH "From" BIC must match "Assigner" BIC if CopyDuplicate is absent. BAH "To" BIC must match "Assignee" BIC if CopyDuplicate is absent.	For each [Full Message], if the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent , then every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/ResolutionOfInvestigationV09/Assignment/Assigner/Agent/FinancialInstitutionIdentification/BICFI] and every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/ResolutionOfInvestigationV09/Assignment/Assignee/Agent/FinancialInstitutionIdentification/BICFI]
R3	Rule "CBPR_Business_Message_Identifier_TextualRule"	The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system. Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this field must contain the unique identifier of the Business Message instance.	
R4	Rule "CBPR_Related_Business_Application_Header_TextualRule"	If used, the Related BAH must transport the exact same information as in the BAH of the related message.	

R5	Rule "CBPR_Business_Message_Identifier_TextualRule"	The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system. Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.	
R6	Rule "CBPR_Message_Definition_Identifier_TextualRule"	The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.	
R7	Rule "CBPR_Related_BAH_Business_Service_TextualRule"	If related BAH is present, it should transport the element Business Service.	
R8	Rule "CBPR_Cancellation_Reason_FormaRule"	If Status/Confirmation =RJCR then CancellationStatus ReasonInformation/Reason is mandatory.	For each [Full Message/Document/ResolutionOfInvestigationV09], if every occurrence of [ResolutionOfInvestigationV09/Status/Confirmation] has value included in the following list 'RJCR' , then at least one occurrence of the following element(s) [ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/CancellationStatusReasonInformation/Reason] must be present
R9	Rule "CBPR_Cancellation_Status_Identification_FormaRule"	For the Cancellation Status Identification, the below restrictions apply: - The first one and the 16th one cannot be "/" and - The string of 16 characters cannot contain "/"	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/CancellationStatusIdentification], the value of every occurrence of [CancellationStatusIdentification] must not comply with the following XML pattern : '(/*)(/*)(/*/*)'

R10	Rule "CBPR_Case_Identification_FormalRule"	For the Case/Identification, the below restrictions apply: - The first one and the 16th one cannot be "/" and - The string of 16 characters cannot contain "/"	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/ResolvedCase/Identification], the value of every occurrence of [Identification] must not comply with the following XML pattern : '(./.*)(.*/)(.*/.*)'
R11	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is Absent Then Name is mandatory.	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/ResolvedCase/Creator/Party], if the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent , then at least one occurrence of the following element(s) [Party/Name] must be present
R12	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory. Recommendation: If present, the BIC (AnyBIC) will always take precedence in case of conflicting information.	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/ResolvedCase/Creator/Party], if at least one occurrence of the following element(s) [Party/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Party/Name] must be present
R13	Rule "CBPR_Creator_Identification_TextualRule"	If AnyBIC is present in addition to any other optional elements, in case of conflicting information it will always take precedence.	
R14	Rule "CBPR_Duplication_Postal_Address_TextualRule"	Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.	
R15	Rule "CBPR_Agent_National_only_TextualRule"	Whenever Debtor Agent and Creditor Agent are located within the same country, the clearing code only may be used.	
R16	Rule "CBPR_Agent_Option_1_TextualRule"	BICFI, complemented optionally with a LEI (preferred option)	

R17	Rule "CBPR_Agent_Option_2_TextualRule"	(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.	
R18	Rule "CBPR_Agent_Option_3_TextualRule"	Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.	
R19	Rule "CBPR_Agent_Name_Postal_Address_FormalRule"	Name and Address must always be present together.	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/ResolvedCase/Creator/Agent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
R20	Rule "CBPR_Original_Message_Identification_2_TextualRule"	This element should be only populated by the "Originator" otherwise can be populated with "NOTPROVIDED".	
R21	Rule "CBPR_Original_Message_Identification_1_TextualRule"	Original Message Identification should transport the Message Identification of the underlying payment (e.g. pacs.008/pacs.009)	
R22	Rule "CBPR_Original_Message_Name_Identification_TextualRule"	Original Message Name Identification should transport the Message Name Identification of the underlying payment (e.g. pacs.008/pacs.009)	

R23	Rule "CBPR_Original_Instruction_Identification_FormalRule"	This element must not start or end with a slash '/' and must not contain two consecutive slashes '//'. 	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/OriginalInstructionIdentification], the value of every occurrence of [OriginalInstructionIdentification] must not comply with the following XML pattern : '(/*)(/*)(/*/*)'
R24	Rule "CBPR_Original_Instruction_Identification_TextualRule"	Should transport the Instruction Identification of the underlying transaction that is requested to be cancelled.	
R25	Rule "CBPR_Original_EndTo_End_Identification_TextualRule"	Should transport the EndToEnd Identification of the underlying transaction that is requested to be cancelled.	
R26	Rule "CBPR_Original_Transaction_Identification_TextualRule"	Should transport the Transaction Identification of the underlying transaction that is requested to be cancelled.	
R27	Rule "CBPR_Original_UETR_TextualRule"	Must transport the UETR of the underlying transaction that is requested to be cancelled.	
R28	Rule "CBPR_Reason_Code_ARDT_AdditionalInformation_FormalRule"	If Reason code = Already Returned (ARDT), then the element AdditionalInformation must include the UETR of the returned payment.	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/CancellationStatusReasonInformation], if every occurrence of [CancellationStatusReasonInformation/Reason/Code] has value included in the following list 'ARDT', then at least one occurrence of the following element(s) [CancellationStatusReasonInformation/AdditionalInformation] must be present

R29	Rule "CBPR_Reason_Code_PTNA_AdditionalInformation_FormalRule"	If Reason/Code = PTNA, then the element AdditionalInformation, if present, must be exactly a BIC8 or BIC11.	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/CancellationStatusReasonInformation], if every occurrence of [CancellationStatusReasonInformation/Reason/Code] has value included in the following list 'PTNA', then the value of every occurrence of [CancellationStatusReasonInformation/AdditionalInformation] must comply with the following XML pattern : '[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}'
R30	Rule "CBPR_Originator_Identification_TextualRule"	If AnyBIC is present in addition to any other optional elements, in case of conflicting information it will always take precedence.	
R31	Rule "CBPR_Party_Name_Postal_Address_FormalRule"	If Postal Address is present then Name is mandatory. Recommendation: If present, the BIC (AnyBIC) will always take precedence in case of conflicting information.	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/CancellationStatusReasonInformation/Originator], if at least one occurrence of the following element(s) [Originator/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [Originator/Name] must be present
R32	Rule "CBPR_Party_Name_Any_BIC_FormalRule"	If AnyBIC is absent Then Name is mandatory.	For each [Full Message/Document/ResolutionOfInvestigationV09/CancellationDetails/TransactionInformationAndStatus/CancellationStatusReasonInformation/Originator], if the following element(s) [Originator/Identification/OrganisationIdentification/AnyBIC] is (are) absent, then at least one occurrence of the following element(s) [Originator/Name] must be present

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR.

Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.