

Quick start

- 1- Clone (git clone ssh://[USER NAME]@xyz-xyz-x-xyz:12345/project/[PROJECT-NAME])
- 2- Track remote development branch (git checkout -b dev -t origin/development)

App Git Repository

```
Android:
git clone ssh://[USER NAME]@sc-srv-p-bygg01:29418/project/app

IOS:
git clone ssh://[USER NAME]@sc-srv-p-bygg01:29418/project/ios

Backend:
git clone ssh://[USER NAME]@sc-srv-p-bygg01:29418/project/cloud
```

Git help commands

```
Push:

git push origin HEAD:refs/for/[BRANCH_NAME]

UNDO 'git add' before commit:

git reset [FILE PATH]

UNDO last commit:

git reset --soft HEAD^ # use --soft if you want to keep your changes

git reset --hard HEAD^ # use --hard if you don't care about keeping the
changes you made

Git push as drafts:

git push origin HEAD:refs/drafts/[BRANCH_NAME]

*Track a new remote branch created ON repository:

git branch --track [LOCAL-BRANCH-NAME] origin/[REMOTE-BRANCH-NAME] // use
already created local branch

git checkout -b [LOCAL-BRANCH-NAME] -t origin/[REMOTE-BRANCH-NAME] // create
LOCAL-BRANCH
```