

Next.js 심화 2

1 Next.js



Layouts

(https://nextjs.org/docs/basic-features/layouts)

여러 Layout들을 사용할때는 Page.getLayout 활용 가능



Image Component and Optimization

(https://nextjs.org/docs/basic-features/image-optimization)

Improved Performance / Visual Stability / Faster Page Loads / Asset Flexibility

디바이스 사이즈 / format / CLS / lazy load / blur placeholder / resizing



Font Optimization

(https://nextjs.org/docs/basic-features/font-optimization)

자동 적용 / 끌 수 있음



Script Optimization

(https://nextjs.org/docs/basic-features/script)

import Script from 'next/script'

id / src / strategy



Static File Serving

(https://nextjs.org/docs/basic-features/static-file-serving)

public 폴더

images / robots.txt / favicon.ico



Fast Refresh

(https://nextjs.org/docs/basic-features/fast-refresh)

React 구성요소일 경우 관련된 컴포넌트 혹은 파일만 update

React 외부 요소면 전체 update(full reload)

로컬 상태 유지가 default

// @refresh reset



ESLint

(https://nextjs.org/docs/basic-features/eslint)

JS code 에서 문제가 될 부분을 찾고 고칠 수 있는 도구 코드가 지키고 싶은 규칙을 구성할 수 있음 여러 규칙을 합쳐서 나만의 룰 생성 가능



Typescript

(https://nextjs.org/docs/basic-features/typescript)



환경 변수

(https://nextjs.org/docs/basic-features/environment-variables)

.env.local

HOST_NAME=localhost

process.env.HOST_NAME

HOST=http://\$HOST_NAME

NEXT_PUBLIC_* 브라우저에 노출



브라우저 지원

(https://nextjs.org/docs/basic-features/supported-browsers-features)

IE 11 및 최신 브라우저 지원



정리

