

*Thank you
Doctor*

inqor

Pharmaceuticals Pvt. Ltd.

Adding Colours to Life

Reg Off: #124/1, 2nd Floor, Vital Nagar, Vasantpur,
Uttarahalli Hobli, Bangalore - 560 078

inqor
Pharmaceuticals Pvt. Ltd.

Adding Colours to Life

© inqor Pharmaceuticals Pvt. Ltd.



Manage cellular health ...

Rx Cogni LCTM SYRUP

L-Carnosine 100 mg / 5 ml

- Highly hydrophilic and easily penetrates blood brain barrier
- Provides significant improvement in behaviour, socialization, communication and language comprehension skills
- Carnosine inhibits the accumulation of ABP and prevents learning deficit

Significantly improves

- ◆ Total ADHD rating scale
- ◆ Alzheimer's & parkinsons disorder
- ◆ Activity of daily living
- ◆ Autism spectrum disorder

DOSE

Children up to 12 yrs :
5 - 10 ml
Adult : 10 - 20 ml




The ideal neuroprotector & neuromodulator ...

A different approach to pain management ...

Rx

Ultrabenz™ gel

Cyclobenzaprine Hcl IP 2% w/w + Diclofenac Diethylamine IP 1.16% w/w +
Methyl Salicylate IP 10% w/w + Menthol IP 5% w/w + Linseed Oil BP 3% w/w



- Inhibits the nerve impulses sent from the brain to the muscles by antagonizing 5HT2 receptors
- Creates numbing sensation in the muscle that subsides “Pain”

Ult B

In

- ◆ Skeletal muscle injury ◆ Nerve pain neuralgia
- ◆ Stiffness / Spasticity ◆ Muscle tension
- ◆ Tight chest (or) Torso ◆ Osteoarthritis pain
- ◆ Musculoskeletal pain ◆ Back Pain
- ◆ Delayed onset muscle soreness
- ◆ Muscle strains & joint pains

Fast relief from pain, sprain & strain ...

Deficiency of Vit.D & Vit B12 may hinder recovery in patients with Neurological disorder ...



TM Benfoqor - CD3



Benfotiamine 150 mg + Alpha Lipoic Acid 200 mg + Methylcobalamin 1500 mcg +
Folic acid 1.5 mg + Pyridoxine Hcl 3 mg + Inositol 100 mg + Chromium picolinate 200 mcg +
Calcium carbonate 500 mg + Vitamin D3 (Cholecalciferol)1000 IU Tablet

Improves muscle strength, walking distance & functional ability ...



Benfotiamine :

- Significantly improves overall symptom score in Alcohol Neuropathy

Calcium Carbonate :

- Promotes bone mineral density
- Minimizes bone loss in old age & woman following menopause
- Maintains calcium in homeostasis
- Synergistic effect on bone growth as well as prevents Osteoporosis and fractures

Vitamin D3 (Cholecalciferol) :

- Enhances Calcium absorption
- Regulates Calcium and phosphorous homeostasis
- Extent better control on minerals metabolism
- Improves cardiac dysfunction
- Plays an important role in the prevention of recurrent stroke and improves functional outcomes

Alpha Lipoic Acid :

- Effective in slowing cognitive decline in patient with AD & IR

In

- ◆ Sports injury
- ◆ Joint pain
- ◆ Musculoskeletal disorder
- ◆ Osteoporosis

Benfo

A new dimension for nerve rejuvenation ...

In the management of neuropathic pain ...

Pregaqor™

Pregabalin 25 mg / 50 mg / 75 mg Tablets

- Approved for the treatment of the Neuropathic pain & following post operative SCI
- Significantly greater improvements in CLBP and NP
- Recommended as a potential first-line treatment in patients with GAD

In

- ◆ Sciatica
- ◆ Fibromyalgia
- ◆ Chronic SCI Pain
- ◆ Post-herpetic Neuralgia
- ◆ Diabetic Peripheral Neuropathy



Preferred choice for treating neuropathic pain ...

In Acute Ischemic Stroke & Neuro degenerative disorder ...

Cogni ADD™

Cerebroprotein Hydrolysate 90 mg Tablets

- Shows beneficial effect & improves functional outcome in acute traumatic spinal cord injury patients
- Reduces neuronal dysfunction by maintaining the integrity of neurons and increases neurogenesis
- Supports adult neurogenesis in hippocampus which contributes to improvement in cognitive functional recovery after mild traumatic brain injury
- Increases the anti-oxidants capacity of brain tissues, the ability of body to handle stress and improves energy metabolism in the brain. Also it is safe and well tolerated with improved functional recovery

Preg
Cog A

In

- ◆ Acute ischemic stroke
- ◆ Vascular dementia
- ◆ Traumatic brain injury
- ◆ Alzheimer's disease



Adding newer prospects to neuron ...

Help your patients to come out of vertigo ...

Vertiquit™

Betahistine 16 mg / 24 mg Tablets

- Reduces or eliminates tinnitus in vestibular disorder
- Effective and safe in treatment of vestibular and coordination disturbances in MS
- Induces significant weight loss in obese females <50 years
- An effective and safe option for treatment of peripheral vertigo



In

- ◆ Vertigo
- ◆ Tinnitus
- ◆ Labyrinthitis
- ◆ Menieres disease

Restores balance improves quality of life ...

Effective treatment for migraine prophylaxis ...

ProInap - F™

Flunarizine 10 mg + Propanolol SR 40 mg Tablets

- Effective and well tolerated in treating episodic migraine
- Significantly reduces mean monthly headache frequency, headache intensity and headache duration
- Safe and effective for the prophylactic treatment of vestibular migraine

Vert
Prol



In

- ◆ Chronic migraine
- ◆ Migraine with aura
- ◆ Sporadic hemilegic migraine
- ◆ Familial hemilegic migraine

The combination that benefits ...

Ideal approach to treat moderate to severe pain ...

Ultrarace™

Tramadol 37.5 mg + Paracetamol 325 mg Tablets

- Most frequently used analgesic to treat moderate to severe pain
- Safety profile is appropriate for use in elderly patients, outpatients and for long-term treatment
- Has a potential antidepressant effect through the inhibitions of 5-HT transporter and NE in the brain
- More effective in providing pain relief to adult patients with postoperative pain after minor surgery, musculoskeletal pain (acute, subacute or chronic) painful diabetic peripheral neuropathy or migraine pain.
- Tramadol & Paracetamol 37.5mg/325mg as FDC approved by EU for the symptomatic treatment of moderate to severe pain

FDC:Fixed Dose Combination
EU:European Union
5-HT:Serotonin
NE:Nor Ephinephrine (Nor Adrenaline)

In

- ◆ Post operative pain
- ◆ Moderate to severe pain & spasm
- ◆ Musculoskeletal pain
- ◆ Chronic Back Pain

Ultimate relief from pain ...

In the management of muscle spasticity ...

Liofast™

Baclofen 10 mg Tablets

- Effective in reducing muscle tone and spasm frequency in patients with mild, moderate and severe spasticity with similar results across all origins of spasticity
- Often the drug of choice for lower limb spasticity in SCI & MS
- Selectively binds to presynaptic GABA-B receptors, resulting in hyperpolarization and subsequent reduction in hyperactivity of muscle stretch reflexes, clonus & cutaneous reflexes.
- Controls spasticity with spinal cord lesions and reduces spasm by inhibiting nerve reflex signalling in the spine
- Reduces the muscle tone, hyperreflexia and contractions of paralysed muscles associated with spasticity

Ult R
Lio

In

- ◆ Intractable Hiccups
- ◆ Alcohol dependence
- ◆ Spasticity due to SCI
- ◆ Muscle Spasm
- ◆ Low back pain

Effective way to manage spasticity ...

In the management of SCI and
Inflammatory disorders ...

Rx
Stedrol™

Methylprednisolone 4 mg Tablets / 40 mg Injection

- Facilitates early recovery of sensory and motor function after Spinal cord injury
- Maintains fluid and electrolyte homeostasis to control oedema
- Controls pain, inflammation and exerts immunosuppressant actions
- Prevents and treat rejection of transplanted organs with significant immunosuppressant activities



In

- ◆ Asthma
- ◆ Ulcerative colitis
- ◆ Leukemia
- ◆ Various inflammatory

India's Choice Corticosteroid ...



Effective & safe muscle relaxant ...

Rx Tolimac - P™

Tolperisone 150 mg + Paracetamol 325 mg Tablets

- An effective and well-tolerated treatment for skeletal muscle spasm associated with pain
- Demonstrates greater improvement in muscle tone, muscle strengths and functional outcome as early as week 6
- Significantly greater pain score improvement at rest & movement in skeletal muscle spasm with pain
- Superior efficacy in Post-Stroke spasticity
- Used in a wide range of patients, including the elderly and patients with Co-morbid diseases

Also available

Tolimac - D

Tolperisone 150 mg +
Diclofenac sodium 50 mg Tablets

**Sted
Toli**



In

- ◆ Low back pain ◆ Cerebral Palsy
- ◆ Post-stroke syndrome
- ◆ Spasticity caused by SCI
- ◆ Painful reflex muscle spasm

Most reliable option
when treating spasticity ...

In the management of OA & RA
associated with MSD ...

Rx **Etocoz MRTM**

Etoricoxib 60 mg + Thiocolchicoside 4 mg Tablets

- Effectively reduces GAE compared with diclofenac and naproxen during follow-up time
- Significantly reduces pain intensity and widespread hyperalgesia measured by both self-report and physical tests
- Improved pain relief, joint function, quality of life & treatment satisfaction rates seen in elderly patients
- Thiocolchicoside exhibits a selective affinity for the inhibitory GABA and Glycinergic receptors
- Ideal in treatment of painful muscle spasm associated with local tissue trauma or muscle strains, neurological disorder such as MS, Cerebral and stroke



In

- ◆ Rheumatoid arthritis
- ◆ Osteoarthritis
- ◆ Ankylosing spondylitis
- ◆ Post operative pain
- ◆ Chronic musculoskeletal pain

Better in action, better in results ...



Augument the health benefits with ...

Rx **Recometh Inj.TM**

Methylcobalamin 1000 mcg + Pyridoxine 100 mg + Niacinamide 100 mg + Benzyl Alcohol IP 2%

- Promotes the synthesis and regeneration of myelin sheath
- Lowers plasma/serum homocysteine level and neuropathic symptoms
- Corrects neuronal damage and improves nerve conduction velocity
- Prevents neurological disorder in patients with diabetic neuropathy
- 1000 mcg/day shows better treatment outcome in patients with depression



In

- ◆ Post operative pain
- ◆ Moderate to severe pain & spasm
- ◆ Orthopedic injuries
- ◆ DPNP
- ◆ Anemia

The winning combination
for neuropathy ...



**Etoc
Reco**

In the treatment of Neuropathic pain, fibromyalgia & Mixed Anxiety Disorders with Depression ...

Dulozet™

Duloxetine Hydrochloride 20 mg / 30 mg Tablets

- Approved for the treatment of diabetic peripheral neuropathic pain, fibromyalgia, MDD, GAD and chronic musculoskeletal pain
- Earlier pain reduction within the first 2 to 4 weeks seems to be associated with better treatment outcomes
- Patients receiving Duloxetine and SCS had better pain relief in the affective component of MPQ.
- Associated with higher remission rate in patients with moderate-to-severe depression
- Effective and safe choice to improve pain and functional outcome in OA patients rated on WOMAC score

OA: OSTEOARTHRITIS
MPQ: McGill Pain Questionnaire
SCS: Spinal cord stimulation
WOMAC: Western Ontario and McMaster Universities Osteoarthritis



In

- ◆ MDD ◆ GAD ◆ SUI
- ◆ Painful peripheral neuropathy
- ◆ Fibromyalgia & chronic musculo skeletal pain

Wipes out depression with co-existing pain conditions ...

In the treatment of MDD associated with anxiety ...

Exitopam™ LS/PLUS

Escitalopram 5 mg / 10 mg + Clonazepam 0.25 mg / 0.5 mg Tablets

- Effective and well-tolerated first-line treatment option in MDD & depression associated with anxiety
- Excellent remission rates as high as 72.9% measured on MADRS scale
- Significant anti-depressant activity and progressively evaluated at week 1 to 8
- Significantly higher safety and tolerability as compared to other SSRI's or SNRI's

Also available
Exitopam™
Escitalopram 10 mg / 20 mg Tablets

Dulo
Exit

In

- ◆ MDD
- ◆ Anxiety Disorder
- ◆ Panic disorder

Balanced therapy for anxiety & depression ...

In MDD & Comorbid depression ...

Seraxid

Sertraline 50 mg / 100 mg Tablets

- Sertraline is a 1st USFDA drug approved for post traumatic stress disorder
- 50mg/day shows minimum 50% reduction in HAMD-17 scores
- Significantly decreases body weight, body mass index also shows reduction in fasting, postprandial and glycosylated haemoglobin level in depressive diabetic type 2 patients
- First-line drug for anxiety and depression in pregnant women in the SSRI class



In

- ◆ Post psychotic depression
- ◆ General anxiety disorder
- ◆ Post stroke depression
- ◆ Stress disorder

Brings back the mood ...

In depressive disorder associated with anxiety ...

Parijoy™ CR

Paroxetine Control Release 12.5 mg / 25 mg Tablets

- Effective in both endogenous and reactive depression, as well as effective in moderate and severe depression
- Better efficacy than imipramine in anxiety associated with depression
- Significantly improves HSDS/HSAS Scores & depressive symptoms in MDD patients



In

- ◆ Social Phobia
- ◆ Panic Disorder
- ◆ Depressive Disorder
- ◆ Social Anxiety Disorder
- ◆ Premature Ejaculation

Corrects depression ... controls anxiety ...

Serax
Pari

A daytime anti-depressant ...



Fluoxer

Fluoxetine 10 mg / 20 mg Tablets



- A superior anti depressant, devoid of side effects like Hypotension, Sedation & Restlessness
- US-FDA approved selective serotonin reuptake inhibitor in treatment of major depressive disorder with longer life
- Patients affected by major depression with anxiety or agitation were effectively & safely treated with fluoxetine without increasing risks



In

- ◆ Anxiety
- ◆ Depression
- ◆ Panic disorder
- ◆ Obsessive compulsive disorder

Trusted over decades ...

In Erectile Dysfunction ...



Tadaglee

Tadalafil 10 mg / 20 mg Tablets



DETECT study concludes :

- 84% continued to take TDF after 12 months
- High satisfaction after 1st month is best predictor of treatment
- Effective & safe in long term for SCI patients with ED



Fluo
Tada

Let the day filled
with joy & pleasure ...

Pare the hyperhomocysteinemia and associated complications ...



HomipareTM

Folic acid 5 mg + Mecobalamin 1500 mcg + Pyridoxine 20 mg Tablets



- Regenerates damaged nerve fibers and stabilizes excitability inhibiting ectopic discharges
- Inhibits free radical formation, lipid peroxidation, protein glycosylation and protects (Na⁺/K⁺) ATPase activity
- Lowers homocysteine and improves clinical outcomes for secondary prevention of CVD
- Decreases risk of osteoporosis induced bone fractures in selected high risk patients

In

- ◆ Stroke
- ◆ Pre Eclampsia
- ◆ Developmental delay
- ◆ Age related Macular degeneration
- ◆ Diabetes
- ◆ Neural tube defects
- ◆ Alzheimer's Disease

Homi

Pare the levels of hyper homocysteine ...



